

|                                 |                        |                             |   |
|---------------------------------|------------------------|-----------------------------|---|
| WAAS<br>CH <b>49229</b><br>W29A | APP CRS<br><b>291°</b> | Rwy Idg<br>TDZE<br>Apt Elev | <b>5091</b><br><b>1989</b><br><b>1989</b> |
|---------------------------------|------------------------|-----------------------------|---|


# RNAV (GPS) RWY 29

L M CLAYTON (OLF)

**⚠** For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -18°C (0°F) or above 54°C (130°F). DME/DME RNP-0.3 NA. When local altimeter setting not received, use Wokal FLD/Glasgow-Valley County altimeter setting; increase LPV DA to 2330 ft and visibility 3/8 SM, LNAV/VNAV DA to 2380 ft and visibility 1/2 SM; increase all MDA 160 feet and LNAV and Circling visibility Cat C/D 1/2 SM. Baro-VNAV and VDP NA with Glasgowl altimeter setting.

**MISSED APPROACH:**  
Climb to 4500 direct  
RULIE and hold.



|                        |   |                                 |
|------------------------|---|---------------------------------|
| ASOS<br><b>118.325</b> | SALT LAKE CENTER<br><b>126.85 305.2</b> | UNICOM<br><b>122.8 (CTAF) 0</b> |
|------------------------|---|---------------------------------|



NW-1, 16 APR 2026 to 14 MAY 2026

NW-1, 16 APR 2026 to 14 MAY 2026

|           |           |
|-----------|-----------|
| ELEV 1989 | TDZE 1989 |
|-----------|-----------|



|              | A      | B           | C                     | D                             |
|--------------|--------|-------------|-----------------------|-------------------------------|
| CATEGORY     |        |             |                       |                               |
| LPV DA       |        | 2189-3/4    | 200 (200-3/4)         |                               |
| LNAV/VNAV DA |        | 2239-7/8    | 250 (300-7/8)         |                               |
| LNAV MDA     |        | 2340-1      | 351 (400-1)           |                               |
| CIRCLING     | 2480-1 | 491 (500-1) | 2660-2<br>671 (700-2) | 2780-2 1/2<br>791 (800-2 1/2) |