

| | | | |
|--|------------------------|-----------------------------|---|
| WAAS CH 72625 W23A | APP CRS 229° | Rwy Ldg TDZE Apt Elev | 9020 582 589 |
|--|------------------------|-----------------------------|---|

RNAV (GPS) RWY 23


TERRE HAUTE RGNL (HUF)

RNP APCH.



Baro-VNAV and VDP NA when using Paris altimeter setting. Rwy 23 helicopter visibility reduction below 3/4 SM NA. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C or above 54°C. When local altimeter setting not received, use Paris altimeter setting and increase all DA 61 feet and all MDA 80 feet, increase LPV and LNAV/VNAV visibility all Cats 1/8 SM, increase LNAV and Circling Cats C/D visibilities 1/4 SM.

MISSED APPROACH: Climb to 2600 direct POKHY and hold.

| | | | |
|------------------------------|---------------------------------------|--|-------------------------------|
| ATIS 127.5 269.375 | HULMAN APP CON 125.45 339.8 | HULMAN TOWER 134.725 322.475 | GND CON 121.6 348.6 |
|------------------------------|---------------------------------------|--|-------------------------------|



| | | |
|----------|----------|----------|
| ELEV 589 | D | TDZE 582 |
|----------|----------|----------|



| CATEGORY | A | B | C | D |
|--------------|--------|-------------|-------------------------------|-----------------------|
| LPV DA | | 890-7/8 | 308 (400-7/8) | |
| LNAV/VNAV DA | | 874-7/8 | 292 (300-7/8) | |
| LNAV MDA | 1000-1 | 418 (500-1) | 1000-1 1/8 | 418 (500-1 1/8) |
| CIRCLING | 1040-1 | 451 (500-1) | 1220-1 3/4 631 (700-1 3/4) | 1220-2 631 (700-2) |

EC-2, 14 MAY 2026 to 11 JUN 2026

EC-2, 14 MAY 2026 to 11 JUN 2026