



VORTAC PIE 116.4 Chan 111	APP CRS 193°	Rwy Ldg TDZE Apt Elev	N/A N/A 11
---	------------------------	-----------------------------	-------------------------

VOR-B
ST PETE-CLEARWATER INTL (PIE)


DME required.	MISSED APPROACH: Climb to 700 then climbing right turn to 2600 on heading 030° and PIE VORTAC R-013 to ESETE/PIE 12.7 DME and hold.
---------------	---

ATIS 134.5	TAMPA APP CON 125.3 316.05	ST PETERSBURG-CLEARWATER TOWER * 118.3 (CTAF) 0 257.8	GND CON 121.9 348.6	UNICOM 122.95
----------------------	--------------------------------------	---	-------------------------------	-------------------------



ST PETERSBURG
116.4 PIE
Chan 111

Procedure NA for arrival on PIE VORTAC
airway radials 336 CW 067.



ELEV 11 D	700	2600	PIE R-013	ESETE PIE 12.7	ESETE PIE 12.7	One Minute Holding Pattern
	↑	hdg 030°				
			ZUKVO PIE 0.9	PPLNT PIE 5.8	1600	013° → 6000 ← 193° 2600
			PIE VORTAC			
			4.9 NM	6.9 NM		
CATEGORY	A	B	C	D		
CIRCLING	520-1	509 (600-1)	600-1½ 589 (600-1½)	620-2 609 (700-2)		