


| | | |
|--|------------------------|---|
| WAAS CH 99399 W07A | APP CRS 072° | Rwy Ldg TDZE Apt Elev 10599 683 683 |
|--|------------------------|---|

RNAV (GPS) RWY 7


EUGENE F KRANZ TOLEDO EXPRESS (TOL)

| | | | |
|-----------|---|---------------|--|
| RNP APCH. | <p>T For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C or above 52°C.</p> <p>A For inop ALS, increase LPV all Cats visibility to RVR 5000. Increase LNAV/VNAV Cat E and LNAV Cat E visibility to 1 1/8 SM.</p> <p>ASR</p> | <p>ALSf-2</p> | <p>MISSED APPROACH: Climb to 3000 direct AKEPE and hold.</p> |
|-----------|---|---------------|--|

| | | | |
|-------------------------------|--|------------------------------------|-------------------------------|
| ATIS 118.75 290.225 | TOLEDO APP CON 134.35 317.55 | TOLEDO TOWER 118.1 285.4 | GND CON 121.9 348.6 |
|-------------------------------|--|------------------------------------|-------------------------------|



| | | | | | |
|----------------------|-----------------------|-----------------|-------------------------------|-------------------------------|-------------------------------|
| 5 NM Holding Pattern | | 3000 | | AKEPE | |
| ATVIY | | SULVE | | RW07 | |
| 10000 ← 252° | | 2200 | | *LNAV only. | |
| 3000 → 072° | | *1.3 NM to RW07 | | RW07 | |
| GP 3.00° | | 6 NM | | 3.2 NM | |
| TCH 55 | | 1.3 | | | |
| CATEGORY | A | B | C | D | E |
| LPV DA | 1018/40 335 (400-3/4) | | | | |
| LNAV/VNAV DA | 1129/50 446 (500-1) | | | | |
| LNAV MDA | 1140/24 | 457 (500-1/2) | 1140/40 457 (500-3/4) | 1140/50 | 457 (500-1) |
| CIRCLING | 1200-1 | 517 (600-1) | 1300-1 3/4 617 (700-1 3/4) | 1360-2 1/4 677 (700-2 1/4) | 1360-2 1/2 677 (700-2 1/2) |



EC-2, 11 JUN 2026 to 09 JUL 2026

EC-2, 11 JUN 2026 to 09 JUL 2026