

APP CRS	Rwy Ldg	8579
124°	TDZE	9
	Apt Elev	9


RNAV (RNP) Y RWY 12

MIAMI INTL (MIA)

RNP AR APCH - GPS. Authorization required. From FENDR: RF.
 ▼ For uncompensated Baro-VNAV systems, procedure NA below 9°C or above 54°C.


MALSR  MISSED APPROACH: Climb to 500 then climbing left turn to 3000 direct ZOMGU and hold, continue climb-in-hold to 3000.

D-ATIS	MIAMI APP CON	MIAMI TOWER	GND CON
119.15	124.85 322.3	118.3 256.9	121.8 (8L/8R/12/26L/26R) 127.5 (9/27/30) 348.6






SE-3, 11 JUN 2026 to 09 JUL 2026

SE-3, 11 JUN 2026 to 09 JUL 2026



ELEV	9	D	TDZE	9
------	----------	----------	------	----------

VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 72).



CATEGORY	A	B	C	D
RNP 0.30 DA		462/50	453 (500-1)	

AUTHORIZATION REQUIRED

TDZL/RCLS Rwy 8R
 REIL Rwys 8L and 26R
 HIRL all Rwys