


LEJON FIVE DEPARTURE

9202 UNR 60 of 2026 UNR 11 '8-CC



SAN ANTONIO DEP CON
125.7 290.225
ATIS
128.8
CLINIC DEL (When twr closed)
121.7
GND CON
121.7 379.9
STINSON TOWER ★
118.2 (CTAF) 379.9

CENTER POINT
117.5 CS
Chan 122

STONEWALL
113.8 STV
Chan 85

SAN ANTONIO
116.8 SAT
Chan 115

TAKEOFF MINIMUMS
Rwy 10: Standard with minimum climb of 230'/NM to 1900.
Rwy 14: Standard with minimum climb of 220'/NM to 1900.
Rwy 28: 300-1% or standard with minimum climb of 230'/NM to 900, or alternatively, with standard takeoff minimums and a normal 200'/NM climb gradient, takeoff must occur no later than 1800' prior to DER.
Rwy 32: Standard with minimum climb of 230'/NM to 1700.

RADAR required.

DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAY 10: Climb on heading 100° or as assigned by ATC for RADAR vectors to SAT VORTAC, thence. . .

TAKEOFF RUNWAY 14: Climb on heading 142° or as assigned by ATC for RADAR vectors to SAT VORTAC, thence. . .

TAKEOFF RUNWAY 28: Climb on heading 280° or as assigned by ATC for RADAR vectors to SAT VORTAC, thence. . .

TAKEOFF RUNWAY 32: Climb on heading 322° or as assigned by ATC for RADAR vectors to SAT VORTAC, thence. . .

. . . on depicted route to LEJON. Expect filed altitude 10 minutes after departure.

NOTE: Chart not to scale.