


|  |                        |                             |   |
|--|------------------------|-----------------------------|---|
| WAAS<br>CH <b>77620</b><br><b>W05A</b> | APP CRS<br><b>054°</b> | Rwy Ldg<br>TDZE<br>Apt Elev | <b>8204</b><br><b>1199</b><br><b>1226</b> |
|--|------------------------|-----------------------------|---|

# RNAV (GPS) RWY 5

AKRON-CANTON RGNL (CAK)

|  |               |   |
|--|---------------|---|
| <p><b>▼</b> For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C (2°F) or above 46°C (114°F). DME/DME RNP-0.3 NA.<br/>** RVR 1800 authorized with use of FD or AP or HUD to DA.</p> | <p>MALSRL</p> | <p>MISSED APPROACH: Climb to 3000 direct EGGII and on track 048° to ACO VOR/DME and hold.</p> |
|--|---------------|---|

|                               |   |   |                                       |
|-------------------------------|---|---|---------------------------------------|
| <p>ATIS<br/><b>121.05</b></p> | <p>CLEVELAND APP CON*<br/><b>125.5 269.25</b></p> | <p>AKRON-CANTON TOWER<br/><b>134.75 279.575</b></p> | <p>GND CON<br/><b>121.7 348.6</b></p> |
|-------------------------------|---|---|---------------------------------------|



|  |  |  |                         |                        |
|--|--|--|-------------------------|------------------------|
| <p>4 NM Holding Pattern</p> <p>JUNEX</p> <p>3000 ← 234°</p> <p>GP 3.00° TCH 50</p> <p>054° →</p> <p>6 NM</p> | <p>CICEE</p> <p>3000</p> <p>054°</p> <p>4.2 NM</p> | <p>EGGII</p> <p>tr 048°</p> <p>*1.3 NM to RWY 5</p> <p>*LNAV only</p> <p>RWY 5</p> <p>1.3 NM</p> | <p>ACO</p>              |                        |
|  |  |  |                         | <p>3000</p>            |
| CATEGORY   | A  | B  | C                       | D                      |
| LPV DA**   |  | 1399/24  | 200 (200-½)             |                        |
| LNAV/VNAV DA   |  | 1577/50  | 378 (400-1)             |                        |
| LNAV MDA   | 1640/24  | 441 (500-½)  | 1640/40<br>441 (500-¾)  | 1640/50<br>441 (500-1) |
| CIRCLING   | 1760-1   | 534 (600-1)  | 1780-1½<br>554 (600-1½) | 1800-2<br>574 (600-2)  |

