



LOC/DME I-BQC 108.9 Chan 26	APP CRS 003°	Rwy Ldg TDZE 727 Apt Elev 748
---	------------------------	---

ILS RWY 36R (SA CAT I)
CHARLOTTE/DOUGLAS INTL (CLT)


Simultaneous approach authorized. DME or RADAR required. Requires specific OPSPEC, MSPEC or LOA approval and use of HUD to DH.		ALS-2 	MISSED APPROACH: Climb to 1320 then climbing right turn to 4000 on CLT VOR/DME R-093 to LOCAS INT/24.9 DME and hold.
D-ATIS 121.15	CHARLOTTE APP CON 128.325 (001°-119°) 257.2 (180°-359°) 120.05 (120°-295°) 307.8 (360°-179°) 134.75 (296°-360°)	CHARLOTTE TOWER 118.1 257.8 (18L-36R) 126.4 257.8 (1R-19L) 133.35 257.8 (1L-19R)	GND CON 121.8 348.6 (W) 121.9 348.6 (E)



ELEV 748	D	TDZE 727
-----------------	----------	-----------------



HIRL all Rwys
REIL Rwy 18L
TDZL/RCLS Rwys 1L, 1R, 19R, and 36R



CATEGORY	A	B	C	D
S-ILS 36R	RA 173/14 150 DA 877			

SA CATEGORY I ILS SPECIAL AIRCREW
& AIRCRAFT CERTIFICATION REQUIRED