

LOC/DME I-EJR 111.5 Chan 52	APP CRS 216°	Rwy Ldg TDZE 632 Apt Elev 645
---	------------------------	---


ILS RWY 21L (SA CAT I & II)
DETROIT METRO WAYNE COUNTY (DTW)

From RYEDR, COBBO: RNAV 1-DME/DME/IRU or GPS required. Aircraft not DME/DME/IRU or GPS equipped - RADAR required for procedure entry. DME or RADAR required.


MALSR
MISSED APPROACH: Climb to 1100 then climbing left turn to 4000 on DXO R-122 to GAAGE/DXO 16 DME and hold, continue climb-in-hold to 4000.

Simultaneous approach authorized. SA CAT I: Requires specific OPSPEC, MSPEC, or LOA approval and use of HUD to DH. SA CAT II: Reduced lighting; requires specific OPSPEC, MSPEC, or LOA approval and use of autoland or HUD to touchdown.

D-ATIS 133.675	DETROIT APP CON 125.15 284.0	METRO TOWER 118.4 317.725	GND CON 121.8 (NW) 119.45 (NE) 132.725 (SW) 119.25 (SE)
--------------------------	--	-------------------------------------	---



1100	4000	DXO R-122	GAAGE DXO 16	NESBI I-EJR 9.1 RADAR	BALAS I-EJR 12.2 RADAR	ROBBI I-EJR 15.4 RADAR	TIGRZ I-EJR 18.5 RADAR
2000	3000	4000	5000	216°	5000	GS 3.00° TCH 55	
VGSi and ILS glidepath not coincident (VGSi Angle 3.00/TCH 80).							
4.1 NM	3.1 NM	3.1 NM	3.1 NM	3.1 NM			
CATEGORY	A	B	C	D			
S-ILS 21L	SA CAT I				RA 148/14	150	DA 782
S-ILS 21L	SA CAT II				RA 98/12	100	DA 732



SA CATEGORY I & II ILS - SPECIAL AIRCREW & AIRCRAFT CERTIFICATION REQUIRED

EC-1, 09 JUL 2026 to 06 AUG 2026

EC-1, 09 JUL 2026 to 06 AUG 2026