


LOC/DME I-SMR 111.3 Chan 50	APP CRS 032°	Rwy Ldg TDZE 3680 Apt Elev 3680	ILS RWY 3 (SA CAT I) GREAT FALLS INTL (GTF')
--	------------------------	---	---

Requires specific OPSPEC, MSPEC, or
LOA approval and use of HUD to DH.
DME required.


ALSIF-2

MISSED APPROACH: Climb to 5000 then climbing right turn
to 8300 direct GTF VORTAC then on GTF VORTAC R-209 to
FRYMN/I-SMR 16.9 DME and hold.

ATIS 126.6 269.0	GREAT FALLS APP CON 128.6 379.175	GREAT FALLS TOWER 118.7 282.2	GND CON 121.7 348.6
----------------------------	---	---	-------------------------------



DME REQUIRED



VGSI and ILS glidepath not coincident
(VGSI Angle 3.00°/TCH 70).

One Minute
Holding Pattern

FRYMN
I-SMR 16.9

5000

8300

GTF

GTF R-209

FRYMN
I-SMR 16.9

DCEEE
I-SMR 9

Use I-SMR DME when on the
localizer course.

8300

←212°

032°→

032°

6000

GS 3.00°
TCH 54

7.9 NM

7.1 NM

1099'

CATEGORY	A	B	C	D
5-ILS 3	RA 140/14 150 DA 3830			

SA CATEGORY I ILS-SPECIAL AIRCREW
& AIRCRAFT CERTIFICATION REQUIRED