


|   |                        |  |
|---|------------------------|--|
| LOC/DME I-BQE<br><b>108.7</b><br>Chan <b>24</b> | APP CRS<br><b>252°</b> | Rwy Ldg <b>10599</b><br>TDZE <b>678</b><br>Apt Elev <b>684</b> |
|---|------------------------|--|

# ILS Z or LOC Z RWY 25



EUGENE F KRANZ TOLEDO EXPRESS (TOL)

|   |  |           |   |
|---|--|-----------|---|
| RADAR required for procedure entry. DME, RNAV 1-GPS required.   |  | MALSR<br> | MISSED APPROACH: Climb to 1100 then climbing left turn to 2500 direct WUPTA and hold. |
| <p><b>▼</b> For inop ALS, increase S-ILS 25 Cat E visibility to RVR 4000, and S-LOC 25 Cat E visibility to RVR 5000.</p> <p><b>▲</b> * RVR 1800 authorized with use of FD or AP or HUD to DA.</p> |  |           |   |

|                               |  |                                    |                               |
|-------------------------------|--|------------------------------------|-------------------------------|
| ATIS<br><b>118.75 290.225</b> | TOLEDO APP CON<br><b>134.35 317.55</b> | TOLEDO TOWER<br><b>118.1 285.4</b> | GND CON<br><b>121.9 348.6</b> |
|-------------------------------|--|------------------------------------|-------------------------------|



|          |          |          |
|----------|----------|----------|
| ELEV 684 | <b>D</b> | TDZE 678 |
|----------|----------|----------|



|           |                    |             |                         |                         |                         |
|-----------|--------------------|-------------|-------------------------|-------------------------|-------------------------|
| CATEGORY  | A                  | B           | C                       | D                       | E                       |
| S-ILS 25* | 878/24 200 (200-½) |             |                         |                         |                         |
| S-LOC 25  | 1000/24            | 322 (400-½) | 1000/26                 | 322 (400-½)             |                         |
| CIRCLING  | 1200-1             | 516 (600-1) | 1300-1¾<br>616 (700-1¾) | 1360-2¼<br>676 (700-2¼) | 1360-2½<br>676 (700-2½) |

EC-2, 09 JUL 2026 to 06 AUG 2026

EC-2, 09 JUL 2026 to 06 AUG 2026