

LOC I-OCZ	APP CRS	Rwy Ldg
111.1	177°	12901
		TDZE
		1195
		Apt Elev
		1219

ILS Y or LOC Y RWY 18

LINCOLN (LNK)

⚠


When local altimeter setting not received use Beatrice altimeter setting and increase DA to 1486; and all MDA 100 feet, increase visibility S-LOC 18 Cat C, D, E and Circling Cats C and D ¼ SM; increase ROROC fix minimums S-LOC 18 Cat C/D/E visibility ⅓ SM and Circling Cats C and D ¼ SM. For inop ALS, increase S-ILS 18 Cat E visibility to RVR 4000, S-LOC 18 Cat E visibility to 1¾ SM, and ROROC fix minimums S-LOC 18 Cat E visibility to 1½ SM. For inop ALS when using Beatrice altimeter setting, increase S-ILS 18 all Cats visibility to RVR 4500, S-LOC 18 Cat E visibility to 2 SM, and ROROC fix minimums S-LOC 18 Cat C/D/E visibility to 1¾ SM.
#RVR 1800 authorized with use of FD or AP or HUD to DA.


MALSR

MISSED APPROACH:

Climb to 1700 then climbing right turn to 3000 direct LNK VORTAC and hold.

ATIS	OMAHA APP CON	LINCOLN TOWER*	GND CON	UNICOM
118.05 290.9	124.0 270.3	118.5(CTAF) 253.5	121.9 275.8	122.95



1700	3000	LNK					
			*1880 when using Beatrice altimeter setting.				
			CLONE OM/INT 2837				
			ESACO INT 3200				
			JUSAM LNK 12				
			Teardrop Right Turn				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				
			3200				

