



|                                                 |                        |                                                                  |
|-------------------------------------------------|------------------------|------------------------------------------------------------------|
| LOC/DME I-UAT<br><b>111.9</b><br>Chan <b>56</b> | APP CRS<br><b>164°</b> | Rwy Ldg <b>12000</b><br>TDZE <b>4226</b><br>Apt Elev <b>4231</b> |
|-------------------------------------------------|------------------------|------------------------------------------------------------------|


ILS RWY 16R (SA CAT I)  
SALT LAKE CITY INTL (SLC)

|                                                                                        |            |                                                                                                                                           |
|----------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| RNP APCH - GPS. From EKKHO or WEBER.<br>DME or RADAR required.                         | ALSF-2<br> | MISSED APPROACH: Climb to 4800 then climbing right turn to 8100 on heading 310° and on TCH VORTAC R-249 to STACO INT/TCH 20 DME and hold. |
| Simultaneous approach authorized.<br>Requires specific OPSPEC, MSPEC, or LOA approval. |            |                                                                                                                                           |

|                                 |                                              |                                             |                                 |
|---------------------------------|----------------------------------------------|---------------------------------------------|---------------------------------|
| D-ATIS<br><b>124.75 125.625</b> | SALT LAKE CITY APP CON<br><b>125.7 284.6</b> | SALT LAKE CITY TOWER<br><b>132.65 336.4</b> | GND CON<br><b>123.775 348.6</b> |
|---------------------------------|----------------------------------------------|---------------------------------------------|---------------------------------|



|                                                                       |                       |   |   |   |
|-----------------------------------------------------------------------|-----------------------|---|---|---|
| CATEGORY                                                              | A                     | B | C | D |
| S-ILS 16R                                                             | RA 154/14 150 DA 4376 |   |   |   |
| SA CATEGORY I ILS - SPECIAL AIRCREW & AIRCRAFT CERTIFICATION REQUIRED |                       |   |   |   |



SW-4, 09 JUL 2026 to 06 AUG 2026

SW-4, 09 JUL 2026 to 06 AUG 2026