

|                                        |                        |                                                              |
|----------------------------------------|------------------------|--------------------------------------------------------------|
| WAAS<br>CH <b>65619</b><br><b>W06A</b> | APP CRS<br><b>058°</b> | Rwy Ldg <b>12000</b><br>TDZE <b>27</b><br>Apt Elev <b>30</b> |
|----------------------------------------|------------------------|--------------------------------------------------------------|

RNAV (GPS) Y RWY 6

SOUTHWEST FLORIDA INTL (RSW)

|                                                                                                                                                                                                                       |                                                                            |                                                    |                               |                                                                                        |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|----------------------------------------------------|-------------------------------|----------------------------------------------------------------------------------------|--|
| RNP APCH - GPS. <div>For uncompensated Baro-VNAV systems, LNAV/VNAV NA below 4°C or above 54°C. For inop ALS, increase LNAV/VNAV all Cats visibility to RVR 5500, and LNAV Cats C and D visibility to RVR 5500.</div> |                                                                            |                                                    | MALSR <div></div>             | MISSED APPROACH: Climb to 1000 then climbing right turn to 2300 direct CORFU and hold. |  |
| D-ATIS<br><b>124.65</b>                                                                                                                                                                                               | FORT MYERS APP CON ★<br><b>125.15 306.2 (6)</b><br><b>126.8 306.2 (24)</b> | FORT MYERS TOWER ★<br><b>128.75 (CTAF) 0 257.8</b> | GND CON<br><b>121.9 257.8</b> | UNICOM<br><b>122.95</b>                                                                |  |

