



LOC/DME I-ARJ	APP CRS	Rwy Ldg
109.3	227°	8700
Chan 30		TDZE 50
		Apt Elev 54

ILS or LOC RWY 23

RHODE ISLAND TF GREEN INTL (PVD)

DME or RADAR required for procedure entry.		MALSR	MISSED APPROACH: Climb to 700 then climbing right turn to 2500 on heading 350° and PVD VOR/DME R-321 to FOSTY INT/ORW 23.5 DME and hold.
** RVR 1800 authorized with use of FD or AP or HUD to DA.			
D-ATIS	PROVIDENCE APP CON *	PROVIDENCE TOWER *	GND CON
124.2	123.675 244.875	120.7 (CTAF) 0 257.8	121.9 348.6



700		2500	PVD R-321	FOSTY	VGSI and ILS glidepath not coincident (VGSI Angle 3.00/TCH 41).
* LOC only.		hdg 350°			
					Remain within 10 NM
					047°
					227°
					2200
					GS 3.00° TCH 51
					1900
					0.9 NM
					0.7
					4.1 NM
CATEGORY	A	B	C	D	
S-ILS 23**	250/24 200 (200-½)				
S-LOC 23	600/24	550 (600-½)	600/60	550 (600-1¼)	
CIRCLING	600-1 546 (600-1)	640-1 586 (600-1)	640-1½ 586 (600-1½)	860-2½ 806 (900-2½)	
WIVPA FIX MINIMUMS					
S-LOC 23	380/24	330 (400-½)	380/26	330 (400-½)	
CIRCLING	560-1 506 (600-1)	640-1 586 (600-1)	640-1½ 586 (600-½)	860-2½ 806 (900-2½)	