

LOC/DME I-SPA

109.1

Chan 28

APP CRS

047°

Rwy Ldg TDZE Apt Elev

5852 802 802

SPARTANBURG DOWNTOWN MEML/SIMPSON FLD (SPA)

ILS or LOC RWY 5

DME required.

V

A

For inop ALS, increase S-LOC 5 Cats C/D visibility to 1 SM.

MALS

A5

MISSED APPROACH: Climb to 1300 then climbing left turn to 3000 direct SPA VORTAC and hold, continue climb-in-hold to 3000.

AWOS-3

133.925

GREER APP CON ★

119.4 350.2


CINC DEL

120.55

UNICOM

123.0 (CTAF)

0



One Minute Holding Pattern

FREST INT I-SPA
11.9

VGSI and ILS glidepath not coincident
(VGSI Angle 3.00/TCH 45).

1300 3000 SPA

5200

2500

← 227°

047° →

GS 3.00°
TCH 50

2100

VETPY I-SPA
5.1

2100

* I-SPA
2.1

I-SPA
1.1

* LOC only.

6.8 NM

2.9 NM

1 NM

CATEGORY	A	B	C	D
S-ILS 5		1002-¾	200 (200-¾)	
S-LOC 5		1160-¾	358 (400-¾)	
CIRCLING	1320-1	518 (600-1)	1380-1½ 578 (600-1½)	1420-2 618 (700-2)

ELEV 802

D

TDZE 802

HIRL Rwy 5-23

REIL Rwy 23

862

3852X100

047°