


APP CRS	Rwy Ldg	10200
078°	TDZE	936
	Apt Elev	944

RNAV (RNP) Z RWY 8R


ONTARIO INTL (ONT)


RNP AR APCH - GPS. Authorization required. From JALOT: Min RNP 0.80. From GRHRT: Min RNP 0.50. From NIPKE or ICILO: RF, Min RNP 0.30. From COLTN: RF. From YETTS: RF, Min RNP 0.80.	MISSED APPROACH: Climb to 5300 on track 078° to HOYQU and on track 165° to DLIUS and hold, continue climb-in-hold to 5300.
For uncompensated Baro-VNAV systems, procedure NA below 2°C or above 54°C.	

D-ATIS 124.25	SOCAL APP CON 127.0 318.2	ONTARIO TOWER 120.6 360.775	GND CON 121.9 257.8
------------------	------------------------------	--------------------------------	------------------------



ELEV	944	TDZE	936
------	-----	------	-----



VGSi and RNAV glidepath not coincident (VGSi Angle 3.00/TCH 65).				
5300 ↑ tr 078°	HOYQU ✦	tr 165°	DLIUS ✦	
See planview for multiple IF locations.				
				
CATEGORY	A	B	C	D
RNP 0.30 DA	1388-1 $\frac{3}{8}$ 452 (500-1 $\frac{3}{8}$)			
AUTHORIZATION REQUIRED				

SW-3, 06 AUG 2026 to 03 SEP 2026

SW-3, 06 AUG 2026 to 03 SEP 2026