

|                                        |                        |                                                               |
|----------------------------------------|------------------------|---------------------------------------------------------------|
| WAAS<br>CH <b>90415</b><br><b>W09A</b> | APP CRS<br><b>095°</b> | Rwy Ldg <b>6520</b><br>TDZE <b>981</b><br>Apt Elev <b>981</b> |
|----------------------------------------|------------------------|---------------------------------------------------------------|

RNAV (GPS) RWY 9R  
OAKLAND COUNTY INTL (PTK)

RNP APCH - GPS

**⚠** Circling Rwy 9L, 36 NA at night. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -21°C or above 54°C. For inop ALS, increase LPV all Cnts visibility to RVR 4500. \*RVR 1800 authorized with use of FD or AP or HUD to DA.

MALSR



MISSED APPROACH:  
Climb to 3000 direct  
GUZVY and hold.

|                        |                                        |                                          |                         |                         |
|------------------------|----------------------------------------|------------------------------------------|-------------------------|-------------------------|
| ATIS<br><b>125.025</b> | DETROIT APP CON<br><b>132.35 284.0</b> | PONTIAC TOWER ★<br><b>120.5 (CTAF) 0</b> | GND CON<br><b>121.9</b> | UNICOM<br><b>122.95</b> |
|------------------------|----------------------------------------|------------------------------------------|-------------------------|-------------------------|

