

LOC/DME I-OSV
110.75
Chan **44**(Y)

APP CRS
094°

Rwy Ldg
TDZE
Apt Elev
7001
76
76

ILS or LOC RWY 9

BROOKSVILLE-TAMPA BAY RGNL (BKV)

RADAR required for procedure entry. DME required.

NA

Circling Rwy 3 NA at night.

MALSR

MISSED APPROACH: Climb to 500 then climbing right turn to 3000 on heading 110° and LAL VORTAC R-330 to DADES/LAL 25.8 DME and hold, continue climb-in-hold to 3000.

ASOS 134.725	TAMPA APP CON 125.3 316.05	BROOKSVILLE TOWER★ 118.55 (CTAF) 0	GND CON 121.4	UNICOM 123.0
------------------------	--------------------------------------	---	-------------------------	------------------------

BROAD INT I-OSV (11.2) RADAR

GS 3.00° TCH 56

500

3000

hdg 110°

LAL R-330

DADES △

2000

094°

1600

JADMO I-OSV (5.9)

1600

UKFOT I-OSV (2.7)

600

I-OSV (1.2)

5.4 NM

3.1 NM

1.5 NM

CATEGORY	A	B	C	D
S-ILS 9	276-½ 200 (200-½)			
S-LOC 9	460-½	384 (400-½)	460-⅝	384 (400-⅝)
CIRCLING	680-1	604 (700-1)	680-1¾ 604 (700-1¾)	760-2¼ 684 (700-2¼)

094°

AS

7001 X 150

27

TWR

AS

1200 X 150

12

MIRL Rwy 3-21 and 9-27 0

BROOKSVILLE, FLORIDA

Amtd 4 17APR25

28°28'N-82°27'W

BROOKSVILLE-TAMPA BAY RGNL (BKV)

ILS or LOC RWY 9