

LOC/DME I-EPA 110.15 Chan 38(Y)	APP CRS 276°	Rwy Ldg TDZE Apt Elev	6787 630 645
---	------------------------	-----------------------------	---



ILS or LOC RWY 27L
DETROIT METRO WAYNE COUNTY (DTW)

▼ DME or RADAR required.
Simultaneous approach authorized.
**RVR 1800 authorized with use of FD or AP or HUD to DA.

MALSR

MISSED APPROACH: Climb to 1100 then climbing left turn to 4000 on heading 180° and CRL VOR/DME R-041 to CRL VOR/DME and hold, continue climb-in-hold to 4000.

D-ATIS 133.675	DETROIT APP CON 124.05 284.0	METRO TOWER 128.75 317.725	GND CON 121.8 (NW) 119.45 (NE) 132.725 (SW) 119.25 (SE)
--------------------------	--	--------------------------------------	---



1100	4000	CRL R-041	CRL	VGSI and ILS glidepath not coincident (VGSI Angle 3.00/TCH 71).
hdg 180°				
* LOC only.				
NIKNG I-EPA 5.7 RADAR	KNOIT I-EPA 8.8 RADAR	JUSTT I-EPA 12 RADAR	ALWAZ I-EPA 15.1 RADAR	DONYA I-EPA 18.3 RADAR
HEYYY I-EPA 21.4 RADAR				
2000	3000	4000	5000	6000
7000				
GS 3.00° TCH 56				
1.2 NM	2.9 NM	3.1 NM	3.1 NM	3.1 NM
3.1 NM	3.1 NM	3.1 NM	3.1 NM	3.1 NM
CATEGORY	A	B	C	D
S-ILS 27L **	830/24 200 (200-1/2)			
S-LOC 27L	1080/24	450 (500-1/2)	1080/45	450 (500-7/8)
CIRCLING	1180-1	535 (600-1)	1180-1 1/2 535 (600-1 1/2)	1240-2 595 (600-2)