

TOP ALTITUDE:
5000

△ MERIT

△ BAYYS

BRIDGEPORT
 108.8 BDR
 Chan 25

△ GREKI

CARMEL
 116.6 CMK
 Chan 113

DEER PARK
 117.7 DPK
 Chan 124

KENNEDY
 115.9 JFK
 Chan 106

△ SHIPP

△ WAVEY

HUGUENOT
 116.1 HUO
 Chan 108

LA GUARDIA
 113.1 LGA
 Chan 78

GAYEL △

HAAYS △

NEION △

COATE △

SPARTA
 115.7 SAX
 Chan 104

BROADWAY
 114.2 BWZ
 Chan 89

ELIOT △

ZIMMZ △

PARKE △

LANNA △

BIGGY △

ROBBINSVILLE
 113.8 RBV
 Chan 85

DIXIE △

△ WHITE

COYLE
 113.4 CYN
 Chan 81

POTTSTOWN
 116.5 PTW
 Chan 112

COLTS NECK
 115.4 COL
 Chan 101

CANARSIE
 112.3 CRI
 Chan 70

Maspeth Climb
 5000

Maspeth Climb

Coney Climb

Coney Climb
 1500

Whitestone Climb

Flushing Climb

Sound Climb

Pelham Climb

Bronx Climb

070°
 314°
 044°
 055°
 134°
 050°
 040°
 040°
 223°
 R-220
 R-043

N

NOTE: RADAR required.
 NOTE: DME required for Takeoff Rwy 13.

NOTE: Chart not to scale.

(CONTINUED ON FOLLOWING PAGE)

NEW YORK DEP CON
 120.4 322.35
 D-ATIS
 127.05
 CLNC DEL
 135.2
 CPDLC
 GND CON
 121.7 322.35
 LAGUARDIA TOWER
 118.7 322.35 △ NEWEL



DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAY 4 (Bronx Climb): Climb on heading 044° to 500 then climbing left turn to heading 360°, maintain 5000, Thence....

TAKEOFF RUNWAY 4 (Pelham Climb): Climb on heading 044° to 500 then climbing left turn to heading 040°, maintain 5000, Thence....

TAKEOFF RUNWAY 4 (Sound Climb): Climb on heading 044° to 500 then climbing right turn to heading 055°, maintain 5000, Thence....

TAKEOFF RUNWAY 13 (Coney Climb): TURBOJETS ONLY - Requires minimum ATC climb of 900' per NM to 1500, if unable, advise ATC prior to taxiing onto the departure runway: Climbing right turn to heading 180° to intercept CRI R-043 (do not exceed 230K until intercepting CRI R-043) to CRI VOR/DME, then on CRI R-223. Cross LGA 2.5 DME at or above 1500, maintain 5000, Thence....

TAKEOFF RUNWAY 13 (Flushing Climb): Climb heading 134° to LGA 2.5 DME, then climbing left turn to heading 050°, maintain 5000, Thence....

TAKEOFF RUNWAY 13 (Maspeth Climb): TURBOJETS ONLY - Requires minimum ATC climb of 900' per NM to 4400, if unable advise ATC prior to taxiing onto the departure runway: Climbing right turn to heading 180°, at LGA 4.1 DME turn right heading 340°, maintain 5000, cross LGA R-220 at or above 5000, Thence....

TAKEOFF RUNWAY 13 (Whitestone Climb): Requires minimum ATC climb of 500' per NM to 1500, if unable advise ATC prior to taxiing onto the departure runway: Climbing right turn to heading 180° to LGA 2.5 DME, then left turn heading 040° (do not exceed 210K until established on heading 040°). Maintain 5000, Thence....

TAKEOFF RUNWAY 22: Climbing left turn to heading 070°, maintain 5000, Thence....

TAKEOFF RUNWAY 31: Climb on heading 314° (or as assigned by ATC), maintain 5000, Thence....

....expect vectors to assigned route/fix. Expect clearance to filed altitude/flight level within ten (10) minutes after departure.

TAKEOFF MINIMUMS:

- Rwy 4: Standard.
- Rwy 13 (Coney Climb): 400-2 ¼ or standard with minimum climb of 283' per NM to 300. ATC climb of 900' per NM to 1500.
- Rwy 13 (Maspeth Climb): Standard with minimum climb of 323' per NM to 2100. ATC climb of 900' per NM to 4400.
- Rwy 13 (Flushing Climb): 400-2 ¼ or standard with minimum climb of 283' per NM to 300. ATC climb of 283' per NM to 500.
- Rwy 13 (Whitestone Climb): 400-2 ¼ or standard with minimum climb of 283' per NM to 300. ATC climb of 500' per NM to 1500.
- Rwy 22: 300-2 ¼ or standard with minimum climb of 210' per NM to 400, or alternatively, with standard takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 1100' prior to DER.
- Rwy 31: 300-1 ½ or standard with minimum climb of 334' per NM to 500.

(CONTINUED ON FOLLOWING PAGE)



(NOTES CONTINUED)

- NOTE: Rwy 31 Departures: Expect turn on course leaving 6000.
- NOTE: Traffic filed over BIGGY, LANNA, ELIOT, PARKE, ZIMMZ, NEWEL: Do not exceed 250K until reaching 11000.
- NOTE: BAYYS Departures expect vectors to BDR/BDR R-054.
- NOTE: COATE Departures expect vectors to SAX/SAX R-311.
- NOTE: SHIPP Departures expect vectors to JFK/JFK R-139.
- NOTE: WAVEY Departures expect vectors to JFK/JFK R-156.
- NOTE: WHITE Departures expect vectors to COL/COL R-204.
- NOTE: BIGGY Departures expect vectors to SBJ/SBJ R-237.
- NOTE: DIXIE Departures expect vectors to COL/COL R-192.
- NOTE: ELIOT Departures expect vectors to SAX R-252. ELIOT authorized for all aircraft types but restricted to a final altitude of 14000 or 16000.
- NOTE: ZIMMZ Departures expect vectors to SAX R-250. ZIMMZ authorized for all aircraft types but restricted to a final altitude of FL180 and above.
- NOTE: NEWEL Departures expect vectors to SAX R-264. NEWEL authorized only for jet aircraft requesting a final altitude of FL180 and above.
- NOTE: GAYEL Departures expect vectors to DPK R-320.
- NOTE: LANNA Departures expect vectors to PTW R-059.
- NOTE: MERIT Departures expect vectors to LGA R-055.
- NOTE: NEION Departures expect vectors to LGA R-322.
- NOTE: PARKE Departures expect vectors to BWZ/BWZ R-250.
- NOTE: HAAYS Departures expect vectors to HUO.

NE-2, 03 SEP 2026 to 01 OCT 2026

NE-2, 03 SEP 2026 to 01 OCT 2026