



|         |          |       |
|---------|----------|-------|
| APP CRS | Rwy Ldg  | 11000 |
| 186°    | TDZE     | 875   |
|         | Apt Elev | 896   |


RNAV (RNP) Z RWY 18C

CINCINNATI/NORTHERN KENTUCKY INTL (CVG)

|                                                                                                                                                                                                                           |       |                                                                                  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----------------------------------------------------------------------------------|
| RNP AR APCH - GPS. Authorization required. From JEKEL or LTYER: RF.                                                                                                                                                       | MALSR | MISSED APPROACH: Climb to 3000 direct JITEV and on track 181° to ZIRKE and hold. |
| For uncompensated Baro-VNAV systems, procedure NA below -13°C or above 54°C. For inop ALS, increase RNP 0.15 all Cats visibility to RVR 4500 and RNP 0.30 all Cats visibility to 1½ SM. Simultaneous approach authorized. |       |                                                                                  |

|         |                                                        |                                                                        |         |
|---------|--------------------------------------------------------|------------------------------------------------------------------------|---------|
| D-ATIS  | CINCINNATI APP CON                                     | CINCINNATI TOWER                                                       | GND CON |
| 134.375 | 119.7 363.15 (090°-269°)<br>123.875 363.15 (270°-089°) | 118.975 360.85 (18L/36R)<br>118.3 (9/27, 18C/36C)<br>133.325 (18R/36L) | 121.7   |



|                                                                                     |                                                                                     |                                                                                                |                                                                     |   |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|---|
| 3000                                                                                | JITEV                                                                               | ZIRKE                                                                                          | VGSI and RNAV glidepath not coincident<br>(VGSI Angle 3.00/TCH 71). |   |
|  |  | tr 181°<br> |                                                                     |   |
| See planview for multiple IF locations.                                             |                                                                                     |                                                                                                |                                                                     |   |
|  |                                                                                     |                                                                                                |                                                                     |   |
| GP 3.00°<br>TCH 55                                                                  |                                                                                     |                                                                                                |                                                                     |   |
| CATEGORY                                                                            | A                                                                                   | B                                                                                              | C                                                                   | D |
| RNP 0.15 DA                                                                         | 1190/24                                                                             |                                                                                                | 315 (300-½)                                                         |   |
| RNP 0.30 DA                                                                         | 1389/55                                                                             |                                                                                                | 514 (500-1)                                                         |   |
| AUTHORIZATION REQUIRED                                                              |                                                                                     |                                                                                                |                                                                     |   |