



LOC I-RXZ	APP CRS	Rwy Ldg	7300
111.3	223°	TDZE	652
		Apt Elev	680


ILS or LOC RWY 22R

CHICAGO O'HARE INTL (ORD)

RADAR required for procedure entry.		MALSR	MISSED APPROACH: Climb to 1300 then climbing right turn to 4000 direct DPA VOR/DME and hold.
	Simultaneous approach authorized. DME from GCO DME.		

D-ATIS	CHICAGO APP CON	O'HARE TOWER	124.125 GND CON (TWR CENTER) 118.05 (TWR NORTH) 226.675 (ALL TWRs)	121.75 (OBND) 121.9 (IBND)
135.4 282.225	119.0 292.125	126.9 348.0		



1300 ↑	4000 	DPA 	VGSI and ILS glidepath not coincident (VGSI Angle 3.00°/TCH 69°).		
			FNUCH INT GCO <u>22.3</u>		
RIDGE INT GCO <u>5.1</u>			NOLEN INT GCO <u>15.4</u>		
PALIE GCO <u>2</u>			7000		
GCO <u>0.3</u>			5000		
GCO <u>1.2</u>			2200		
2200			2200		
0.8 NM			6.9 NM		
0.8			10.4 NM		
3.1 NM			6.9 NM		
1220			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200			2200		
2200					