



LOC/DME I-MHR 111.35 Chan 50(Y)	APP CRS 221°	Rwy Ldg TDZE Apt Elev 98	11301
---	------------------------	---------------------------------------	--------------


ILS Z RWY 22L (SA CAT I & II)
SACRAMENTO MATHER (MHR)

DME required.	MALSR	MISSED APPROACH: Climb to 1000, then climbing left turn to 3500 on heading 090° and SAC VORTAC R-058 to COSKA INT/SAC 24.2 DME and hold, continue climb-in-hold to 3500.
Requires specific OPSPEC, MSPEC, or LOA approval. Procedure NA when tower closed.		

ATIS 118.325	NORCAL APP CON 127.4 317.5	MATHER TOWER ★ 120.65(CTAF) 282.25	GND CON 121.85 307.9	UNICOM 122.95
------------------------	--------------------------------------	--	--------------------------------	-------------------------



CATEGORY	A	B	C	D
S-ILS 22L	SA CAT I	RA 136/14	150	DA 248
S-ILS 22L	SA CAT II	RA 95/12	100	DA 198



SA CATEGORY I & II ILS - SPECIAL AIRCREW & AIRCRAFT CERTIFICATION REQUIRED

SW-2, 01 OCT 2026 to 29 OCT 2026

SW-2, 01 OCT 2026 to 29 OCT 2026