LOC/DME I-TLH	APP CRS	Rwy Ldg	7000
110.3	004°	TDZE	62
Chan 40		Apt Elev	83

ILS Z or LOC Z RWY 36

TALLAHASSEE INTL (TLH)


DME required. RADAR required for procedure entry at CVILL.

T A * RVR 1800 authorized with use of FD or AP or HUD to DA.

MALSR


MISSED APPROACH: Climb to 4000 direct SZW VORTAC and hold, continue climb-in-hold to 4000.


ATIS	TALLAHASSEE APP CON★	TALLAHASSEE TOWER★	GND CON	UNICOM
119.45 239.25	135.8 317.4	118.7 (CTAF) L 257.8	121.9 348.6	123.075



ELEV 83	TDZE 62

TDZL/RCLS Rwy 27
REIL Rwys 9 and 18 L
HIRL Rwys 9-27 and 18-36 L





CATEGORY	A	B	C	D
S-ILS 36 *	262/24		200 (200-½)	
S-LOC 36	460/24	398 (400-½)	460/35	398 (400-⅝)
CIRCLING	580-1 497 (500-1)	600-1 517 (600-1)	640-1½ 557 (600-1½)	800-2¼ 717 (800-2¼)

SE-3, 29 OCT 2026 to 26 NOV 2026
SE-3, 29 OCT 2026 to 26 NOV 2026