

IFR TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

Civil Airports and Selected Military Airports

ALL USERS: Airports that have Departure Procedures (DPs) designed specifically to assist pilots in avoiding obstacles during the climb to the minimum enroute altitude, and/or airports that have civil IFR takeoff minimums other than standard, are listed below. Takeoff Minimums and Departure Procedures apply to all runways unless otherwise specified. An entry may also be listed that contains only Takeoff Obstacle Notes. Altitudes, unless otherwise indicated, are minimum altitudes in MSL.

The FAA redefined the initial climb area (ICA) criteria used to evaluate and identify the obstacles that penetrate the 40:1 OCS. The takeoff obstacle notes are published in a different manner and an additional minimums option is added for the departure. To ensure the pilot knows which evaluation was accomplished, the charting will be different by bolding certain headers and runway information to indicate the new ICA criteria has been used as indicated in (1) and (2) below. Until the FAA can amend all departures, the legacy obstacle notes will still be published.

(1) For textual departures, the headers Takeoff Minimums, Departure Procedure, and Takeoff Obstacle Notes will be bolded and underlined. The specific runway entries under each header will continue to be bolded.

(2) For graphic departure procedures, the headers Takeoff Minimums and Takeoff Obstacle Notes will be bolded and continue to be underlined. The specific runway entries for these headers will be bolded. In the Departure Route Description section of the graphic departure, the heading will be bolded and underlined, and the runway information will be bolded.

DPs specifically designed for obstacle avoidance are referred to as Obstacle Departure Procedures (ODPs) and are textually described below, or published separately as a graphic procedure. If the ODP is published as a graphic procedure, its name will be listed below, and it can be found in either this volume (civil), or the applicable military volume, as appropriate. Users will recognize graphic obstacle DPs by the term "(OBSTACLE)" included in the procedure title; e.g., TETON TWO (OBSTACLE). If not specifically assigned an ODP, SID, or RADAR vector as part of an IFR clearance, an ODP may be required to be flown for obstacle clearance, even though not specifically stated in the IFR clearance. When doing so in this manner, ATC should be informed when the ODP being used contains a specified route to be flown, restrictions before turning, and/or altitude restrictions.

Some ODPs, which are established solely for obstacle avoidance, require a climb in visual conditions to cross the airport, a fix, or a NAVAID in a specified direction, at or above a specified altitude. These procedures are called Visual Climb Over Airport (VCOA). To ensure safe and efficient operations, the pilot must notify ATC of their intent to fly the VCOA when requesting their IFR clearance.

At some locations where an ODP has been established, a diverse vector area (DVA) may be created to allow RADAR vectors to be used in lieu of an ODP. DVA information will state that headings will be as assigned by ATC and climb gradients, when applicable, will be published immediately following the specified departure procedure.

Graphic DPs designed by ATC to standardize traffic flows, ensure aircraft separation and enhance capacity are referred to as "Standard Instrument Departures (SIDs)". SIDs also provide obstacle clearance and are published under the appropriate airport section. ATC clearance must be received prior to flying a SID.

CIVIL USERS NOTE: Title 14 Code of Federal Regulations Part 91 prescribes standard takeoff rules and establishes takeoff minimums for certain operators as follows: (1) For aircraft, other than helicopters, having two engines or less – one statute mile visibility. (2) For aircraft having more than two engines – one-half statute mile visibility. (3) For helicopters – one-half statute mile visibility. These standard minima apply in the absence of any different minima listed below.

MILITARY USERS NOTE: Civil (nonstandard) takeoff minima are published below. For military takeoff minima, refer to appropriate service directives.

ABINGDON, VA

VIRGINIA HIGHLANDS (VJI)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 4 31OCT24 (24305) (FAA)

TAKEOFF MINIMUMS:

Rwy 6, 300-1½ w/min climb of 225'/NM to 5500 or std w/min climb of 739'/NM to 2400, or 2100-3 for VCOA.

Rwy 24, 300-1 w/min climb of 295'/NM to 5500 or std w/min climb of 401'/NM to 4200, or 2100-3 for VCOA.

VCOA:

All runways, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Virginia Highlands airport at or above 4000 before proceeding on course.

TAKEOFF OBSTACLE NOTES:

Rwy 6, light poles at DER, 112' left of centerline, 2088' MSL.

Tree 39' from DER, 449' left of centerline, 2113' MSL.

Tree, terrain beginning 66' from DER, 352' left of centerline, up to 2114' MSL.

Sign 141' from DER, 481' right of centerline, 2094' MSL.

Tree, terrain, vehicle on road, electrical system beginning 176' from DER, 314' left of centerline, up to 29' AGL/2128' MSL.

CON'T

26302

ABINGDON, VA (CON'T)**VIRGINIA HIGHLANDS (VJI) (CON'T)****Rwy 6 (CON'T)**, tree 214' from DER, 548' right of centerline, 2111' MSL.

Pole, building beginning 602' from DER, 602' right of centerline, up to 2123' MSL.

Poles, vehicle on road, terrain, vegetation beginning 617' from DER, 318' left of centerline, up to 2147' MSL.

Tree 1304' from DER, 607' right of centerline, 2147' MSL.

Tree 1324' from DER, 713' right of centerline, 2151' MSL.

Trees beginning 1374' from DER, 438' right of centerline, up to 2193' MSL.

Fence, terrain beginning 1496' from DER, 748' left of centerline, up to 2154' MSL.

Tree, vehicle on road beginning 1619' from DER, 408' left of centerline, up to 2171' MSL.

Tree, terrain beginning 1773' from DER, 718' left of centerline, up to 2247' MSL.

Trees, pole, vegetation, building, terrain beginning 1876' from DER, 131' left of centerline, up to 2250' MSL.

Trees, buildings, vehicle on road, terrain, poles beginning 2004' from DER, 44' left of centerline, up to 2272' MSL.

Trees beginning 2197' from DER, 784' right of centerline, up to 2196' MSL.

Trees beginning 2400' from DER, 412' right of centerline, up to 2199' MSL.

Trees beginning 2470' from DER, 768' right of centerline, up to 2204' MSL.

Trees, pole beginning 2776' from DER, 234' right of centerline, up to 2206' MSL.

Trees, pole beginning 3529' from DER, 280' right of centerline, up to 76' AGL/2211' MSL.

Trees, building beginning 3689' from DER, 369' right of centerline, up to 2226' MSL.

Trees, building, sign beginning 3821' from DER, 277' right of centerline, up to 84' AGL/2234' MSL.

Trees beginning 5667' from DER, 1483' left of centerline, up to 2279' MSL.

Trees, fence, terrain beginning 1 NM from DER, 1161' left of centerline, up to 2344' MSL.

Tree 1.1 NM from DER, 1998' left of centerline, 2270' MSL.

Rwy 24, poles beginning 9' from DER, 474' left of centerline, up to 43' AGL/2086' MSL.

Tree, pole beginning 140' from DER, 442' left of centerline, up to 2088' MSL.

Vegetation 167' from DER, 496' right of centerline, 2071' MSL.

Terrain beginning 254' from DER, 548' right of centerline, up to 2075' MSL.

Building 401' from DER, 401' right of centerline, 30' AGL/2091' MSL.

Pole 631' from DER, 647' right of centerline, 2101' MSL.

Pole, vehicle on road beginning 720' from DER, 457' right of centerline, up to 2106' MSL.

Pole 1047' from DER, 551' right of centerline, 2109' MSL.

Trees, pole, vegetation, fence beginning 1191' from DER, 5' right of centerline, up to 2168' MSL.

Trees beginning 2195' from DER, 8' left of centerline, up to 77' AGL/2131' MSL.

Trees beginning 2397' from DER, 14' left of centerline, up to 2142' MSL.

Trees beginning 2603' from DER, 9' left of centerline, up to 58' AGL/2146' MSL.

Tree, fence beginning 2899' from DER, 65' right of centerline, up to 68' AGL/2169' MSL.

Trees beginning 2929' from DER, 79' right of centerline, up to 2178' MSL.

Trees, poles, buildings, vehicle on road beginning 2950' from DER, 49' right of centerline, up to 2209' MSL.

Trees beginning 2990' from DER, 67' left of centerline, up to 58' AGL/2158' MSL.

Tree 3049' from DER, 223' left of centerline, 69' AGL/2159' MSL.

Trees beginning 3050' from DER, 50' left of centerline, up to 59' AGL/2164' MSL.

Trees beginning 3613' from DER, 195' right of centerline, up to 2210' MSL.

Tree 3844' from DER, 1284' right of centerline, 2218' MSL.

Trees beginning 3900' from DER, 420' right of centerline, up to 2224' MSL.

Trees beginning 3989' from DER, 11' left of centerline, up to 2187' MSL.

Trees beginning 4040' from DER, 19' right of centerline, up to 2229' MSL.

Trees beginning 4146' from DER, 109' right of centerline, up to 2234' MSL.

Tree 4727' from DER, 1717' right of centerline, 2231' MSL.

Tree 4777' from DER, 1427' left of centerline, 106' AGL/2198' MSL.

ANNAPOLIS, MD**LEE (ANP)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 1 14MAY26 (26134) (FAA)

TAKEOFF MINIMUMS:**Rwy 30**, 400-2½ or std w/min climb of 434'/NM to 300.**DEPARTURE PROCEDURE:****Rwy 12**, climb on heading 118° to 700 before proceeding on course.**Rwy 30**, climb on heading 298° to 1000 before proceeding on course..**TAKEOFF OBSTACLE NOTES:****Rwy 12**, poles, buildings beginning 37' from DER, 36' left of centerline, up to 30' AGL/70' MSL.

Buildings, poles, vehicles on road beginning 74' from DER, on centerline, up to 30' AGL/70' MSL.

Trees, buildings, poles, sign, vehicles on road beginning 316' from DER, 22' left of centerline, up to 100' AGL/133' MSL.

Trees, buildings beginning 436' from DER, 213' right of centerline, up to 100' AGL/127' MSL..

Trees, building beginning 609' from DER, 24' right of centerline, up to 100' AGL/130' MSL.

Trees beginning 1311' from DER, 7' right of centerline, up to 100' AGL/133' MSL.

Trees beginning 3886' from DER, 1171' right of centerline, up to 100' AGL/140' MSL.

CON'T

26302



26302

ANNAPOLIS, MD (CON'T)**LEE (ANP) (CON'T)**

Rwy 30, vehicles on road 35' from DER, 494' right of centerline, 15' AGL/48' MSL.
 Trees, vehicles on road, building beginnings 96' from DER, 14' right of centerline, up to 100' AGL/133' MSL.
 Trees, building, sailboat mast beginning 132' from DER, 113' left of centerline, up to 100' AGL/133' MSL.
 Tree 642' from DER, 139' right of centerline, 100' AGL/143' MSL.
 Trees beginning 655' from DER, 293' right of centerline, up to 100' AGL/150' MSL.
 Trees beginning 1517' from DER, 423' left of centerline, up to 100' AGL/143' MSL.
 Trees beginning 1861' from DER, 48' right of centerline, up to 100' AGL/160' MSL.
 Trees beginning 1969' from DER, 259' left of centerline, up to 100' AGL/150' MSL.
 Trees beginning 2221' from DER, 389' right of centerline, up to 100' AGL/172' MSL.
 Tree 2375' from DER, 224' left of centerline, 100' AGL/152' MSL.
 Trees beginning 2640' from DER, 339' right of centerline, up to 100' AGL/179' MSL.
 Trees beginning 2914' from DER, 37' left of centerline, up to 100' AGL/180' MSL.

BALTIMORE, MD**BALTIMORE/WASHINGTON INTL THURGOOD MARSHALL (BWI)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 10A 21MAY20 (20142) (FAA)

TAKEOFF MINIMUMS:**Rwy 33L**, std w/min climb of 268' per NM to 1900.**Rwy 33R**, std w/min climb of 255' per NM to 2000.**DEPARTURE PROCEDURE:****Rwy 28**, climb heading 285° to 900' before turning right.**TAKEOFF OBSTACLE NOTES:****Rwy 10**, lighting 9' from DER, 54' left of centerline, 1' AGL/127' MSL.

Lighting 9' from DER, 54' right of centerline, 1' AGL/127' MSL.

Building beginning 51' from DER, 319' left of centerline, up to 10' AGL/133' MSL.

Tree 1143' from DER, 549' left of centerline, 65' AGL/157' MSL.

Trees beginning 1190' from DER, 457' left of centerline, up to 67' AGL/160' MSL.

Tree 1210' from DER, 452' left of centerline, 68' AGL/161' MSL.

Trees beginning 1230' from DER, 384' left of centerline, up to 70' AGL/163' MSL.

Rwy 15L, tree 615' from DER, 641' left of centerline, 47' AGL/131' MSL.

Trees beginning 646' from DER, 608' left of centerline, up to 52' AGL/136' MSL.

Tree 748' from DER, 624' left of centerline, 69' AGL/148' MSL.

Trees beginning 773' from DER, 647' left of centerline, up to 73' AGL/152' MSL.

Pole, tree beginning 920' from DER, 617' left of centerline, up to 79' AGL/161' MSL.

Trees beginning 962' from DER, 706' left of centerline, up to 77' AGL/162' MSL.

Antenna 1067' from DER, 640' left of centerline, 68' AGL/164' MSL.

Pole, tree beginning 1068' from DER, 548' left of centerline, up to 75' AGL/169' MSL.

Pole, antenna beginning 1762' from DER, 941' right of centerline, up to 61' AGL/179' MSL.

Trees beginning 1872' from DER, 750' right of centerline, up to 68' AGL/181' MSL.

Trees beginning 2237' from DER, 660' right of centerline, up to 183' MSL.

Tree 2712' from DER, 1182' right of centerline, 73' AGL/194' MSL.

Tree 2740' from DER, 1117' right of centerline, 74' AGL/198' MSL.

Trees beginning 2770' from DER, 1061' right of centerline, up to 207' MSL.

Rwy 15R, NAVAID 1' from DER, 85' right of centerline, 2' AGL/130' MSL.

Tree 1086' from DER, 755' right of centerline, 65' AGL/173' MSL.

Trees beginning 1126' from DER, 752' right of centerline, up to 77' AGL/184' MSL.

Rwy 28, lighting 50' from DER, 6' left of centerline, 2' AGL/141' MSL.

Lighting 50' from DER, 6' right of centerline, 2' AGL/141' MSL.

Pole 150' from DER, 40' right of centerline, 4' AGL/143' MSL.

Tree 1293' from DER, 842' left of centerline, 79' AGL/174' MSL.

Trees beginning 1389' from DER, 252' left of centerline, up to 87' AGL/182' MSL.

Trees beginning 1582' from DER, 299' left of centerline, up to 96' AGL/188' MSL.

Trees beginning 1632' from DER, 264' left of centerline, up to 197' MSL.

Tree 2830' from DER, 871' right of centerline, 134' AGL/211' MSL.

Trees beginning 2834' from DER, 839' right of centerline, up to 135' AGL/212' MSL.

Rwy 33L, fence 161' from DER, 528' right of centerline, 10' AGL/145' MSL.

Fence 203' from DER, 520' right of centerline, 18' AGL/149' MSL.

Pole 516' from DER, 573' right of centerline, 33' AGL/156' MSL.

Tree 910' from DER, 595' left of centerline, 82' AGL/165' MSL.

Trees beginning 1662' from DER, 852' right of centerline, up to 41' AGL/187' MSL.

Tree 1715' from DER, 888' right of centerline, 34' AGL/188' MSL.

Trees beginning 1716' from DER, 904' right of centerline, up to 34' AGL/190' MSL.

Trees beginning 2189' from DER, 940' right of centerline, up to 63' AGL/205' MSL.

Trees beginning 2228' from DER, 877' right of centerline, up to 73' AGL/214' MSL.

Building, antenna, bldg_tw beginning 4693' from DER, 877' right of centerline, up to 146' AGL/265' MSL.

CON'T

26302



NE-3

26302

BALTIMORE, MD (CON'T)**BALTIMORE/WASHINGTON INTL THURGOOD MARSHALL (BWI) (CON'T)****Rwy 33R**, fence 400' from DER, 601' left of centerline, 1' AGL/157' MSL.

Fence 629' from DER, 600' left of centerline, 2' AGL/159' MSL.

Pole 758' from DER, 677' left of centerline, 19' AGL/176' MSL.

Building 880' from DER, 654' left of centerline, 25' AGL/181' MSL.

Building, pole beginning 951' from DER, 611' left of centerline, up to 29' AGL/184' MSL.

Trees beginning 1072' from DER, 518' right of centerline, up to 54' AGL/188' MSL.

Tree 1530' from DER, 807' right of centerline, 56' AGL/202' MSL.

Building, sign beginning 1556' from DER, 916' left of centerline, up to 42' AGL/198' MSL.

Tree 1565' from DER, 849' right of centerline, 63' AGL/212' MSL.

Tree 1582' from DER, 759' right of centerline, 64' AGL/213' MSL.

Trees beginning 1593' from DER, 779' right of centerline, up to 68' AGL/218' MSL.

Trees beginning 1662' from DER, 794' right of centerline, up to 63' AGL/220' MSL.

Trees beginning 1748' from DER, 791' right of centerline, up to 62' AGL/223' MSL.

Trees beginning 1785' from DER, 846' right of centerline, up to 64' AGL/226' MSL.

Tree 1866' from DER, 849' right of centerline, 59' AGL/230' MSL.

Tree 1907' from DER, 923' right of centerline, 60' AGL/236' MSL.

Trees beginning 1930' from DER, 858' right of centerline, up to 72' AGL/250' MSL.

Trees beginning 1985' from DER, 903' right of centerline, up to 68' AGL/253' MSL.

Trees beginning 2200' from DER, 967' right of centerline, up to 69' AGL/260' MSL.

Tree 2241' from DER, 1052' right of centerline, 75' AGL/261' MSL.

Tree pole beginning 2243' from DER, 15' right of centerline, up to 76' AGL/265' MSL.

Electrical system 2452' from DER, 903' left of centerline, 44' AGL/204' MSL.

Tree beginning 2574' from DER, 685' left of centerline, up to 49' AGL/209' MSL.

Tree 2894' from DER, 902' left of centerline, 64' AGL/217' MSL.

Trees beginning 2908' from DER, 908' left of centerline, up to 69' AGL/220' MSL.

Trees beginning 2949' from DER, 348' left of centerline, up to 65' AGL/222' MSL.

Trees beginning 2984' from DER, 201' left of centerline, up to 79' AGL/231' MSL.

Trees beginning 3121' from DER, 154' left of centerline, up to 79' AGL/235' MSL.

Trees beginning 3151' from DER, 409' left of centerline, up to 84' AGL/237' MSL.

Trees beginning 3165' from DER, 89' left of centerline, up to 73' AGL/238' MSL.

Trees beginning 3185' from DER, 49' left of centerline, up to 73' AGL/241' MSL.

Trees beginning 3242' from DER, 122' left of centerline, up to 71' AGL/242' MSL.

Trees beginning 3252' from DER, 87' left of centerline, up to 73' AGL/244' MSL.

Trees beginning 3283' from DER, 50' left of centerline, up to 65' AGL/246' MSL.

Trees beginning 3373' from DER, 78' left of centerline, up to 62' AGL/248' MSL.

Trees beginning 3397' from DER, 2' left of centerline, up to 59' AGL/250' MSL.

Tree, pole beginning 3791' from DER, 20' left of centerline, up to 80' AGL/252' MSL.

Trees beginning 4001' from DER, 92' left of centerline, up to 75' AGL/255' MSL.

Trees beginning 4024' from DER, 312' right of centerline, up to 80' AGL/266' MSL.

Tree, pole beginning 4032' from DER, 55' right of centerline, up to 66' AGL/274' MSL.

Tree 4060' from DER, 1206' left of centerline, 85' AGL/257' MSL.

Trees beginning 4062' from DER, 34' left of centerline, up to 86' AGL/264' MSL.

Tree, pole beginning 4071' from DER, 2' right of centerline, up to 74' AGL/280' MSL.

Trees beginning 4157' from DER, 26' left of centerline, up to 75' AGL/268' MSL.

Trees beginning 4373' from DER, 333' left of centerline, up to 79' AGL/272' MSL.

Trees beginning 4384' from DER, 82' left of centerline, up to 68' AGL/275' MSL.

Trees beginning 4469' from DER, 87' left of centerline, up to 84' AGL/281' MSL.

Trees beginning 4511' from DER, 39' left of centerline, up to 73' AGL/282' MSL.

Trees beginning 4564' from DER, 610' right of centerline, up to 76' AGL/281' MSL.

Trees beginning 4600' from DER, 843' left of centerline, up to 65' AGL/283' MSL.

Trees beginning 4606' from DER, 213' left of centerline, up to 82' AGL/284' MSL.

Trees beginning 4635' from DER, 121' left of centerline, up to 85' AGL/289' MSL.

Trees beginning 5250' from DER, 345' left of centerline, up to 96' AGL/291' MSL.

Tree 1 NM from DER, 1991' left of centerline, 88' AGL/300' MSL.

MARTIN STATE (MTN)**TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 5 05MAR15 (15064) (FAA)****TAKEOFF MINIMUMS:****Rwy 33**, std w/min climb of 215' per NM to 1700 or 1300-2½ for climb in visual conditions.**VCOA:****Rwy 33**, obtain ATC approval for climb in visual conditions when requesting IFR clearance. Climb in visual conditions to cross Martin State airport at or above 1200 before proceeding on course.**CON'T**

26302



26302

BALTIMORE, MD (CON'T) MARTIN STATE (MTN) (CON'T)

TAKEOFF OBSTACLE NOTES:

Rwy 15, trees 625' from DER, 184' right of centerline, up to 20' AGL/29' MSL.
Pole and trees beginning 1689' from DER, 580' left of centerline, up to 89' AGL/97' MSL.
Trees beginning 2568' from DER, 68' right of centerline, up to 92' AGL/103' MSL.
Trees beginning 2906' from DER, 550' left of centerline, up to 100' AGL/109' MSL.
Rwy 33, terrain 91' from DER, 482' right of centerline, 0' AGL/25' MSL.
Poles and trees beginning 1170' from DER, 3' left of centerline, up to 84' AGL/133' MSL.
Poles and trees beginning 1175' from DER, 10' right of centerline, up to 79' AGL/128' MSL.
Trees beginning 3108' from DER, 8' left of centerline, up to 86' AGL/145' MSL.
Trees beginning 2843' from DER, 14' right of centerline, up to 96' AGL/175' MSL.

BLACKSBURG, VA

VIRGINIA TECH/MONTGOMERY EXEC (BCB) TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 6 10SEP20 (21280) (FAA)

TAKEOFF MINIMUMS:

Rwy 13, 400-1½ or std w/min climb of 460' per NM to 2600.

DEPARTURE PROCEDURE:

Rwy 13, climbing right turn to heading 200° to 3400 before proceeding on course.

Rwy 31, climbing left turn to heading 235° to 4100 before proceeding on course.

TAKEOFF OBSTACLE NOTES:

Rwy 13, trees, lighting, sign beginning abeam DER, 71' right of centerline, up to 2187' MSL.
Terrain 69' from DER, 497' left of centerline, 2134' MSL.
Tree, terrain beginning 82' from DER, 209' left of centerline, up to 2180' MSL.
Trees, terrain beginning 261' from DER, 216' left of centerline, up to 2184' MSL.
Trees beginning 775' from DER, 294' left of centerline, up to 2212' MSL.
Trees, antenna beginning 891' from DER, 256' left of centerline, up to 2216' MSL.
Tree 2907' from DER, 50' right of centerline, 2195' MSL.
Tree 3068' from DER, 73' right of centerline, 2201' MSL.
Tree 3114' from DER, 190' right of centerline, 2208' MSL.
Tree 4019' from DER, 1535' left of centerline, 2226' MSL.
Tree 4324' from DER, 1403' left of centerline, 2228' MSL.
Tree 4362' from DER, 1533' left of centerline, 2233' MSL.
Tree 4370' from DER, 1248' left of centerline, 2238' MSL.
Tree 4466' from DER, 1637' left of centerline, 2240' MSL.
Trees beginning 4472' from DER, 1157' left of centerline, up to 2260' MSL.
Trees beginning 5031' from DER, 1039' left of centerline, up to 2269' MSL.
Tree 5059' from DER, 1538' left of centerline, 2288' MSL.
Trees beginning 5186' from DER, 1256' left of centerline, up to 2307' MSL.
Trees beginning 5214' from DER, 1591' left of centerline, up to 2314' MSL.
Trees beginning 5336' from DER, 1199' left of centerline, up to 2327' MSL.
Trees beginning 5366' from DER, 1693' left of centerline, up to 2343' MSL.
Trees beginning 5411' from DER, 1149' left of centerline, up to 2356' MSL.
Trees beginning 5535' from DER, 1150' left of centerline, up to 2366' MSL.
Trees beginning 5668' from DER, 1097' left of centerline, up to 2404' MSL.
Trees beginning 5816' from DER, 1264' left of centerline, up to 2414' MSL.
Trees beginning 5862' from DER, 1018' left of centerline, up to 2435' MSL.
Trees beginning 5960' from DER, 1178' left of centerline, up to 2453' MSL.
Trees, building, terrain, transmission line beginning 5983' from DER, 855' left of centerline, up to 2459' MSL.
Tree 1.2 NM from DER, 1203' left of centerline, 2322' MSL.
Rwy 31, pole 22' from DER, 168' right of centerline, 52' AGL/2149' MSL.
Pole 92' from DER, 75' left of centerline, 40' AGL/2140' MSL.
Pole 139' from DER, 61' right of centerline, 57' AGL/2150' MSL.
Tree 157' from DER, 487' left of centerline, 2149' MSL.
Pole 402' from DER, 600' right of centerline, 73' AGL/2157' MSL.
Poles, trees beginning 571' from DER, 28' right of centerline, up to 78' AGL/2162' MSL.

BLACKSTONE, VA

ALLEN C PERKINSON/BLACKSTONE AAF (BKT) TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 3 03APR14 (24137) (FAA)

TAKEOFF MINIMUMS:

Rwys 1, 19, NA-Environmental.

DEPARTURE PROCEDURE:

Rwy 4, climb heading 044° to 1300 before turning left.

CON'T



26302



26302

BLACKSTONE, VA (CON'T)**ALLEN C PERKINSON/BLACKSTONE AAF (BKT) (CON'T)****TAKEOFF OBSTACLE NOTES:**

Rwy 4, sign and trees beginning 12' from DER, 177' left of centerline, up to 100' AGL/511' MSL.

Trees beginning 779' from DER, 707' right of centerline, up to 100' AGL/508' MSL.

Rwy 22, terrain, trees beginning 178' from DER, 426' left of centerline, up to 100' AGL/507' MSL.

Trees beginning 2624' from DER, 325' right of centerline, up to 100' AGL/507' MSL.

NOTE: Do not overfly ammunition dump 1.1 NM south southwest of Rwy 4.

BLUEGRASS (9VA5)**BLUEMONT, VA****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

ORIG 08SEP22 (22251) (USN)

DEPARTURE PROCEDURE:

NA.

BOWIE, MD**FREEWAY (W00)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 3 22JUN17 (17173) (FAA)

TAKEOFF MINIMUMS:

Rwy 18, 300-2 or std w/min climb of 391' per NM to 400.

Rwy 36, 300-2 or std w/min climb of 726' per NM to 500.

TAKEOFF OBSTACLE NOTES:

Rwy 18, tree 134' from DER, 505' right of centerline, 100' AGL/225' MSL.

Trees beginning 174' from DER, 38' right of centerline, up to 100' AGL/228' MSL.

Trees beginning 254' from DER, 195' left of centerline, 100' AGL/232' MSL.

Trees beginning 293' from DER, 144' left of centerline, up to 100' AGL/242' MSL.

Trees beginning 513' from DER, 89' right of centerline, up to 100' AGL/235' MSL.

Tree 593' from DER, 378' left of centerline, 100' AGL/245' MSL.

Tree 632' from DER, 611' left of centerline, 100' AGL/251' MSL.

Trees beginning 812' from DER, 140' right of centerline, up to 100' AGL/245' MSL.

Trees beginning 852' from DER, 93' left of centerline, up to 100' AGL/255' MSL.

Tree 932' from DER, 560' left of centerline, 100' AGL/258' MSL.

Trees beginning 1111' from DER, 8' right of centerline, up to 100' AGL/248' MSL.

Trees beginning 1151' from DER, 42' left of centerline, up to 100' AGL/265' MSL.

Trees beginning 1271' from DER, 123' left of centerline, up to 100' AGL/268' MSL.

Trees beginning 1533' from DER, 30' right of centerline, up to 100' AGL/279' MSL.

Trees beginning 2388' from DER, 72' left of centerline, up to 100' AGL/271' MSL.

Trees beginning 2467' from DER, 20' left of centerline, up to 100' AGL/274' MSL.

Trees beginning 2807' from DER, 203' left of centerline, up to 100' AGL/281' MSL.

Trees beginning 3146' from DER, 152' left of centerline, up to 100' AGL/284' MSL.

Trees beginning 3485' from DER, 1087' left of centerline, up to 100' AGL/297' MSL.

Trees beginning 3590' from DER, 50' left of centerline, up to 100' AGL/319' MSL.

Rwy 36, trees beginning 58' from DER, 190' right of centerline, up to 100' AGL/274' MSL.

Vehicles on road beginning 112' from DER, on centerline, 15' AGL/167' MSL.

Tree 138' from DER, 42' left of centerline, 100' AGL/271' MSL.

Trees beginning 178' from DER, 121' left of centerline, up to 100' AGL/274' MSL.

Trees beginning 357' from DER, 8' right of centerline, up to 100' AGL/281' MSL.

Trees beginning 1116' from DER, 355' left of centerline, up to 100' AGL/278' MSL.

Trees beginning 1335' from DER, 163' right of centerline, up to 100' AGL/291' MSL.

Trees beginning 1375' from DER, 70' left of centerline, up to 100' AGL/288' MSL.

Trees beginning 1634' from DER, 32' right of centerline, up to 100' AGL/294' MSL.

Trees beginning 1674' from DER, 18' left of centerline, up to 100' AGL/294' MSL.

Trees beginning 2272' from DER, 83' right of centerline, up to 100' AGL/297' MSL.

Trees beginning 2393' from DER, 616' left of centerline, up to 100' AGL/297' MSL.

Trees beginning 2531' from DER, 4' right of centerline, up to 100' AGL/301' MSL.

T-L tower, trees beginning 2587' from DER, 3' left of centerline, up to 133' AGL/382' MSL.

29 OCT 2026 to 26 NOV 2026

29 OCT 2026 to 26 NOV 2026



26302

26302

BRIDGEWATER, VA**BRIDGEWATER AIRPARK (VBW)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 3 12JUN25 (25163) (FAA)

TAKEOFF MINIMUMS:**Rwy 15**, std w/min climb of 290'/NM to 5500, or 2400-3 for VCOA.**Rwy 33**, 700-2½ w/min climb of 340'/NM to 5700 or std w/min climb of 490'/NM to 4300, or 2400-3 for VCOA.**DEPARTURE PROCEDURE:****Rwy 15**, climb on heading 152° to 1600.**Rwy 33**, climb on heading 347° to 5700.**VCOA:****All runways**, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Bridgewater Air Park airport at or above 3400 before proceeding on course.**TAKEOFF OBSTACLE NOTES:****Rwy 15**, silo, tree beginning 1059' from DER, 211' right of centerline, up to 1279' MSL.

Bldg 1764' from DER, 18' left of centerline, 1259' MSL.

Silo 3654' from DER, 821' right of centerline, 1300' MSL.

Tree 1.9 NM from DER, 3332' right of centerline, 1520' MSL.

Rwy 33, trees beginning 31' from DER, 272' left of centerline, up to 1259' MSL.

Tree 33' from DER, 386' right of centerline, 1240' MSL.

Trees beginning 71' from DER, 368' right of centerline, up to 1259' MSL.

Trees beginning 409' from DER, 343' right of centerline, up to 1300' MSL.

Trees beginning 1934' from DER, 369' left of centerline, up to 1280' MSL.

Trees beginning 1.5 NM from DER, 16' left of centerline, up to 1719' MSL.

Trees beginning 1.6 NM from DER, 1454' right of centerline, up to 1579' MSL.

Trees beginning 1.8 NM from DER, 1285' left of centerline, up to 1819' MSL.

Tree 2.1 NM from DER, 1515' right of centerline, 100' AGL/1495' MSL.

BROOKNEAL, VA**BROOKNEAL/CAMPBELL COUNTY (0V4)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 1 17OCT13 (13290) (FAA)

TAKEOFF OBSTACLE NOTES:**Rwy 6**, multiple trees beginning 48' from DER, 314' left of centerline, up to 100' AGL/626' MSL.

Multiple trees beginning 31' from DER, 341' right of centerline, up to 100' AGL/673' MSL.

Fence beginning 162' from DER, 379' right of centerline, up to 8' AGL/607' MSL.

Rwy 24, multiple trees beginning 61' from DER, 8' left of centerline, up to 100' AGL/692' MSL.

Multiple trees beginning 1938' from DER, 27' right of centerline, up to 100' AGL/677' MSL.

BUMPASS, VA**LAKE ANNA (7W4)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

ORIG 15DEC11 (11349) (FAA)

DEPARTURE PROCEDURE:**Rwy 8**, climb heading 085° to 800 before turning.**Rwy 26**, climb heading 265° to 800 before turning.**TAKEOFF OBSTACLE NOTES:****Rwy 8**, trees beginning 32' from DER, 114' right of centerline, up to 100' AGL/469' MSL.

Buildings beginning 162' from DER, 152' left of centerline, up to 25' AGL/384' MSL.

Rwy 26, trees beginning 31' from DER, 97' left and 119' right of centerline, up to 100' AGL/459' MSL.**CAMBRIDGE, MD****CAMBRIDGE-DORCHESTER RGNL (CGE)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 2 21JUL16 (16203) (FAA)

TAKEOFF OBSTACLE NOTES:**Rwy 16**, railroad 81' from DER, 375' right of centerline, 40' MSL.

Road 224' from DER, 397' right of centerline, 33' MSL.

Tree 1558' from DER, 546' left of centerline, 102' MSL.

Tree 1923' from DER, 298' left of centerline, 89' MSL.

Tree 1993' from DER, 380' left of centerline, 92' MSL.

Tree 2062' from DER, 575' left of centerline, 96' MSL.

CON'T

26302

CAMBRIDGE, MD (CON'T)**CAMBRIDGE-DORCHESTER RGNL (CGE) (CON'T)**

Rwy 34, tree 331' from DER, 534' left of centerline, 73' MSL.
 Pole 637' from DER, 323' left of centerline, 37' AGL/55' MSL.
 Tree 861' from DER, 329' left of centerline, 97' MSL.
 Tree 892' from DER, 340' left of centerline, 104' MSL.
 Tree 953' from DER, 755' right of centerline, 98' MSL.
 Tree 1151' from DER, 713' right of centerline, 113' MSL.
 Tree 1286' from DER, 599' left of centerline, 106' MSL.
 Tree 1517' from DER, 401' right of centerline, 97' MSL.
 Tree 1981' from DER, 277' left of centerline, 124' MSL.
 Tree 2178' from DER, 658' left of centerline, 116' MSL.
 Tree 2824' from DER, 9' left of centerline, 98' MSL.
 Tree 3106' from DER, 362' left of centerline, 108' MSL.
 Tree 3178' from DER, 512' right of centerline, 103' MSL.
 Tree 3204' from DER, 516' right of centerline, 109' MSL.

CAMP PEARY LNDG STRIP (KW94)**WILLIAMSBURG, VA****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 2 17APR25 (25107) (USA)****TAKEOFF OBSTACLE NOTES:**

Rwy 5, bldg 678' from DER, 333' left of centerline, 28' AGL/58' MSL.
 Rwy 23, pylon 384' from DER, 597' right of centerline, 42' AGL/77' MSL.
 Pylon 354' from DER, 581' right of centerline, 28' AGL/76' MSL.
 Pylon 413' from DER, 523' right of centerline, 31' AGL/75' MSL.

CHARLOTTESVILLE, VA**CHARLOTTESVILLE-ALBEMARLE (CHO)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 11 16MAY24 (24137) (FAA)****TAKEOFF MINIMUMS:****Rwy 3**, 600-3 or std w/min climb of 340'/NM to 1400, or 2300-3 for VCOA.**DEPARTURE PROCEDURE:****Rwy 3**, climb on heading 030° to 1500 then climbing right turn direct GVE VORTAC before proceeding on course.**Rwy 21**, climb on heading 210° to 1400 then climbing left turn direct GVE VORTAC before proceeding on course.**VCOA:**

Rwy 3, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Charlottesville-Albemarle airport at or above 2800 before proceeding on course.

TAKEOFF OBSTACLE NOTES:

Rwy 3, antenna 78' from DER, 250' right of centerline, 9' AGL/621' MSL.
 Tree 1295' from DER, 789' right of centerline, 659' MSL.
 Tree 1490' from DER, 809' right of centerline, 664' MSL.
 Tree 2 NM from DER, 3616' right of centerline, 1068' MSL.
 Trees beginning 2.1 NM from DER, 2792' right of centerline, up to 1143' MSL.
 Antenna 2.2 NM from DER, 3440' right of centerline, 103' AGL/1162' MSL.
 Towers, trees beginning 2.2 NM from DER, 2904' right of centerline, up to 107' AGL/1197' MSL.
Rwy 21, tree 1603' from DER, 593' left of centerline, 681' MSL.

CHASE CITY, VA**CHASE CITY MUNI (CXE)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****ORIG 27SEP07 (07270) (FAA)****TAKEOFF OBSTACLE NOTES:**

Rwy 18, trees beginning 191' from DER, 116' left of centerline, up to 100' AGL/609' MSL.
 Multiple trees beginning 327' from DER, 133' right of centerline, up to 100' AGL/599' MSL.
Rwy 36, trees beginning 164' from DER, 154' right of centerline, up to 100' AGL/649' MSL.
 Trees beginning 470' from DER, 124' left of centerline, up to 100' AGL/649' MSL.

26302



26302

CHURCHVILLE, MD**HARFORD COUNTY (0W3)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 2 07AUG25 (25219) (FAA)****TAKEOFF OBSTACLE NOTES:**

Rwy 1, vegetation 152' from DER, 415' right of centerline, 13' AGL/418' MSL.
 Tree 848' from DER, 544' right of centerline, 437' MSL.
 Trees, buildings beginning 855' from DER, 663' right of centerline, up to 462' MSL.
 Trees, buildings, poles, vehicles on road, vegetation beginning 858' from DER, 47' left of centerline, up to 473' MSL.
 Trees beginning 1077' from DER, 543' right of centerline, up to 488' MSL.
 Trees, vehicles on road, poles beginning 1217' from DER, 6' right of centerline, up to 497' MSL.
 Trees beginning 1818' from DER, 187' right of centerline, up to 515' MSL.
 Trees beginning 1933' from DER, 62' left of centerline, up to 488' MSL.
 Trees beginning 2184' from DER, on centerline, up to 518' MSL.
 Tree 2682' from DER, 56' left of centerline, 79' AGL/492' MSL.
 Tree 2693' from DER, 13' left of centerline, 88' AGL/498' MSL.
 Trees beginning 2695' from DER, 13' left of centerline, up to 94' AGL/506' MSL.
Rwy 19, pole, catenary wires beginning 182' from DER, 23' right of centerline, up to 440' MSL.
 Tree 268' from DER, 518' left of centerline, 429' MSL.
 Tree 352' from DER, 450' left of centerline, 446' MSL.
 Trees, poles beginning 365' from DER, 374' left of centerline, up to 456' MSL.
 Trees beginning 909' from DER, 295' right of centerline, up to 497' MSL.
 Trees beginning 1025' from DER, 329' right of centerline, up to 112' AGL/511' MSL.
 Trees beginning 1367' from DER, 538' right of centerline, up to 519' MSL.
 Trees beginning 1394' from DER, 387' right of centerline, up to 115' AGL/523' MSL.
 Tree 1654' from DER, 728' left of centerline, 459' MSL.
 Trees beginning 1728' from DER, 430' right of centerline, up to 126' AGL/534' MSL.
 Tree 2083' from DER, 984' left of centerline, 472' MSL.
 Tree 2218' from DER, 1012' left of centerline, 490' MSL.
 Trees beginning 2311' from DER, 632' left of centerline, up to 510' MSL.
 Trees beginning 2720' from DER, 594' left of centerline, up to 522' MSL.
 Trees beginning 2991' from DER, 439' left of centerline, up to 527' MSL.
 Trees beginning 3858' from DER, 1101' left of centerline, up to 531' MSL.
 Trees beginning 3897' from DER, 877' left of centerline, up to 148' AGL/538' MSL.

CLARKSVILLE, VA**LAKE COUNTRY RGNL (W63)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 2 22JAN26 (26022) (FAA)****TAKEOFF MINIMUMS:****Rwy 4**, std w/min climb of 350'/NM to 621.**TAKEOFF OBSTACLE NOTES:**

Rwy 4, trees beginning 9' from DER, 100' left of centerline, up to 100' AGL/524' MSL.
 Trees 81' from DER, 473' right of centerline, 100' AGL/514' MSL.
 Trees, transmission lines beginning 236' from DER, 50' right of centerline, up to 100' AGL/520' MSL.
 Trees, transmission lines beginning 278' from DER, 4' left of centerline, up to 100' AGL/527' MSL.
Rwy 22, tree 106' from DER, 488' left of centerline, 396' MSL.
 Tree 111' from DER, 141' right of centerline, 379' MSL.
 Trees beginning 112' from DER, 131' left of centerline, up to 403' MSL.
 Tree 139' from DER, 427' right of centerline, 407' MSL.
 Tree 170' from DER, 328' right of centerline, 412' MSL.
 Trees beginning 255' from DER, 132' left of centerline, up to 406' MSL.
 Trees beginning 259' from DER, 277' right of centerline, up to 414' MSL.
 Tree 426' from DER, 406' left of centerline, 414' MSL.
 Trees beginning 498' from DER, 172' left of centerline, up to 445' MSL.
 Trees beginning 632' from DER, 238' right of centerline, up to 426' MSL.
 Tree 2348' from DER, 536' right of centerline, 442' MSL.
 Trees beginning 2448' from DER, 141' left of centerline, up to 448' MSL.
 Tree 2605' from DER, 382' left of centerline, 449' MSL.
 Trees beginning 2607' from DER, 63' right of centerline, up to 448' MSL.
 Tree 2721' from DER, 327' right of centerline, 449' MSL.
 Tree 2832' from DER, 316' left of centerline, 456' MSL.
 Trees beginning 2865' from DER, 44' right of centerline, up to 450' MSL.
 Tree 2964' from DER, 264' left of centerline, 465' MSL.
 Trees beginning 2992' from DER, 59' left of centerline, up to 466' MSL.
 Tree 3016' from DER, 27' right of centerline, 455' MSL.
 Trees beginning 3150' from DER, 98' right of centerline, up to 469' MSL.
 Trees beginning 3199' from DER, 214' left of centerline, up to 471' MSL.
 Tree 3464' from DER, 106' left of centerline, 485' MSL.



26302





26302

COLLEGE PARK, MD COLLEGE PARK (CGS)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 5 12JUN25 (25163) (FAA)

TAKEOFF MINIMUMS:

Rwy 15, 300-1 w/min climb of 300'/NM to 600, or 1100-3 for VCOA.

Rwy 33, 500-3 w/min climb of 211'/NM to 700 or std w/min climb of 399'/NM to 400, or 1100-3 for VCOA.

DEPARTURE PROCEDURE:

Rwy 33, climb on heading 329° to 600 before turning left.

VCOA:

All runways, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross College Park airport at or above 1000 before proceeding on course.

TAKEOFF OBSTACLE NOTES:

Rwy 15, tree 1' from DER, 201' left of centerline, 102' AGL/142' MSL.

Trees, fence, beginning 12' from DER, 87' right of centerline, up to 113' AGL/153' MSL.

Trees, beginning 243' from DER, 274' left of centerline, up to 108' AGL/180' MSL.

Trees, buildings, poles, beginning 448' from DER, 26' left of centerline, up to 97' AGL/216' MSL.

Trees, beginning 1188' from DER, 266' right of centerline, up to 115' AGL/154' MSL.

Trees, poles, building, beginning 1393' from DER, 33' right of centerline, up to 118' AGL/157' MSL.

Trees, beginning 2794' from DER, 238' left of centerline, up to 112' AGL/217' MSL.

Trees, beginning 2953' from DER, 671' left of centerline, up to 108' AGL/223' MSL.

Tree 3167' from DER, 780' left of centerline, 97' AGL/226' MSL.

Trees, buildings, beginning 3172' from DER, 502' left of centerline, up to 105' AGL/235' MSL.

Trees, beginning 3368' from DER, 701' left of centerline, up to 101' AGL/239' MSL.

Trees, buildings, beginning 3431' from DER, 580' left of centerline, up to 100' AGL/243' MSL.

Trees, beginning 3610' from DER, 1150' left of centerline, up to 160' AGL/250' MSL.

Trees, buildings, beginning 3648' from DER, 748' left of centerline, up to 167' AGL/258' MSL.

Trees, beginning 4086' from DER, 167' right of centerline, up to 118' AGL/252' MSL.

Tower 1.1 NM from DER, 148' left of centerline, 167' AGL/270' MSL.

Tree 1.5 NM from DER, 3038' left of centerline, 200' AGL/371' MSL.

Tree 1.5 NM from DER, 2770' right of centerline, 200' AGL/335' MSL.

Trees, beginning 1.6 NM from DER, 2037' right of centerline, up to 200' AGL/348' MSL.

Tree 1.6 NM from DER, 2837' left of centerline, 200' AGL/374' MSL.

Trees, beginning 1.6 NM from DER, 387' left of centerline, up to 200' AGL/404' MSL.

Trees, beginning 1.6 NM from DER, 1103' right of centerline, up to 200' AGL/388' MSL.

Trees, beginning 1.6 NM from DER, 547' right of centerline, up to 200' AGL/414' MSL.

Highway, building, trees, beginning 1.6 NM from DER, 8' left of centerline, up to 200' AGL/414' MSL.

Building, trees, beginning 1.6 NM from DER, 10' right of centerline, up to 200' AGL/417' MSL.

Trees, highway, buildings, beginning 2.1 NM from DER, 166' left of centerline, up to 200' AGL/420' MSL.

Buildings, beginning 2.4 NM from DER, 3275' left of centerline, up to 200' AGL/407' MSL.

Rwy 33, trees, beginning 48' from DER, 251' right of centerline, up to 100' AGL/150' MSL.

Pole 63' from DER, 238' left of centerline, 8' AGL/67' MSL.

Pole, railroad, beginning 114' from DER, 82' left of centerline, up to 22' AGL/81' MSL.

Trees, beginning 136' from DER, 62' left of centerline, up to 100' AGL/156' MSL.

Trees, fence, railroad, beginning 206' from DER, 81' right of centerline, up to 100' AGL/156' MSL.

Trees, buildings, poles, beginning 432' from DER, 2' right of centerline, up to 100' AGL/160' MSL.

Trees, beginning 451' from DER, 17' left of centerline, up to 100' AGL/160' MSL.

Trees, beginning 871' from DER, 214' left of centerline, up to 117' AGL/166' MSL.

Trees, beginning 954' from DER, 29' left of centerline, up to 118' AGL/168' MSL.

Trees, beginning 1038' from DER, 12' left of centerline, up to 124' AGL/174' MSL.

Trees, pole, beginning 1482' from DER, 164' left of centerline, up to 124' AGL/175' MSL.

Trees, beginning 1772' from DER, 67' left of centerline, up to 129' AGL/184' MSL.

Trees, beginning 2196' from DER, 617' right of centerline, up to 100' AGL/163' MSL.

Trees, beginning 2281' from DER, 61' right of centerline, up to 113' AGL/169' MSL.

Trees, beginning 2463' from DER, 45' right of centerline, up to 126' AGL/183' MSL.

Trees, building, beginning 2581' from DER, 66' right of centerline, up to 128' AGL/186' MSL.

Trees, building, beginning 2590' from DER, 3' left of centerline, up to 136' AGL/194' MSL.

Trees, building, beginning 2876' from DER, 111' right of centerline, up to 100' AGL/196' MSL.

Buildings, trees, beginning 2892' from DER, 15' left of centerline, up to 126' AGL/198' MSL.

Trees, building, beginning 3260' from DER, 136' right of centerline, up to 100' AGL/215' MSL.

Trees, beginning 3645' from DER, 161' right of centerline, up to 100' AGL/219' MSL.

Trees, building, beginning 3871' from DER, 539' right of centerline, up to 100' AGL/228' MSL.

Buildings, trees, beginning 4018' from DER, 9' right of centerline, up to 188' AGL/249' MSL.

Building, trees, beginning 4581' from DER, 344' left of centerline, up to 137' AGL/201' MSL.

Trees, beginning 5012' from DER, 875' left of centerline, up to 100' AGL/205' MSL.

Trees, beginning 5169' from DER, 1052' left of centerline, up to 100' AGL/215' MSL.

Trees, beginning 5396' from DER, 850' left of centerline, up to 100' AGL/225' MSL.

Trees, beginning 5553' from DER, 1027' left of centerline, up to 100' AGL/228' MSL.

Trees, beginning 5711' from DER, 624' left of centerline, up to 100' AGL/235' MSL.

CON'T



26302



NE-3



26302

COLLEGE PARK, MD (CON'T) COLLEGE PARK (CGS) (CON'T)

Rwy 33 (CON'T), building, trees, beginning 1 NM from DER, 397' left of centerline, up to 121' AGL/250' MSL.
 Trees, beginning 1.1 NM from DER, 170' left of centerline, up to 100' AGL/288' MSL.
 Trees, beginning 1.2 NM from DER, 145' left of centerline, up to 100' AGL/294' MSL.
 Trees, beginning 1.5 NM from DER, 2604' right of centerline, up to 200' AGL/296' MSL.
 Trees, beginning 1.6 NM from DER, 3' right of centerline, up to 200' AGL/368' MSL.
 Trees, beginning 1.6 NM from DER, 172' left of centerline, up to 200' AGL/391' MSL.
 Trees, beginning 1.7 NM from DER, 28' right of centerline, up to 200' AGL/404' MSL.
 Trees, buildings, beginning 1.7 NM from DER, 53' left of centerline, up to 200' AGL/397' MSL.
 Trees beginning 1.8 NM from DER, 78' right of centerline, up to 200' AGL/394' MSL.
 Trees, poles, tower, transmission line, building, beginning 1.8 NM from DER, 23' left of centerline, up to 200' AGL/420' MSL.
 Trees, beginning 1.9 NM from DER, 128' right of centerline, up to 200' AGL/424' MSL.
 Trees, beginning 2 NM from DER, 153' right of centerline, up to 200' AGL/427' MSL.
 Trees, beginning 2 NM from DER, 376' left of centerline, up to 200' AGL/430' MSL.
 Trees, transmission lines, pole, beginning 2.1 NM from DER, 1' right of centerline, up to 200' AGL/433' MSL.
 Trees, beginning 2.1 NM from DER, 150' left of centerline, up to 200' AGL/447' MSL.
 Trees, beginning 2.2 NM from DER, 51' right of centerline, up to 200' AGL/443' MSL.
 Building, trees, beginning 2.2 NM from DER, 100' left of centerline, up to 200' AGL/456' MSL.
 Building, trees beginning 2.3 NM from DER, 75' left of centerline, up to 200' AGL/466' MSL.
 Trees, beginning 2.5 NM from DER, 25' left of centerline, up to 200' AGL/470' MSL.
 Trees, beginning 2.5 NM from DER, adjacent of centerline, up to 200' AGL/447' MSL.
 Tree 2.6 NM from DER, 378' right of centerline, 200' AGL/447' MSL.

CREWE, VA

CREWE MUNI (W81)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 13JAN11 (11013) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 15, trees beginning 140' from DER, 464' left of centerline, up to 100' AGL/449' MSL.
 Trees beginning 406' from DER, 448' right of centerline, up to 100' AGL/509' MSL.
Rwy 33, trees beginning 985' from DER, 587' left of centerline, up to 100' AGL/539' MSL.
 Trees beginning 520' from DER, 513' right of centerline, up to 100' AGL/529' MSL.

CRISFIELD, MD

CRISFIELD-SOMERSET COUNTY AIRPORT (W41)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG-A 20AUG15 (15232) (FAA)

TAKEOFF MINIMUMS:

Rwys 6, 24, NA-Obstacles.

DEPARTURE PROCEDURE:

Rwy 14, climb via heading 142° to 900 before proceeding on course.
Rwy 32, climb via heading 322° to 900 before proceeding on course.

CULPEPER, VA

CULPEPER RGNL (CJR)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 20DEC07 (07354) (FAA)

DEPARTURE PROCEDURE:

Rwy 22, climb heading 218° to 1000 before turning right.

TAKEOFF OBSTACLE NOTES:

Rwy 4, tree 79' from DER, 418' left of centerline 86' AGL/337' MSL.
 Vehicle on road 207' from DER, 367' left of centerline, 15' AGL/330' MSL.
 Tree 3396' from DER, 514' right of centerline, 91' AGL/410' MSL.
Rwy 22, tree 128' from DER, 332' left of centerline, 25' AGL/334' MSL.
 Multiple trees beginning 272' from DER, 179' right of centerline up to 22' AGL/341' MSL.
 Pole 1480' from DER, 68' left of centerline, 27' AGL/356' MSL.



26302



NE-3

26302

CUMBERLAND, MD**GREATER CUMBERLAND RGNL (CBE)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****ORIG 19MAR26 (26078) (FAA)****TAKEOFF MINIMUMS:****Rwys 11, 29, NA-Obstacles.****Rwy 5, 700-3 w/min climb of 308'/NM to 3100 or std w/min climb of 350'/NM to 2700, or 2800-3 for VCOA.****Rwy 23, 1200-3 w/min climb of 444'/NM to 2900 or std w/min climb of 857'/NM to 2400, or 2800-3 for VCOA.****DEPARTURE PROCEDURE:****Rwy 5, climb on heading 049° to 2500 before proceeding on course.****Rwy 23, climb on heading 229° to 3900 before proceeding on course.****VCOA:****Rwys 5, 23, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Greater Cumberland Rgnl airport at or above 3400 before proceeding on course.****TAKEOFF OBSTACLE NOTES:****Rwy 5, terrain 15' from DER, 140' left of centerline, 772' MSL.**

Trees beginning 27' from DER, 88' left of centerline, up to 56' AGL/809' MSL.

Building, terrain beginning 172' from DER, 209' right of centerline, up to 2' AGL/773' MSL.

Pole, light pole, terrain, tree beginning 263' from DER, 30' right of centerline, up to 2' AGL/776' MSL.

Towers, antenna beginning 1.4 NM from DER, 2115' left of centerline, up to 210' AGL/1075' MSL.

Trees beginning 2.1 NM from DER, 4055' right of centerline, 100' AGL/1108' MSL.

Trees beginning 2.2 NM from DER, 3952' right of centerline, up to 100' AGL/1220' MSL.

Trees 2.3 NM from DER, 3726' right of centerline, 100' AGL/1380' MSL.

Rwy 23, fence 165' from DER, 453' right of centerline, 8' AGL/729' MSL.

Trees beginning 183' from DER, 86' right of centerline, up to 47' AGL/768' MSL.

Trees beginning 1204' from DER, 140' right of centerline, up to 782' MSL.

Trees beginning 1243' from DER, 245' right of centerline, up to 787' MSL.

Tree 1310' from DER, 376' right of centerline, 74' AGL/793' MSL.

Trees beginning 1314' from DER, 69' right of centerline, up to 794' MSL.

Trees beginning 1669' from DER, 67' right of centerline, up to 796' MSL.

Trees beginning 1698' from DER, 82' right of centerline, up to 798' MSL.

Tree, building beginning 1767' from DER, 327' right of centerline, up to 81' AGL/810' MSL.

Trees beginning 1801' from DER, 28' right of centerline, up to 811' MSL.

Trees beginning 1913' from DER, 68' right of centerline, up to 830' MSL.

Tree 1960' from DER, 15' left of centerline, 779' MSL.

Trees beginning 1974' from DER, 309' right of centerline, up to 849' MSL.

Trees beginning 2052' from DER, 43' right of centerline, up to 869' MSL.

Trees, terrain, poles beginning 2120' from DER, 96' right of centerline, up to 877' MSL.

Trees beginning 2251' from DER, 3' left of centerline, up to 68' AGL/798' MSL.

Trees, vegetation beginning 2276' from DER, 65' right of centerline, up to 881' MSL.

Tower, vegetation beginning 2314' from DER, 216' right of centerline, up to 955' MSL.

Antenna 2321' from DER, 339' right of centerline, 84' AGL/956' MSL.

Tower, trees, vegetation, terrain, building, poles, vehicle on road, transmission line tower beginning 2329' from DER, 24' right of centerline, up to 99' AGL/958' MSL.

Trees beginning 1 NM from DER, 1928' left of centerline, up to 931' MSL.

Trees, poles beginning 1.1 NM from DER, 1090' right of centerline, up to 1197' MSL.

Trees, terrain, transmission line towers beginning 1.2 NM from DER, 872' left of centerline, up to 1028' MSL.

Trees beginning 1.2 NM from DER, 1312' right of centerline, up to 1261' MSL.

Trees, pole beginning 1.3 NM from DER, 406' right of centerline, up to 69' AGL/1416' MSL.

Trees, terrain, pole beginning 1.4 NM from DER, 274' right of centerline, up to 1604' MSL.

Trees beginning 1.5 NM from DER, 338' right of centerline, up to 1679' MSL.

Trees beginning 1.6 NM from DER, 233' right of centerline, up to 1757' MSL.

Trees beginning 1.7 NM from DER, 229' right of centerline, up to 1870' MSL.

Trees beginning 1.8 NM from DER, 342' left of centerline, 88ft AGL/1943' MSL.

Antenna, trees, building beginning 1.9 NM from DER, 38' right of centerline, up to 88' AGL/1956' MSL.

Trees beginning 2 NM from DER, 78' left of centerline, up to 104' AGL/1094' MSL.

Trees beginning 2.1 NM from DER, 31' left of centerline, up to 1172' MSL.

Trees beginning 2.3 NM from DER, 210' left of centerline, up to 1328' MSL.

Trees beginning 2.4 NM from DER, 312' left of centerline, up to 109' AGL/1378' MSL.

Trees beginning 2.5 NM from DER, 10' left of centerline, up to 1498' MSL.

29 OCT 2026 to 26 NOV 2026

26302



26302

DANVILLE, VA**DANVILLE RGNL (DAN)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 2A 28APR16 (16119) (FAA)

TAKEOFF MINIMUMS:**Rwy 13**, 300-1¼ or std w/min climb of 232' per NM to 800.**TAKEOFF OBSTACLE NOTES:****Rwy 2**, trees beginning 285' from DER, 455' right of centerline, up to 22' AGL/587' MSL.**Rwy 20**, tree 1328' from DER, 633' right of centerline, 30' AGL/569' MSL.**Rwy 13**, trees beginning 189' from DER, 90' right of centerline, up to 100' AGL/711' MSL.

Building 1310' from DER, 194' right of centerline, 10' AGL/562' MSL.

Pole 1496' from DER, 277' right of centerline, 29' AGL/590' MSL.

Trees beginning at DER, 8' left of centerline, up to 74' AGL/613' MSL.

Rwy 31, trees beginning 823' from DER, 6' left of centerline, up to 85' AGL/699' MSL.

Pole 1185' from DER, 253' left of centerline, 30' AGL/608' MSL.

Pole 2056' from DER, 253' left of centerline, 38' AGL/626' MSL.

Sign 2196' from DER, 328' left of centerline, 36' AGL/628' MSL.

Tower 1165' from DER, 416' left of centerline, 64' AGL/641' MSL.

Building 568' from DER, 455' left of centerline, 37' AGL/612' MSL.

Building 395' from DER, 573' left of centerline, 28' AGL/602' MSL.

Trees beginning 1358' from DER, 24' right of centerline, up to 73' AGL/700' MSL.

Pole 1540' from DER, 111' right of centerline, 44' AGL/613' MSL.

Pole 1365' from DER, 131' right of centerline, 32' AGL/606' MSL.

Pole 3042' from DER, 174' right of centerline, 75' AGL/681' MSL.

Pole 2897' from DER, 284' right of centerline, 75' AGL/682' MSL.

Building 2308' from DER, 584' right of centerline, 40' AGL/647' MSL.

Sign 1839' from DER, 104' right of centerline, 30' AGL/636' MSL.

DAVISON AAF (FORT BELVOIR) (KDAV)**FORT BELVOIR, VA****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 2 07SEP23 (26106) (USA)

TAKEOFF MINIMUMS:**Rwy 14**, 300-1½.**Rwy 32**, 400-3, or std w/min climb of 360'/NM to 600.**TAKEOFF OBSTACLE NOTES:****Rwy 14**, terrain 1.2 NM from DER, 1996' left of centerline, 261' MSL.

Terrain 2334' from DER, 1034' right of centerline, 138' MSL.

Rwy 32, pole 2090' from DER, 741' right of centerline, 35' AGL/132' MSL.

Twr 2090' from DER, 741' right of centerline, 35' AGL/132' MSL.

Bldg 139' from DER, 520' right of centerline, 28' AGL/75' MSL.

Bldg 167' from DER, 521' right of centerline, 31' AGL/75' MSL.

DOVER AFB (KDOV)**DOVER, DE****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

28MAR19 (19087)

TAKEOFF OBSTACLE NOTES:**Rwy 1**, possible C-5 aircraft/vehicles positioned in the DER, hammerhead just left of rwy cntrl, up to 65' AGL/89' MSL.**Rwy 14**, no obstacles penetrate the obstacle departure surface.**Rwy 19**, possible C-5 aircraft/vehicles positioned in the DER, hammerhead just right of rwy cntrl, up to 65' AGL/92' MSL.**Rwy 32**, building 945 3739' from DER, 614' left of cntrl, 67' AGL/113' MSL.

Multiple C-5s parked on ramp beginning 2047' thru 2529' from DER, 1010' left of cntrl, up to 65' AGL/92' MSL.

Possible large aircraft 2800' from DER, on Twy G just left of cntrl, up to 65' AGL/98' MSL.

Possible taxiing C-5 1091' from DER, 744' left of cntrl, 65' AGL/88' MSL.

Pylon 4876' from DER, 1755' left of cntrl, 85' AGL/120' MSL.

Pylon 5078' from DER, 724' left of cntrl, 85' AGL/124' MSL.



26302





26302

DOVER/CHESWOLD, DE DELAWARE AIRPARK (33N)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 12OCT17 (17285) (FAA)

TAKEOFF OBSTACLE NOTES:

- Rwy 9**, terrain 13' from DER, 56' right of centerline, 48' MSL.
 Tree 65' from DER, 306' left of centerline, 95' AGL/132' MSL.
 Tree 74' from DER, 310' right of centerline, 59' MSL.
 Trees beginning 83' from DER, 333' left of centerline, up to 97' AGL/134' MSL.
 Tree, traverse way, transmission line, poles beginning 131' from DER, 8' right of centerline, up to 125' MSL.
 Trees, poles, transmission line beginning 356' from DER, 2' left of centerline, up to 103' AGL/138' MSL.
 Trees beginning 2106' from DER, 12' left of centerline, up to 151' MSL.
 Trees beginning 2285' from DER, 405' right of centerline, up to 132' MSL.
 Trees, tower beginning 2320' from DER, 23' right of centerline, up to 101' AGL/133' MSL.
Rwy 27, vertical structure 14' from DER, 67' right of centerline, 5' AGL/50' MSL.
 Tree 19' from DER, 314' right of centerline, 105' MSL.
 Tree 37' from DER, 413' left of centerline, 72' MSL.
 Trees beginning 104' from DER, 353' right of centerline, up to 130' MSL.
 Tree 134' from DER, 315' left of centerline, 74' MSL.
 Trees beginning 188' from DER, 303' left of centerline, up to 94' MSL.
 Tree 417' from DER, 494' right of centerline, 149' MSL.
 Trees beginning 418' from DER, 552' left of centerline, up to 96' MSL.
 Trees beginning 420' from DER, 414' right of centerline, up to 108' AGL/154' MSL.
 Tree 611' from DER, 653' left of centerline, 141' MSL.
 Trees beginning 667' from DER, 19' left of centerline, up to 150' MSL.
 Trees beginning 884' from DER, 8' right of centerline, up to 161' MSL.
 Trees beginning 2360' from DER, 50' left of centerline, up to 102' AGL/151' MSL.
 Trees beginning 2500' from DER, 6' left of centerline, up to 105' AGL/155' MSL.
 Trees beginning 2634' from DER, 42' left of centerline, up to 161' MSL.
 Trees beginning 2697' from DER, 15' left of centerline, up to 106' AGL/163' MSL.
 Trees beginning 2972' from DER, 24' right of centerline, up to 113' AGL/165' MSL.

DUBLIN, VA

NEW RIVER VALLEY (PSK)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 2 12MAR09 (09071) (FAA)

TAKEOFF MINIMUMS:

- Rwy 24**, 200-1½ or std w/min climb of 310' per NM to 2400.

DEPARTURE PROCEDURE:

- Rwy 6**, climbing right turn heading 150° to intercept PSK VORTAC R-120 outbound to 5200 before proceeding on course.

- Rwy 24**, climb heading 238° to 4000 before proceeding on course.

TAKEOFF OBSTACLE NOTES:

- Rwy 6**, tree 321' from DER, 493' left of centerline, 100' AGL/2112' MSL.
 Terrain 122' from DER, 460' left of centerline, up to 2105' MSL.
Rwy 24, pole 1223' from DER, 671' right of centerline, 42' AGL/2161' MSL.
 Pole 669' from DER, 558' right of centerline, 18' AGL/2137' MSL.
 Pole 4851' from DER, 1170' left of centerline, 32' AGL/2231' MSL.
 Tower 5078' from DER 1017' left of centerline, 101' AGL/2300' MSL.
 Trees 226' from DER, 271' left of centerline, up to 103' AGL/2302' MSL.
 Terrain 68' from DER, 281' right of centerline, up to 2116' MSL.

EASTON, MD

EASTON/NEWMAM FLD (ESN)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 1 05MAR15 (21112) (FAA)

TAKEOFF MINIMUMS:

- Rwy 22**, 300-2 or std w/min climb of 245' per NM to 500.

TAKEOFF OBSTACLE NOTES:

- Rwy 4**, pole and vehicles on road beginning 199' from DER, 278' right of centerline, up to 21' AGL/91' MSL.
 Poles beginning 834' from DER, 27' right of centerline, up to 34' AGL/100' MSL.
 Trees beginning 1508' from DER, 38' left of centerline, up to 37' AGL/116' MSL.
 Trees beginning 1484' from DER, 45' right of centerline, up to 54' AGL/133' MSL.
Rwy 15, fence 2' from DER, 410' left of centerline, 8' AGL/57' MSL.
 Poles beginning 720' from DER, 331' left of centerline, up to 36' AGL/92' MSL.
 Trees beginning 861' from DER, 621' left of centerline, up to 89' AGL/148' MSL.
 Poles and trees beginning 827' from DER, 514' right of centerline, up to 57' AGL/116' MSL.
 Trees beginning 1924' from DER, 237' right of centerline, up to 94' AGL/153' MSL.

CON'T



26302



NE-3



26302

EASTON, MD (CON'T)**EASTON/NEWNAM FLD (ESN) (CON'T)**

Rwy 15 (CON'T), pole and trees beginning 2017' from DER, 182' left of centerline, up to 89' AGL/148' MSL.

Rwy 22, trees 1250' from DER, 785' right of centerline, up to 56' AGL/95' MSL.

Trees beginning 1322' from DER, 759' left of centerline, up to 90' AGL/129' MSL.

Tower 1.6 NM from DER, 2374' left of centerline, 276' AGL/290' MSL.

Rwy 33, vehicles on road and trees beginning 9' from DER, 405' right of centerline, up to 49' AGL/88' MSL.

Pole 887' from DER, 409' left of centerline, 34' AGL/58' MSL.

Trees 1497' from DER, 19' right of centerline, up to 48' AGL/87' MSL.

Trees beginning 1884' from DER, 209' right of centerline, up to 99' AGL/158' MSL.

Trees 2889' from DER, 682' left of centerline, up to 69' AGL/118' MSL.

ELKTON, MD**CLAREMONT (58M)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 1 08JAN15 (15008) (FAA)

TAKEOFF MINIMUMS:

Rwy 31, 600-2¼ or std w/min climb of 360' per NM to 900.

DEPARTURE PROCEDURE:

Rwy 31, climb heading 308° to 900 before turning left.

TAKEOFF OBSTACLE NOTES:

Rwy 13, poles beginning 9' from DER, 39' left of centerline, up to 30' AGL/95' MSL.

Trees beginning 22' from DER, 55' left of centerline, up to 47' AGL/107' MSL.

Trees beginning 154' from DER, 145' left of centerline, up to 93' AGL/153' MSL.

Trees beginning 389' from DER, 14' left of centerline, up to 117' AGL/177' MSL.

Trees beginning 873' from DER, 56' left of centerline, up to 107' AGL/157' MSL.

Poles beginning 37' from DER, 21' right of centerline, up to 36' AGL/86' MSL.

Trees beginning 119' from DER, 34' right of centerline, up to 83' AGL/143' MSL.

Trees beginning 470' from DER, 33' right of centerline, up to 83' AGL/153' MSL.

Tires beginning 1379' from DER, 59' right of centerline, up to 92' AGL/142' MSL.

Rwy 31, trees beginning 2' from DER, 231' left of centerline, up to 84' AGL/184' MSL.

Trees beginning 177' from DER, 152' left of centerline, up to 101' AGL/201' MSL.

Trees beginning 655' from DER, 8' left of centerline, up to 99' AGL/199' MSL.

Trees beginning 2214' from DER, 10' left of centerline, up to 109' AGL/189' MSL.

Antenna 1.9 NM from DER, 3436' left of centerline, 345' AGL/620' MSL.

Terrain beginning 6' from DER, 67' right of centerline, 117' MSL.

Trees beginning 256' from DER, 81' right of centerline, up to 60' AGL/170' MSL.

Trees beginning 776' from DER, 23' right of centerline, up to 91' AGL/201' MSL.

Trees beginning 1965' from DER, 15' right of centerline, up to 81' AGL/261' MSL.

EMPORIA, VA**EMPORIA-GREENSVILLE RGNL (EMV)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

ORIG-A 03APR14 (14093) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 16, trees beginning 188' from DER, 433' left of centerline, up to 42' AGL/141' MSL.

Rwy 34, trees beginning 56' from DER, 489' right of centerline, up to 75' AGL/204' MSL.

Trees beginning 2290' from DER, 250' right of centerline, up to 111' AGL/230' MSL.

Trees beginning 2131' from DER, 106' left of centerline, up to 101' AGL/220' MSL.

Trees beginning 1276' from DER, 459' left of centerline, up to 66' AGL/195' MSL.

Trees beginning 1889' from DER, 9' right of centerline, up to 75' AGL/204' MSL.

Trees beginning 1804' from DER, 136' left of centerline, up to 60' AGL/189' MSL.

Trees beginning 1982' from DER, 83' left of centerline, up to 60' AGL/189' MSL.

Trees beginning 571' from DER, 5' right of centerline, up to 23' AGL/152' MSL.

Trees beginning 565' from DER, 57' left of centerline, up to 14' AGL/143' MSL.

Trees beginning 3423' from DER, 256' left of centerline, up to 105' AGL/214' MSL.

Trees beginning 3444' from DER, 140' left of centerline, up to 105' AGL/214' MSL.

Trees beginning 3508' from DER, 44' right of centerline, up to 105' AGL/214' MSL.



26302





26302

FARMVILLE, VA**FARMVILLE RGNL (FVX)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 1A 15SEP16 (16259) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 3, tree 35' from DER, 406' right of centerline, 436' MSL.
 Trees beginning 56' from DER, 403' right of centerline, up to 437' MSL.
 Trees beginning 56' from DER, 334' left of centerline, up to 491' MSL.
 Trees beginning 66' from DER, 295' left of centerline, up to 496' MSL.
 Trees beginning 148' from DER, 332' right of centerline, up to 440' MSL.
 Tree 453' from DER, 561' right of centerline, 456' MSL.
 Trees beginning 460' from DER, 409' right of centerline, up to 459' MSL.
 Trees beginning 518' from DER, 414' right of centerline, up to 467' MSL.
 Trees beginning 623' from DER, 413' right of centerline, up to 468' MSL.
 Trees beginning 647' from DER, 504' right of centerline, up to 476' MSL.
 Trees beginning 661' from DER, 452' right of centerline, up to 480' MSL.
 Trees beginning 752' from DER, 402' right of centerline, up to 495' MSL.
 Trees beginning 757' from DER, 402' right of centerline, up to 498' MSL.
 Trees beginning 837' from DER, 398' right of centerline, up to 502' MSL.
 Trees beginning 994' from DER, 295' left of centerline, up to 506' MSL.
 Trees beginning 1136' from DER, 153' left of centerline, up to 513' MSL.
Rwy 21, terrain and tree beginning abeam DER, 90' right of centerline, up to 471' MSL.
 Vehicles on road beginning 2' from DER, 475' left of centerline, up to 413' MSL.
 Vehicles on road beginning 22' from DER, 475' left of centerline, up to 414' MSL.
 Vehicles on road beginning 116' from DER, 475' left of centerline, up to 415' MSL.
 Terrain and vehicles on road beginning 163' from DER, 213' left of centerline, up to 416' MSL.
 Terrain, pole, and vehicles on road beginning 199' from DER, 14' left of centerline, up to 26' AGL/429' MSL.
 Trees beginning 298' from DER, 427' right of centerline, up to 478' MSL.
 Trees beginning 399' from DER, 480' right of centerline, up to 479' MSL.
 Tree 450' from DER, 496' right of centerline, 480' MSL.
 Trees beginning 482' from DER, 454' right of centerline, up to 483' MSL.
 Pole and vehicles on road beginning 506' from DER, 475' left of centerline, up to 30' AGL/438' MSL.
 Tree 538' from DER, 539' left of centerline, 471' MSL.
 Tree, pole, and vehicles on road beginning 553' from DER, 21' left of centerline, up to 474' MSL.
 Tree and fence beginning 570' from DER, 5' right of centerline, up to 489' MSL.
 Trees beginning 1798' from DER, 59' left of centerline, up to 475' MSL.
 Tree 2118' from DER, 476' left of centerline, 479' MSL.
 Trees beginning 2127' from DER, 258' left of centerline, up to 482' MSL.
 Trees beginning 2363' from DER, 379' left of centerline, up to 483' MSL.
 Trees beginning 2465' from DER, 436' left of centerline, up to 491' MSL.

FOREST, VA**NEW LONDON (W90)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

ORIG 31MAY12 (12152) (FAA)

TAKEOFF MINIMUMS:**Rwy 18**, 300-1 or std w/min climb of 511' per NM to 1000.**DEPARTURE PROCEDURE:****Rwy 18**, climb heading 176° to 2200 before proceeding on course.**Rwy 36**, climbing right turn heading 066° and on LYH R-005 outbound to 3500 before proceeding on course.**TAKEOFF OBSTACLE NOTES:****Rwy 18**, trees beginning at DER, left and right of centerline, up to 100' AGL/ 919' MSL.**Rwy 36**, trees beginning at DER, left and right of centerline, up to 100' AGL/ 979' MSL.

Vehicle on roadway, 19' from DER, 186' left of centerline, up to 15' AGL/ 894' MSL.

FORT MEADE (ODENTON), MD**FORT MEADE EXEC (FME)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 1 31OCT24 (26022) (FAA)

TAKEOFF MINIMUMS:**Rwy 28**, 400-2¾ or std w/min climb of 320' per NM to 500, or 1100-3 for VCOA.**VCOA:****Rwy 28**, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Fort Meade Exec airport at or above 1100 before proceeding on course.**CON'T**

26302

L16

29 OCT 2026 to 26 NOV 2026

26302

FORT MEADE (ODENTON), MD (CON'T)**FORT MEADE EXEC (FME) (CON'T)****TAKEOFF OBSTACLE NOTES:**

Rwy 10, light poles 19' from DER, 87' left of centerline, 3' AGL/151' MSL.
 Vegetation beginning 39' from DER, 184' right of centerline, up to 155' MSL.
 Vegetation beginning 165' from DER, 138' right of centerline, up to 162' MSL.
 Vegetation 228' from DER, 128' left of centerline, 156' MSL.
 Vegetation beginning 297' from DER, 83' left of centerline, up to 158' MSL.
 Vegetation 334' from DER, 225' right of centerline, 163' MSL.
 Vegetation 345' from DER, 583' right of centerline, 169' MSL.
 Tree 477' from DER, 531' left of centerline, 201' MSL.
 Vegetation beginning 532' from DER, 2' right of centerline, up to 175' MSL.
 Trees beginning 597' from DER, 477' left of centerline, up to 219' MSL.
 Trees beginning 844' from DER, 479' right of centerline, up to 220' MSL.
 Tree 898' from DER, 568' left of centerline, 220' MSL.
 Tree 989' from DER, 630' left of centerline, 237' MSL.
 Trees beginning 1027' from DER, 386' right of centerline, up to 225' MSL.
 Trees beginning 1070' from DER, 522' left of centerline, up to 240' MSL.
 Trees beginning 1144' from DER, 51' right of centerline, up to 229' MSL.
 Trees beginning 1213' from DER, 150' left of centerline, up to 244' MSL.
 Trees beginning 1497' from DER, 20' left of centerline, up to 245' MSL.
 Trees beginning 1646' from DER, 33' right of centerline, up to 248' MSL.
 Trees beginning 1761' from DER, 77' left of centerline, up to 246' MSL.
 Trees beginning 1771' from DER, 652' right of centerline, up to 263' MSL.
 Trees beginning 1810' from DER, 157' right of centerline, up to 275' MSL.
 Trees beginning 1902' from DER, 3' right of centerline, up to 277' MSL.
 Trees beginning 1952' from DER, 18' left of centerline, up to 251' MSL.
 Trees beginning 2370' from DER, 77' left of centerline, up to 260' MSL.
 Trees beginning 2452' from DER, 14' left of centerline, up to 264' MSL.
 Transmission lines, tree beginning 3005' from DER, 351' left of centerline, up to 128' AGL/267' MSL.
Rwy 28, trees beginning 9' from DER, 282' left of centerline, up to 175' MSL.
 Light poles 17' from DER, 87' right of centerline, 3' AGL/121' MSL.
 Trees beginning 327' from DER, 306' left of centerline, up to 181' MSL.
 Trees beginning 835' from DER, 409' left of centerline, up to 184' MSL.
 Tree 978' from DER, 473' right of centerline, 163' MSL.
 Trees beginning 1022' from DER, 187' right of centerline, up to 177' MSL.
 Trees beginning 1045' from DER, 15' left of centerline, up to 186' MSL.
 Trees beginning 1070' from DER, 114' right of centerline, up to 192' MSL.
 Trees beginning 1112' from DER, 120' left of centerline, up to 188' MSL.
 Trees beginning 1183' from DER, 18' right of centerline, up to 201' MSL.
 Trees beginning 1305' from DER, 7' right of centerline, up to 204' MSL.
 Trees beginning 1353' from DER, 36' left of centerline, up to 189' MSL.
 Trees beginning 1388' from DER, 376' left of centerline, up to 206' MSL.
 Trees beginning 1400' from DER, 70' left of centerline, up to 217' MSL.
 Tree 2097' from DER, 819' left of centerline, 220' MSL.
 Trees beginning 2117' from DER, 5' left of centerline, up to 229' MSL.
 Trees beginning 2214' from DER, 27' right of centerline, up to 210' MSL.
 Trees beginning 2548' from DER, 128' right of centerline, up to 213' MSL.
 Trees beginning 2634' from DER, 46' right of centerline, up to 226' MSL.
 Trees beginning 2773' from DER, 14' right of centerline, up to 229' MSL.
 Trees beginning 2885' from DER, 16' right of centerline, up to 232' MSL.
 Trees beginning 2953' from DER, 144' left of centerline, up to 231' MSL.
 Trees beginning 3084' from DER, 242' left of centerline, up to 251' MSL.
 Tree 3271' from DER, 771' left of centerline, 255' MSL.
 Trees beginning 3293' from DER, 6' left of centerline, up to 266' MSL.
 Trees beginning 3473' from DER, 56' right of centerline, up to 245' MSL.
 Trees beginning 3731' from DER, 33' right of centerline, up to 248' MSL.
 Trees beginning 4169' from DER, 211' left of centerline, up to 270' MSL.
 Trees beginning 4268' from DER, 100' left of centerline, up to 276' MSL.
 Trees beginning 4348' from DER, 94' left of centerline, up to 279' MSL.
 Trees beginning 4354' from DER, 2' right of centerline, up to 260' MSL.
 Trees beginning 4449' from DER, 63' left of centerline, up to 296' MSL.
 Trees beginning 4449' from DER, 403' right of centerline, up to 265' MSL.
 Trees beginning 4499' from DER, 24' right of centerline, up to 266' MSL.
 Tree 4888' from DER, 1332' left of centerline, 299' MSL.
 Trees beginning 4890' from DER, 1446' left of centerline, up to 300' MSL.
 Trees beginning 4918' from DER, 13' left of centerline, up to 310' MSL.
 Trees beginning 5067' from DER, 39' right of centerline, up to 268' MSL.
 Trees beginning 5367' from DER, 33' right of centerline, up to 275' MSL.

CON'T

26302

L17

29 OCT 2026 to 26 NOV 2026

29 OCT 2026 to 26 NOV 2026



26302

FORT MEADE (ODENTON), MD (CON'T)**FORT MEADE EXEC (FME) (CON'T)****Rwy 28 (CON'T)**, trees beginning 1 NM from DER, 801' left of centerline, up to 311' MSL.

Trees beginning 1.1 NM from DER, 1073' left of centerline, up to 334' MSL.

Pole 1.4 NM from DER, 2738' right of centerline, 154' AGL/352' MSL.

Terrain beginning 1.5 NM from DER, 3029' right of centerline, 200' AGL/433' MSL.

Terrain beginning 1.5 NM from DER, 3059' left of centerline, up to 200' AGL/414' MSL.

Terrain beginning 1.6 NM from DER, 49' left of centerline, up to 200' AGL/447' MSL.

Terrain beginning 1.6 NM from DER, 1481' right of centerline, up to 200' AGL/463' MSL.

Terrain beginning 1.6 NM from DER, 1562' left of centerline, up to 200' AGL/437' MSL.

Terrain, electrical system, transmission lines beginning 1.6 NM from DER, 236' right of centerline, up to 200' AGL/470' MSL.

Terrain beginning 1.7 NM from DER, 150' right of centerline, up to 200' AGL/476' MSL.

Terrain beginning 1.7 NM from DER, 110' left of centerline, up to 200' AGL/460' MSL.

Terrain beginning 1.9 NM from DER, 350' right of centerline, up to 200' AGL/483' MSL.

Terrain beginning 2.1 NM from DER, 636' right of centerline, up to 200' AGL/499' MSL.

Terrain 2.2 NM from DER, 3024' right of centerline, 200' AGL/466' MSL.

FRANKLIN, VA**FRANKLIN RGNL (FKN)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 2B 05DEC19 (19339) (FAA)****TAKEOFF OBSTACLE NOTES:****Rwy 9**, tree 159' from DER, 306' right of centerline, 69' MSL.

Tree 233' from DER, 315' right of centerline, 73' MSL.

Trees beginning 235' from DER, 386' right of centerline, up to 96' MSL.

Tree and vehicle on road beginning 432' from DER, 191' right of centerline, up to 102' MSL.

Trees beginning 944' from DER, 621' left of centerline, up to 106' MSL.

Trees beginning 1191' from DER, 594' left of centerline, up to 109' MSL.

Trees beginning 1279' from DER, 79' left of centerline, up to 117' MSL.

Trees beginning 1877' from DER, 178' right of centerline, up to 118' MSL.

Tree 2341' from DER, 770' right of centerline, 128' MSL.

Trees beginning 2386' from DER, 931' right of centerline, up to 139' MSL.

Trees beginning 2523' from DER, 312' right of centerline, up to 144' MSL.

Trees beginning 3122' from DER, 901' right of centerline, up to 149' MSL.

Trees beginning 3203' from DER, 415' right of centerline, up to 151' MSL.

Trees beginning 3484' from DER, 107' right of centerline, up to 159' MSL.

Tree 3573' from DER, 20' left of centerline, 131' MSL.

Tree 4245' from DER, 157' left of centerline, 149' MSL.

Rwy 27, trees beginning abeam DER, 362' left of centerline, up to 119' MSL.

Trees beginning 211' from DER, 121' right of centerline, up to 55' MSL.

Pole and tree beginning 559' from DER, 470' right of centerline, up to 33' AGL/63' MSL.

Pole 596' from DER, 299' right of centerline, 43' AGL/68' MSL.

Trees beginning 606' from DER, 298' right of centerline, up to 71' MSL.

Tree 946' from DER, 550' right of centerline, 96' MSL.

Trees beginning 997' from DER, 593' right of centerline, up to 107' MSL.

Trees beginning 1017' from DER, 24' right of centerline, up to 109' MSL.

FREDERICK, MD**FREDERICK MUNI (FDK)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 4A 30JAN20 (20030) (FAA)****TAKEOFF MINIMUMS:****Rwy 5**, 300-2 or std w/min climb of 260' per NM to 600.**Rwy 12**, 500-2½ or std w/min climb of 410' per NM to 800.**Rwy 30**, std w/min climb of 285' per NM to 900 or 1500-2½ for climb in visual conditions.**DEPARTURE PROCEDURE:****Rwy 5**, climbing left turn heading 340° and on FDK VOR R-010 to 2100 before proceeding on course.**Rwy 12**, climb heading 124° to 900 before proceeding westbound.**Rwy 23**, climb heading 229° to 1200 before turning right.**Rwy 30**, climbing right turn heading 040° and on FDK R-010 to 2400 before proceeding on course.**VCOA:****Rwy 30**, obtain ATC approval for climb in visual conditions when requesting IFR clearance. Climb in visual conditions to cross Frederick Muni airport at or above 1700 before proceeding on course.**CON'T**

26302



26302

FREDERICK, MD (CON'T) FREDERICK MUNI (FDK) (CON'T)

TAKEOFF OBSTACLE NOTES:

Rwy 5, light and sign beginning 44' from DER, 123' left of centerline, up to 3' AGL/286' MSL.
Trees beginning 1467' from DER, 630' right of centerline, up to 90' AGL/389' MSL.
Trees beginning 2645' from DER, 610' left of centerline, up to 75' AGL/394' MSL.
Trees beginning 4525' from DER, 597' left of centerline, up to 75' AGL/434' MSL.
Elevator and trees beginning 4824' from DER, 341' right of centerline, up to 76' AGL/435' MSL.
Trees 1.2 NM from DER, 1562' right of centerline, up to 95' AGL/514' MSL.
Trees 1.4 NM from DER, 936' right of centerline, up to 89' AGL/508' MSL.
Rwy 12, wall and trees beginning 45' from DER, 283' right of centerline, up to 14' AGL/308' MSL.
Trees beginning 1312' from DER, 228' left of centerline, up to 82' AGL/391' MSL.
Trees beginning 1667' from DER, 75' right of centerline, up to 83' AGL/362' MSL.
Building and trees beginning 3292' from DER, 45' left of centerline, up to 113' AGL/552' MSL.
Tower, pole, grain silos, and trees beginning 3365' from DER, 41' from DER, up to 101' AGL/520' MSL.
Trees 2.1 NM from DER, 1377' left of centerline, up to 90' AGL/779' MSL.
Trees 2.3 NM from DER, 2711' left of centerline, up to 107' AGL/636' MSL.
Rwy 23, vehicles on road and trees beginning 134' from DER, 376' right of centerline, up to 21' AGL/327' MSL.
Pole, buildings, and trees beginning 737' from DER, 286' right of centerline, up to 47' AGL/362' MSL.
Poles and trees beginning 1477' from DER, 41' left of centerline, up to 72' AGL/411' MSL.
Trees beginning 1701' from DER, 55' right of centerline, up to 78' AGL/397' MSL.
Rwy 30, poles and trees beginning 4' from DER, 320' right of centerline, up to 22' AGL/316' MSL.
Antenna on building and trees beginning 1255' from DER, 750' left of centerline, up to 56' AGL/335' MSL.
Trees beginning 1096' from DER, 351' right of centerline, up to 77' AGL/336' MSL.
Trees 1962' from DER, 105' right of centerline, up to 77' AGL/356' MSL.

FREDERICKSBURG, VA

SHANNON (EZF)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 2 14MAY26 (26134) (FAA)

TAKEOFF MINIMUMS:

Rwys 15, 33, NA-Environmental.
Rwy 6, 300-2¼ or std w/min climb of 358'/NM to 500.
Rwy 24, 400-3 or std w/min climb of 380'/NM to 600.

DEPARTURE PROCEDURE:

Rwy 6, climb on heading 055° to 700 before turning left.
Rwy 24, climb on heading 235° to 700 before turning right.

TAKEOFF OBSTACLE NOTES:

Rwy 6, buildings, vehicles on road beginning 47' from DER, 231' left of centerline, up to 15' AGL/100' MSL.
Vehicles on road beginning 119' from DER, 10' right of centerline, up to 15' AGL/100' MSL.
Trees, buildings beginning 264' from DER, on and right of centerline, up to 100' AGL/185' MSL.
Trees beginning 518' from DER, 52' left of centerline, up to 100' AGL/185' MSL.
Tower 4791' from DER, 1150' left of centerline, 210' AGL/249' MSL.
Rwy 24, vehicles on road 52' from DER, 380' right of centerline, 15' AGL/95' MSL.
Trees, vehicles on road beginning 111' from DER, 12' right of centerline, up to 100' AGL/183' MSL.
Vehicles on road beginning 203' from DER, 7' left of centerline, up to 15' AGL/95' MSL.
Trees beginning 332' from DER, 211' left of centerline, up to 100' AGL/180' MSL.
Tree 1184' from DER, 268' left of centerline, 100' AGL/190' MSL.
Trees beginning 1446' from DER, 165' left of centerline, up to 100' AGL/196' MSL.
Trees beginning 1805' from DER, 525' right of centerline, up to 100' AGL/190' MSL.
Trees beginning 2422' from DER, 48' right of centerline, up to 100' AGL/192' MSL.
Trees beginning 3067' from DER, 53' left of centerline, up to 100' AGL/200' MSL.
Tree 3768' from DER, 457' left of centerline, 100' AGL/212' MSL.
Trees beginning 3997' from DER, 147' right of centerline, up to 100' AGL/204' MSL.
Trees beginning 4174' from DER, 105' left of centerline, up to 100' AGL/238' MSL.
Trees beginning 4388' from DER, 164' left of centerline, up to 100' AGL/255' MSL.
Trees beginning 4501' from DER, 88' right of centerline, up to 100' AGL/235' MSL.
Trees beginning 4630' from DER, 174' left of centerline, up to 100' AGL/270' MSL.
Trees beginning 4828' from DER, 248' left of centerline, up to 100' AGL/280' MSL.
Tree 5141' from DER, 1240' left of centerline, 100' AGL/300' MSL.
Trees beginning 5186' from DER, 154' left of centerline, up to 100' AGL/317' MSL.
Trees beginning 5560' from DER, 735' right of centerline, up to 100' AGL/245' MSL.
Transmission line 1.3 NM from DER, 1033' right of centerline, 66' AGL/296' MSL.
Tower, transmission line beginning 1.4 NM from DER, 317' right of centerline, up to 103' AGL/340' MSL.



26302



NE-3

26302

FRIENDLY, MD**POTOMAC AIRFIELD (VKX)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****ORIG-A 07APR11 (11097) (FAA)****TAKEOFF MINIMUMS:****Rwy 6**, 500-2½ or std w/min climb of 290' per NM to 700.**Rwy 24**, 300-1.**TAKEOFF OBSTACLE NOTES:****Rwy 6**, 50' AGL trees 300' left of DER, 75' AGL trees 320' right of DER.

Tower 1.9 NM from DER, on centerline 301' AGL/550' MSL.

Rwy 24, 80' AGL trees 200' right of DER, 75' AGL.

Trees 200' left of DER, 30' AGL hanger 200' from DER, 190' right of centerline.

FRONT ROYAL, VA**FRONT ROYAL-WARREN COUNTY (FRR)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 1 29JUL10 (10210) (FAA)****TAKEOFF MINIMUMS:****Rwy 10**, 300-1¼ or std w/min climb of 415' per NM to 1100.**Rwy 28**, NA-Obstacles.**DEPARTURE PROCEDURE:****Rwy 10**, climbing left turn direct MRB VORTAC before proceeding on course.**TAKEOFF OBSTACLE NOTES:****Rwy 10**, vehicles on roadway beginning 221' from DER, left and right of centerline, up to 17' AGL/736' MSL.

Power lines beginning 835' from DER, left and right of centerline, up to 79' AGL/828' MSL.

Trees beginning 1060' from DER, 51' left of centerline, up to 100' AGL/779' MSL.

Trees beginning 1660' from DER, 550' right of centerline, up to 100' AGL/939' MSL.

GAITHERSBURG, MD**MONTGOMERY COUNTY AIRPARK (GAI)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 1 05MAR15 (15064) (FAA)****TAKEOFF OBSTACLE NOTES:****Rwy 14**, building, pole, and trees beginning 217' from DER, 81' right of centerline, up to 52' AGL/601' MSL.

Building, poles, and trees beginning 244' from DER, 196' left of centerline, up to 51' AGL/610' MSL.

Trees 1323' from DER, 841' right of centerline, up to 117' AGL/656' MSL.

Trees beginning 1965' from DER, 628' left of centerline, up to 104' AGL/663' MSL.

Rwy 32, trees beginning 26' from DER, 181' left of centerline, up to 77' AGL/556' MSL.

Trees beginning 72' from DER, 202' right of centerline, up to 53' AGL/532' MSL.

Trees beginning 3350' from DER, 903' right of centerline, up to 93' AGL/592' MSL.

GALAX HILLSVILLE, VA**TWIN COUNTY (HLX)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 3 31MAY12 (24137) (FAA)****TAKEOFF MINIMUMS:****Rwy 1**, 300-1 or std w/min climb of 310' per NM to 2900.**DEPARTURE PROCEDURE:****Rwy 19**, climb heading 187° to 3300 before turning left.**TAKEOFF OBSTACLE NOTES:****Rwy 1**, vehicles on roadway beginning 122' from DER, left and right of centerline, up to 15' AGL/2674' MSL.

Tree 195' from DER, 432' right of centerline, 49' AGL/2669' MSL.

Trees beginning 1215' from DER, left and right of centerline, up to 107' AGL/2699' MSL.

Trees beginning 2098' from DER, left and right of centerline, up to 105' AGL/2768' MSL.

Trees beginning 4071' from DER, 1192' left of centerline, up to 79' AGL/2799' MSL.

Rwy 19, trees beginning 135' from DER, 455' left of centerline, up to 108' AGL/2748' MSL.

Trees beginning 314' from DER, 434' right of centerline, up to 100' AGL/2760' MSL.

Tree 925' from DER, 254' left of centerline, 80' AGL/2720' MSL.

Trees beginning 1470' from DER, 248' right of centerline, up to 113' AGL/2753' MSL.

26302



26302

GEORGETOWN, DE**DELAWARE COASTAL (GED)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 4B 10NOV16 (16315) (FAA)

TAKEOFF MINIMUMS:

Rwy 22, 200-1¼ or std w/min climb of 201' per NM to 300, or alternatively with std takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 1100' prior to DER.

TAKEOFF OBSTACLE NOTES:

Rwy 4, trees beginning 7' from DER, 459' left of centerline, up to 74' AGL/118' MSL.

Tree 2322' from DER, 428' right of centerline, 61' AGL/109' MSL.

Tree 5161' from DER, 710' left of centerline, 180' MSL.

Rwy 10, vehicle on road 94' from DER, 446' left of centerline, 15' AGL/59' MSL.

Trees and pole beginning 443' from DER, 87' left of centerline, up to 100' AGL/144' MSL.

Trees beginning 641' from DER, 109' right of centerline, up to 100' AGL/144' MSL.

Tree 3732' from DER, 37' left of centerline, 100' AGL/149' MSL.

Rwy 22, tree 2035' from DER, 781' left of centerline, 172' MSL.

Tower 1 NM from DER, 465' left of centerline, 215' MSL.

Rwy 28, trees beginning 358' from DER, 567' left of centerline, up to 100' AGL/149' MSL.

Trees beginning 1299' from DER, 686' right of centerline, up to 100' AGL/149' MSL.

Trees beginning 1595' from DER, 647' right of centerline, up to 100' AGL/154' MSL.

Trees beginning 1892' from DER, crossing centerline, up to 100' AGL/154' MSL.

Tank 4498' from DER, 219' right of centerline, 180' MSL.

GORDONSVILLE, VA**GORDONSVILLE MUNI (GVE)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

ORIG 15DEC11 (11349) (FAA)

TAKEOFF MINIMUMS:

Rwy 5, 500-2½ or std w/min climb of 317' per NM to 1100.

Rwy 23, 300-2½ or std w/min climb of 384' per NM to 700.

DEPARTURE PROCEDURE:

Rwy 5, climb heading 048° to 1500 before proceeding on course.

Rwy 23, climb heading 213° to 2000 before turning right.

TAKEOFF OBSTACLE NOTES:

Rwy 5, trees beginning 341' from DER, 529' right of centerline, up to 100' AGL/699' MSL.

Vehicles on roadway 738' from DER, 477' left of centerline, up to 17' AGL/476' MSL.

Trees beginning 789' from DER, 507' left of centerline, up to 100' AGL/939' MSL.

Railroad 1111' from DER, 255' right of centerline, up to 23' AGL/482' MSL.

Rwy 23, trees beginning 300' from DER, 199' right of centerline, up to 100' AGL/739' MSL.

Trees beginning 805' from DER, 423' left of centerline, up to 100' AGL/739' MSL.

Rising terrain beginning 2.9 NM from DER, 2.5 NM right of centerline, up to 2039' MSL.

HAGERSTOWN, MD**HAGERSTOWN RGNL/RICHARD A HENSON FLD (HGR)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 6 17OCT13 (21336) (FAA)

DEPARTURE PROCEDURE:

Rwy 9, climbing left turn to intercept HGR VOR R-084 to 2500 before proceeding on course.

Rwy 27, climb on heading 272° to 2300 before turning right.

TAKEOFF OBSTACLE NOTES:

Rwy 2, pole 22' from DER, 434' right of centerline, 20' AGL/719' MSL.

Telephone pylon 98' from DER, 351' right of centerline, 30' AGL/729' MSL.

Pole 100' from DER, 352' right of centerline, 31' AGL/730' MSL.

Catenary 113' from DER, 515' right of centerline, 32' AGL/731' MSL.

Antenna 190' from DER, 392' right of centerline, 38' AGL/737' MSL.

Building 1115' from DER, 289' left of centerline, 10' AGL/749' MSL.

Road 1215' from DER, 8' right of centerline, 3' AGL/742' MSL.

Trees beginning 1295' from DER, left and right of centerline, up to 99' AGL/838' MSL.

Rwy 9, MALSR 6' from DER, 5' left of centerline, 48' AGL/687' MSL.

Tree 963' from DER, 754' left of centerline, 75' AGL/714' MSL.

Rwy 20, light and poles beginning 334' from DER, left and right of centerline, up to 40' AGL/734' MSL.

Tree 1504' from DER, 342' left of centerline, 36' AGL/735' MSL.

Silo 1590' from DER, 93' left of centerline, 34' AGL/733' MSL.

Tree 2051' from DER, 592' left of centerline, 100' AGL/759' MSL.

Tree 2540' from DER, 722' left of centerline, 100' AGL/779' MSL.

Rwy 27, trees beginning 668' from DER, 515' left of centerline, up to 80' AGL/719' MSL.

Building 1895' from DER, 510' left of centerline, 73' AGL/713' MSL.



26302



26302

HOT SPRINGS, VA INGALLS FLD (HSP)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 4 13JAN11 (21224) (FAA)

DEPARTURE PROCEDURE:

Rwy 25, climb heading 247° to 4400 before turning left.

TAKEOFF OBSTACLE NOTES:

Rwy 7, tree 52' from DER, 395' left of centerline, 64' AGL/3784' MSL.

Rwy 25, trees, building, and terrain beginning 172' from DER, 167' left of centerline, up to 60' AGL/3860' MSL.

Obstacle light on pipe 376' from DER, 421' left of centerline, up to 28' AGL/3828' MSL.

INDIAN HEAD, MD

MARYLAND (2W5)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 24JUL14 (14205) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 2, trees beginning at DER, 208' right of centerline up to 100' AGL/279' MSL.

Trees beginning 1103' from DER, 366' left of centerline up to 100' AGL/279' MSL.

Trees beginning 1564' from DER, left and right of centerline up to 100' AGL/279' MSL.

Building beginning 1255' from DER, 759' right of centerline, 25' AGL/204' MSL.

Rwy 20, trees beginning 404' from DER, 25' right of centerline up to 100' AGL/259' MSL.

Trees beginning at DER, 243' left of centerline up to 100' AGL/249' MSL.

Trees beginning 1069' from DER, 316' right of centerline up to 100' AGL/279' MSL.

Trees beginning 1388' from DER, 332' left of centerline up to 100' AGL/279' MSL.

Building 1401' from DER, 744' right of centerline, 25' AGL/194' MSL.

JOINT BASE ANDREWS (ANDREWS AFB) (KADW)

CAMP SPRINGS, MD

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

20FEB25 (25051) (USAF)

TAKEOFF OBSTACLE NOTES:

Rwy 1L, tree 3761' from DER, 1564' left of centerline, 362' MSL.

Tree 3073' from DER, 907' right of centerline, 352' MSL.

Tree 2960' from DER, 767' right of centerline, 351' MSL.

Tree 2842' from DER, 1082' right of centerline, 344' MSL.

Tree 2373' from DER, 742' left of centerline, 335' MSL.

Rwy 1R, crane 5460' from DER, 892' right of centerline, 381' MSL.

Stadium light 3036' from DER, 1020' right of centerline, 361' MSL.

Tree 2879' from DER, 362' left of centerline, 349' MSL.

Tree 2626' from DER, 1093' left of centerline, 352' MSL.

Tree 2395' from DER, 918' left of centerline, 344' MSL.

Tree 2355' from DER, 478' right of centerline, 335' MSL.

Tree 1659' from DER, 507' left of centerline, 326' MSL.

Tree 1551' from DER, 641' right of centerline, 327' MSL.

Tree 1585' from DER, 536' right of centerline, 322' MSL.

Tree 1665' from DER, 521' left of centerline, 320' MSL.

Tree 1509' from DER, 857' right of centerline, 333' MSL.

Rwy 19L, tree 3696' from DER, 499' left of centerline, 341' MSL.

Tree 3660' from DER, 784' left of centerline, 353' MSL.

Tree 2877' from DER, 1111' right of centerline, 314' MSL.

Tree 2654' from DER, 944' right of centerline, 311' MSL.

Tree 2653' from DER, 1107' right of centerline, 314' MSL.

Tree 1706' from DER, 700' left of centerline, 320' MSL.

Tree 1454' from DER, 852' left of centerline, 317' MSL.

Terrain 270' from DER, 581' left of centerline, 260' MSL.

Rwy 19R, twr 4659' from DER, 1650' right of centerline, 355' MSL.

Twr 4624' from DER, 1663' right of centerline, 372' MSL.

Twr 4561' from DER, 1658' right of centerline, 359' MSL.

Twr 4529' from DER, 1590' right of centerline, 358' MSL.

Twr 4473' from DER, 1553' right of centerline, 360' MSL.

Twr 4386' from DER, 1659' right of centerline, 355' MSL.

Tree 2868' from DER, 888' left of centerline, 314' MSL.

Tree 2645' from DER, 891' left of centerline, 314' MSL.

Tree 2645' from DER, 1054' left of centerline, 331' MSL.

Trees beginning 2645' from DER, 1054' left of centerline, 331' MSL.



26302



NE-3



26302

JONESVILLE, VA**LEE COUNTY (0VG)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

ORIG 23NOV06 (06327) (FAA)

TAKEOFF MINIMUMS:**Rwy 7**, std w/min climb of 467' per NM to 3800, or 1900-3 for climb in visual conditions.**Rwy 25**, std w/min climb of 442' per NM to 3500, or 1900-3 for climb in visual conditions.**DEPARTURE PROCEDURE:****Rwys 7, 25**, for climb in visual conditions cross Lee County airport at or above 3200 before proceeding on course.**TAKEOFF OBSTACLE NOTES:****Rwy 7**, terrain 116' from DER, 72' right of centerline, 1439' MSL.

Terrain 691' from DER, 53' right of centerline, 1459' MSL.

Terrain 267' from DER, 190' left of centerline, 1439' MSL.

Terrain 479' from DER, 68' left of centerline, 1459' MSL.

KENBRIDGE, VA**LUNENBURG COUNTY (W31)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

ORIG 13JAN11 (11013) (FAA)

TAKEOFF OBSTACLE NOTES:**Rwy 2**, trees beginning 219' from DER, left and right of centerline, up to 100' AGL/639' MSL.

Vehicles on roadway, beginning 561' from DER, 519' right of centerline, up to 15' AGL/544' MSL.

Rwy 20, trees at DER, left and right of centerline, up to 100' AGL/599' MSL.**LANGLEY AFB (KLFi)****HAMPTON, VA****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 1 17APR25 (25107) (USAF)

Rwy 8, climb on hdg between 360° CW to 078° from DER.**TAKEOFF OBSTACLE NOTES:****Rwy 8**, water, boat 1808' from DER, 553' right of centerline, 60' AGL/60' MSL.**Rwy 26**, trees 4080' from DER, 1242' left of centerline, 100' AGL/116' MSL.

Trees 4051' from DER, 689' left of centerline, 99' AGL/115' MSL.

Trees 3807' from DER, 1180' right of centerline, 100' AGL/113' MSL.

Trees 4154' from DER, 338' right of centerline, 100' AGL/113' MSL.

Trees 3866' from DER, 1357' left of centerline, 100' AGL/113' MSL.

Trees 4092' from DER, 83' left of centerline, 99' AGL/111' MSL.

Trees 4038' from DER, 619' right of centerline, 100' AGL/109' MSL.

LAUREL, DE**LAUREL (N06)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 2 05APR12 (12096) (FAA)

TAKEOFF MINIMUMS:**Rwy 15**, 600-2% or std w/min climb of 286' per NM to 800.**DEPARTURE PROCEDURE:****Rwy 15**, climb heading 148° to 1200 before proceeding on course.**Rwy 33**, climb heading 328° to 1200 before preceding on course.**TAKEOFF OBSTACLE NOTES:****Rwy 15**, tower 2.4 NM from DER, 253' left of centerline, 500' AGL/542' MSL.**LAWRENCEVILLE, VA****BRUNSWICK COUNTY (LVL)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

ORIG-A 30JAN20 (21224) (FAA)

TAKEOFF OBSTACLE NOTES:**Rwy 18**, trees 1654' from DER, 772' left of centerline, 88' AGL/407' MSL.

Trees 200' from DER, on centerline, 22' AGL/321' MSL.

Rwy 36, trees 1487' from DER, 20' left of centerline, 88' AGL/420' MSL.

Trees 113' from DER, 372' right of centerline, 88' AGL/420' MSL.



26302



NE-3



26302

LEESBURG, VA**LEESBURG EXEC (JYO)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 2 23SEP10 (21112) (FAA)

DEPARTURE PROCEDURE:**Rwy 35**, climb heading 351° to 1200 before proceeding on course.**TAKEOFF OBSTACLE NOTES:****Rwy 17**, vehicle on roadway, 320' from DER, 565' left of centerline, up to 15' AGL/414' MSL.

Building 167' from DER, 360' left of centerline, 22' AGL/401' MSL.

Pole 958' from DER, 373' left of centerline, 32' AGL/421' MSL.

Trees beginning 138' from DER, left and right of centerline, up to 100' AGL/464' MSL.

Rwy 35, terrain 96' from DER, 453' left of centerline, 381' MSL.

Tree 1078' from DER, 525' left of centerline, up to 100' AGL/413' MSL.

Pole 638' from DER, 642' right of centerline, 49' AGL/428' MSL.

LEONARDTOWN, MD**ST MARY'S COUNTY RGNL (2W6)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 1 26DEC24 (24361) (FAA)

TAKEOFF OBSTACLE NOTES:**Rwy 11**, trees beginning 6' from DER, 274' left of centerline, up to 60' AGL/166' MSL.

Trees beginning 13' from DER, 388' right of centerline, up to 74' AGL/189' MSL.

Trees beginning 264' from DER, 266' left of centerline, up to 68' AGL/172' MSL.

Trees, building beginning 314' from DER, 34' right of centerline, up to 95' AGL/200' MSL.

Tree 708' from DER, 591' left of centerline, 70' AGL/175' MSL.

Trees beginning 850' from DER, 12' left of centerline, up to 83' AGL/186' MSL.

Trees beginning 1717' from DER, 173' left of centerline, up to 89' AGL/196' MSL.

Trees beginning 2036' from DER, 175' left of centerline, up to 101' AGL/203' MSL.

Trees beginning 2372' from DER, 123' left of centerline, up to 97' AGL/209' MSL.

Trees beginning 2456' from DER, 360' left of centerline, up to 82' AGL/212' MSL.

Tree 2558' from DER, 783' left of centerline, 216' MSL.

Trees beginning 2581' from DER, 186' left of centerline, up to 88' AGL/220' MSL.

Trees beginning 2677' from DER, 145' left of centerline, up to 102' AGL/221' MSL.

Trees beginning 2723' from DER, 89' left of centerline, up to 102' AGL/222' MSL.

Trees beginning 2785' from DER, 252' left of centerline, up to 105' AGL/226' MSL.

Trees beginning 2816' from DER, 127' left of centerline, up to 109' AGL/229' MSL.

Trees beginning 2821' from DER, 106' right of centerline, up to 73' AGL/201' MSL.

Trees beginning 2834' from DER, 95' right of centerline, up to 75' AGL/204' MSL.

Trees beginning 2851' from DER, 5' right of centerline, up to 77' AGL/211' MSL.

Trees beginning 2851' from DER, 25' left of centerline, up to 111' AGL/233' MSL.

Trees beginning 2872' from DER, 5' right of centerline, up to 79' AGL/219' MSL.

Rwy 29, tree 34' from DER, 326' right of centerline, 50' AGL/171' MSL.

Trees beginning 50' from DER, 266' left of centerline, up to 54' AGL/171' MSL.

Tree 108' from DER, 371' right of centerline, 180' MSL.

Trees beginning 131' from DER, 314' right of centerline, up to 68' AGL/187' MSL.

Trees beginning 288' from DER, 27' right of centerline, up to 82' AGL/198' MSL.

Trees beginning 877' from DER, 100' left of centerline, up to 63' AGL/173' MSL.

Trees beginning 995' from DER, 31' left of centerline, up to 92' AGL/209' MSL.

Trees beginning 1300' from DER, 37' right of centerline, up to 90' AGL/200' MSL.

Trees beginning 1453' from DER, 266' right of centerline, up to 97' AGL/208' MSL.

Tree 1587' from DER, 584' right of centerline, 212' MSL.

Trees beginning 1606' from DER, 245' right of centerline, up to 96' AGL/219' MSL.

Tree 1854' from DER, 361' left of centerline, 221' MSL.

LOUISA, VA**LOUISA COUNTY/FREEMAN FLD (LKU)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 1 29JUL10 (21280) (FAA)

TAKEOFF OBSTACLE NOTES:**Rwy 9**, trees beginning abeam DER, 316' right of centerline, up to 100' AGL/589' MSL.

Trees beginning 765' from DER, 644' left of centerline, up to 95' AGL/545' MSL.

Trees beginning 889' from DER, 150' right of centerline, up to 59' AGL/519' MSL.

Rwy 27, trees beginning abeam DER, 350' right of centerline, up to 100' AGL/569' MSL.

Trees beginning 212' from DER, 133' right of centerline, up to 100' AGL/569' MSL.

Trees beginning 70' from DER, 513' left of centerline, up to 100' AGL/569' MSL.

Building 148' from DER, 440' left of centerline, 14' AGL/484' MSL.

Trees beginning 587' from DER, left and right of centerline, up to 100' AGL/549' MSL.



26302



26302

LURAY, VA**LURAY CAVERNS (LUA)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 2A 26MAR20 (20086) (FAA)

TAKEOFF MINIMUMS:**Rwy 4**, std w/min climb of 400' per NM to 3900 or 3200-3 for VCOA.**Rwy 22**, std w/min climb of 400' per NM to 4000 or 3200-3 for VCOA.**DEPARTURE PROCEDURE:****Rwy 4**, climb heading 044° to intercept bearing 044° from LUA NDB to 4000 before proceeding on course.**Rwy 22**, climbing left turn heading 200° to intercept LDN VORTAC R-230 to 5000 before proceeding on course.**VCOA:****All runways**, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Luray Caverns airport at or above 4000 before proceeding on course.**TAKEOFF OBSTACLE NOTES:****Rwy 4**, trees, traverse ways, pole, antennas, and building beginning 113' from DER, 138' right of centerline, up to 44' AGL/938' MSL.

Tree 1080' from DER, 584' right of centerline, 941' MSL.

Trees beginning 1099' from DER, 280' right of centerline, up to 942' MSL.

Trees and poles beginning 1282' from DER, 103' right of centerline, up to 959' MSL.

Trees beginning 1596' from DER, 220' right of centerline, up to 964' MSL.

Trees beginning 1693' from DER, 178' right of centerline, up to 967' MSL.

Trees beginning 1807' from DER, 22' right of centerline, up to 968' MSL.

Trees beginning 2247' from DER, 254' right of centerline, up to 972' MSL.

Tree 2306' from DER, 88' right of centerline, 983' MSL.

Tree 2331' from DER, 187' right of centerline, 985' MSL.

Trees beginning 2360' from DER, 5' left of centerline, up to 976' MSL.

Trees beginning 2422' from DER, 14' right of centerline, up to 987' MSL.

Trees beginning 2459' from DER, 33' right of centerline, up to 93' AGL/995' MSL.

Rwy 22, trees beginning 23' from DER, 313' right of centerline, up to 34' AGL/929' MSL.

Tree 68' from DER, 304' left of centerline, 905' MSL.

Tree 135' from DER, 186' left of centerline, 910' MSL.

Trees beginning 261' from DER, 26' left of centerline, up to 65' AGL/955' MSL.

Trees beginning 333' from DER, 184' right of centerline, up to 936' MSL.

LYNCHBURG, VA**FALWELL (W24)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 2 19MAR26 (26078) (FAA)

TAKEOFF MINIMUMS:**Rwy 28**, NA-Obstacles.**Rwy 10**, 1400-3 for VCOA.**DEPARTURE PROCEDURE:****Rwy 10**, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Falwell airport at or above 2200 before proceeding on course.**LYNCHBURG RGNL/PRESTON GLENN FLD (LYH)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 8 13MAR08 (22083) (FAA)

TAKEOFF MINIMUMS:**Rwy 17**, 300-2¼ or std w/min climb of 232' per NM to 1500.**Rwy 35**, std w/min climb of 350' per NM to 3000, or 1700-3 for climb in visual conditions.**DEPARTURE PROCEDURE:****Rwy 4**, climb heading 036° to 2200 before proceeding on course.**Rwy 17**, climb heading 169° to 1800 before turning right.**Rwy 22**, climb heading 216° to 1800 before turning right.**Rwy 35**, climb heading 349° to 3000 before turning left, or for climb in visual conditions: cross Lynchburg Rgnl/Preston Glenn Fld at or above 2500' MSL before proceeding on course.**TAKEOFF OBSTACLE NOTES:****Rwy 4**, trees beginning 2029' from DER, 62' right of centerline up to 81' AGL/999' MSL.

Trees beginning 1422' from DER, 3' left of centerline up to 76' AGL/995' MSL.

Poles beginning 427' from DER, 483' right of centerline up to 44' AGL/1044' MSL.

Obstruction lights on fence beginning 2' from DER, 500' right of centerline up to 30' AGL/ 948' MSL.

Antenna on building 395' from DER, 277' right of centerline 15' AGL/954' MSL.

Light 606' from DER, 599' right of centerline, 18' AGL/982' MSL.

Building 400' from DER, 345' right of centerline, 12' AGL/951' MSL.

Rwy 17, trees beginning 284' from DER, 77' left of centerline up to 277' AGL/1195' MSL.

Trees beginning 265' from DER, 178' right of centerline up to 57' AGL/969' MSL.

CONT

26302

L25

29 OCT 2026 to 26 NOV 2026

29 OCT 2026 to 26 NOV 2026



26302

LYNCHBURG, VA (CON'T)**LYNCHBURG RGNL/PRESTON GLENN FLD (LYH) (CON'T)**

Rwy 17 (CON'T), obstruction light on pole 9326' from DER 333' left of centerline, 270' AGL/1188MSL.

Rwy 22, trees beginning 274' from DER, 245' right of centerline up to 41' AGL/979' MSL.

Trees beginning 2616' from DER, 206' left of centerline up to 41' AGL/979' MSL.

Poles beginning 2872' from DER, 603' right of centerline up to 44' AGL/982' MSL.

Rwy 35, trees beginning 2955' from DER, 140' right of centerline up to 96' AGL/ 1014' MSL.

Trees beginning 722' from DER, 71' left of centerline up to 119' AGL/1037' MSL.

Pole 36' from DER 98' left of centerline, 25' AGL/ 943' MSL.

MARION/WYTHEVILLE, VA**MOUNTAIN EMPIRE (MKJ)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 2 26JUL12 (12208)

TAKEOFF MINIMUMS:

Rwy 8, 300-1¼.

Rwy 26, std w/min climb of 265' per NM to 3400 or 4600-3 for climb in visual conditions.

DEPARTURE PROCEDURE:

Rwy 8, climb heading 079° to 4100 before proceeding on course.

Rwy 26, climb heading 259° to 4400 before proceeding on course or for climb in visual conditions: cross Mountain Empire airport at or above 4600' MSL before proceeding on course. When executing VCOA, notify ATC prior to departure.

TAKEOFF OBSTACLE NOTES:

Rwy 8, trees beginning 58' from DER, left and right of centerline, up to 100' AGL/2819' MSL.

Vehicles beginning 225' from DER, left and right of centerline, up to 17' AGL/2540' MSL.

Poles beginning 703' from DER, left and right of centerline, up to 123' AGL/2537' MSL.

Rwy 26, trees and vehicles beginning 250' from DER, left and right of centerline, up to 100' AGL/3039' MSL.

MARTINSVILLE, VA**BLUE RIDGE (MTV)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 4 14MAY26 (26134) (FAA)

TAKEOFF MINIMUMS:

Rwy 13, std w/min climb of 249'/NM to 2100, or 1900-3 for VCOA.

Rwy 31, std w/min climb of 323'/NM to 4200, or 1900-3 for VCOA.

DEPARTURE PROCEDURE:

Rwy 13, climb on heading 125° to 2200 before proceeding on course.

VCOA:

All runways, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Blue Ridge airport at or above 2700 before proceeding on course.

TAKEOFF OBSTACLE NOTES:

Rwy 13, light poles 9' from DER, 123' left of centerline, 4' AGL/913' MSL.

Terrain 15' from DER, 426' left of centerline, 915' MSL.

Tree 78' from DER, 438' right of centerline, 946' MSL.

Tree 104' from DER, 472' right of centerline, 961' MSL.

Trees beginning 109' from DER, 409' right of centerline, up to 966' MSL.

Trees beginning 503' from DER, 517' right of centerline, up to 973' MSL.

Trees beginning 638' from DER, 573' right of centerline, up to 974' MSL.

Trees beginning 706' from DER, 203' right of centerline, up to 976' MSL.

Rwy 31, fence, terrain, vehicle on road beginning 4' from DER, 102' right of centerline, up to 10' AGL/971' MSL.

Terrain 175' from DER, 7' left of centerline, 953' MSL.

Trees beginning 557' from DER, 491' left of centerline, up to 1008' MSL.

Trees beginning 633' from DER, on and left of centerline, up to 1025' MSL.

Vehicle on road 875' from DER, 252' right of centerline, 972' MSL.

Vehicle on road 1071' from DER, 295' right of centerline, 977' MSL.

Tree, vehicle on road beginning 1224' from DER, 333' right of centerline, up to 1024' MSL.

Tree 1283' from DER, 827' right of centerline, 1028' MSL.

Trees beginning 1363' from DER, 754' right of centerline, up to 1030' MSL.

Trees beginning 1462' from DER, 742' right of centerline, up to 1038' MSL.

Tree 2553' from DER, 1016' right of centerline, 1042' MSL.

Trees beginning 2662' from DER, on centerline, up to 1047' MSL.

Trees beginning 2780' from DER, 3' left of centerline, up to 1039' MSL.

Tree 3316' from DER, 3' left of centerline, 1055' MSL.

Trees beginning 3338' from DER, 7' left of centerline, up to 1057' MSL.

Tree 3516' from DER, 1127' right of centerline, 1050' MSL.

Trees beginning 3536' from DER, 985' right of centerline, up to 1060' MSL.

Trees beginning 3643' from DER, 1012' right of centerline, up to 1064' MSL.

Trees beginning 3732' from DER, 1061' right of centerline, up to 1073' MSL.

Tree 4418' from DER, 282' left of centerline, 1061' MSL.



26302



NE-3



26302

MELFA, VA**ACCOMACK COUNTY (MFV)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 1 25OCT07 (07298) (FAA)

TAKEOFF OBSTACLE NOTES:**Rwy 3**, multiple trees beginning 41' from DER, 221' right of centerline, up to 84' AGL/128' MSL.

Truck on road 204' from DER, 231' left of centerline, 15' AGL/61' MSL.

Multiple trees beginning 249' from DER, 14' left of centerline, up to 106' AGL/155' MSL.

Truck on road 494' from DER, 228' left of centerline, 15' AGL/62' MSL.

Rod on obstruction light tower 862' from DER, 402' left of centerline, 55' AGL/99' MSL.

Rwy 21, multiple trees beginning 27' from DER, 395' right of centerline, up to 91' AGL/135' MSL.

Multiple trees 504' from DER, 403' left of centerline, up to 110' AGL/144' MSL.

MIDDLETOWN, DE**SUMMIT (EVY)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 2B 20JUN19 (19171) (FAA)

TAKEOFF MINIMUMS:**Rwys 11, 29**, NA-Environmental.**Rwy 35**, 300-1½ or std w/min climb of 300' per NM to 400.**TAKEOFF OBSTACLE NOTES:****Rwy 17**, trees beginning 14' from DER, 474' right of centerline, up to 45' AGL/111' MSL.

Tree 1277' from DER, 395' right of centerline, 60' AGL/126' MSL.

Tree 1349' from DER, 661' right of centerline, 91' AGL/156' MSL.

Pole and catenary beginning 1379' from DER, 378' left of centerline, up to 34' AGL/101' MSL.

Tree 1627' from DER, 906' right of centerline, 97' AGL/160' MSL.

Trees beginning 1639' from DER, 384' right of centerline, up to 97' AGL/161' MSL.

Rwy 35, tree 39' from DER, 475' left of centerline, 50' AGL/115' MSL.

Traverse way 350' from DER, 404' right of centerline, 81' MSL.

Pole 357' from DER, 487' right of centerline, 43' AGL/104' MSL.

Trees beginning 381' from DER, 359' left of centerline, up to 53' AGL/119' MSL.

Poles and tree beginning 689' from DER, 28' right of centerline, up to 43' AGL/106' MSL.

Trees beginning 1380' from DER, 43' right of centerline, up to 67' AGL/127' MSL.

Trees and elevator beginning 1782' from DER, 194' right of centerline, up to 77' AGL/128' MSL.

Trees beginning 1970' from DER, 368' left of centerline, up to 61' AGL/127' MSL.

Tree 3473' from DER, 167' left of centerline, 88' AGL/157' MSL.

Transmission line 5084' from DER, 575' right of centerline, 178' AGL/243' MSL.

Tower 5086' from DER, 1066' right of centerline, 202' AGL/255' MSL.

Tower 5591' from DER, 1094' right of centerline, 169' AGL/257' MSL.

Transmission line 5734' from DER, 564' right of centerline, 170' AGL/245' MSL.

MONETA, VA**SMITH MOUNTAIN LAKE (W91)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 1 18SEP14 (14261) (FAA)

TAKEOFF MINIMUMS:**Rwy 5**, 400-2¼ or std w/min climb of 565' per NM to 1200.**DEPARTURE PROCEDURE:****Rwy 5**, climb heading 054° to 2600 before proceeding on course.**Rwy 23**, climb heading 234° to 1900 before proceeding on course.**TAKEOFF OBSTACLE NOTES:****Rwy 5**, trees beginning abeam DER, 144' right of centerline, up to 100' AGL/1019' MSL.

Vehicles on road beginning 3' from DER, left and right of centerline, up to 15' AGL/1034' MSL.

Aircraft on taxiway, 132' left of centerline, up to 20' AGL/939' MSL.

Trees beginning 303' from DER, 211' left of centerline, up to 100' AGL/1039' MSL.

Trees beginning 3234' from DER, 44' right of centerline, up to 100' AGL/1119' MSL.

Trees beginning 2954' from DER, 83' left of centerline, up to 100' AGL/1099' MSL.

Rwy 23, trees beginning 13' from DER, 149' left of centerline, up to 100' AGL/979' MSL.

Vehicles on road beginning 19' from DER, left and right of centerline, up to 15' AGL/894' MSL.

Trees beginning 622' from DER, 316' right of centerline, up to 100' AGL/979' MSL.



26302



NE-3



26302

NEWPORT NEWS, VA

NEWPORT NEWS/WILLIAMSBURG INTL (PHF)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 1 26MAY16 (16147) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 2, REIL 15' from DER, 150' left of centerline, 43' MSL.

Tree and airport sign beginning 21' from DER, 259' left of centerline, up to 50' MSL.

Trees beginning 45' from DER, 386' right of centerline, up to 51' MSL.

Trees beginning 212' from DER, 375' right of centerline, up to 53' MSL.

Tree 366' from DER, 597' right of centerline, 55' MSL.

Tree 439' from DER, 487' right of centerline, 56' MSL.

Tree 689' from DER, 652' right of centerline, 60' MSL.

Pole 840' from DER, 625' left of centerline, 78' MSL.

Poles beginning 840' from DER, 522' left of centerline, up to 37' AGL/80' MSL.

Trees beginning 898' from DER, 723' right of centerline, up to 124' MSL.

Tree and pole beginning 935' from DER, 427' left of centerline, up to 131' MSL.

Trees beginning 1067' from DER, 253' right of centerline, up to 135' MSL.

Tree and pole beginning 1183' from DER, 498' right of centerline, up to 140' MSL.

Trees beginning 1399' from DER, 428' left of centerline, up to 150' MSL.

Trees beginning 1629' from DER, 413' right of centerline, up to 151' MSL.

Tree and T-I tower beginning 1704' from DER, 47' left of centerline, up to 156' MSL.

T-I towers and trees beginning 3347' from DER, 5' left of centerline, up to 163' MSL.

Rwy 7, signs beginning 55' from DER, 282' left of centerline, up to 8' AGL/42' MSL.

Tree 368' from DER, 588' left of centerline, 73' MSL.

Tree 1557' from DER, 906' right of centerline, 95' MSL.

Trees beginning 1557' from DER, 904' right of centerline, up to 96' MSL.

Tree 2279' from DER, 932' right of centerline, 99' MSL.

Trees beginning 2477' from DER, 909' right of centerline, up to 110' MSL.

Tree 3535' from DER, 1395' left of centerline, 140' MSL.

Trees beginning 3535' from DER, 1291' left of centerline, up to 141' MSL.

Trees beginning 3884' from DER, 965' left of centerline, up to 144' MSL.

Trees beginning 3927' from DER, 315' left of centerline, up to 147' MSL.

Trees beginning 3958' from DER, 235' left of centerline, up to 153' MSL.

Tree 4288' from DER, 454' right of centerline, 154' MSL.

T-I towers beginning 5621' from DER, 1337' left of centerline, up to 189' MSL.

Rwy 20, airport sign 41' from DER, 310' right of centerline, 39' MSL.

Bush 96' from DER, 290' left of centerline, 52' MSL.

Trees beginning 1038' from DER, 489' left of centerline, up to 90' MSL.

Trees beginning 2779' from DER, 1002' right of centerline, up to 111' MSL.

Rwy 25, tree 357' from DER, 563' right of centerline, 48' MSL.

Tree 539' from DER, 594' right of centerline, 59' MSL.

Trees beginning 623' from DER, 550' right of centerline, up to 71' MSL.

Tree 719' from DER, 580' right of centerline, 79' MSL.

Trees beginning 776' from DER, 581' right of centerline, up to 86' MSL.

Trees beginning 853' from DER, 600' right of centerline, up to 91' MSL.

Trees beginning 1021' from DER, 587' right of centerline, up to 97' MSL.

Tree 1046' from DER, 672' right of centerline, 112' MSL.

Tree 1121' from DER, 726' right of centerline, 115' MSL.

Tree 1121' from DER, 745' right of centerline, 119' MSL.

Trees beginning 1125' from DER, 335' right of centerline, up to 123' MSL.

Tree 3437' from DER, 1126' right of centerline, 139' MSL.

NEW MARKET, VA

NEW MARKET (8W2)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 31MAY12 (12152) (FAA)

TAKEOFF MINIMUMS:

Rwy 6, 1100-3 w/min climb of 376' per NM to 3700 or 2600-3 for climb in visual conditions.

Rwy 24, 1100-3 w/min climb of 290' per NM to 3700 or 2600-3 for climb in visual conditions.

DEPARTURE PROCEDURE:

Rwy 6, climb heading 048° to 3700 before proceeding on course or for climb in visual conditions: cross New Market airport at or above 3400 MSL before proceeding on course. When executing VCOA, notify ATC prior to departure.

Rwy 24, climb heading 243° to 3700 before proceeding on course or for climb in visual conditions: cross New Market airport at or above 3400 MSL before proceeding on course. When executing VCOA, notify ATC prior to departure.

TAKEOFF OBSTACLE NOTES:

Rwy 6, train beginning 2' from DER, 396' left of centerline, up to 23' AGL/1002' MSL.

Vehicles on road beginning 57' from DER, left and right of centerline, up to 15' AGL/994' MSL.

Trees beginning 754' from DER, 522' left of centerline, up to 100' AGL/1279' MSL.

CONT



26302





26302

NEW MARKET, VA (CON'T)**NEW MARKET (8W2) (CON'T)**

Rwy 24, train beginning 11' from DER, 404' right of centerline, up to 23' AGL/1002' MSL.

Trees beginning 564' from DER, 257' right of centerline, up to 100' AGL/1319' MSL.

NORFOLK, VA**CHESAPEAKE RGNL (CPK)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 3 09FEB12 (12040) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 5, trees beginning 143' from DER, left and right of centerline, up to 100' AGL/108' MSL.

Rwy 23, trees beginning 153' from DER, left and right of centerline, up to 105' AGL/122' MSL.

HAMPTON ROADS EXEC (PVG)**TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

ORIG 18SEP14 (21224) (FAA)

TAKEOFF MINIMUMS:

Rwy 10, std w/min climb of 210' per NM to 600, or alternatively with std takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 1500' prior to DER or 1700-2½ for climb in visual conditions.

DEPARTURE PROCEDURE:

Rwy 2, climb heading 019° to 1600 before turning west.

Rwy 10, climb heading 102° to 1000 before proceeding on course, or for climb in visual conditions, cross Hampton Roads Exec airport at or above 1600 before proceeding on course. When executing VCOA, notify ATC prior to departure.

Rwy 20, climb heading 199° to 900 before turning North.

Rwy 28, climb heading 282° to 1500 before turning North.

TAKEOFF OBSTACLE NOTES:

Rwy 2, vehicles on roadway beginning 213' from DER, left and right of centerline, up to 15' AGL/39' MSL.

Trees beginning 663' from DER, left and right of centerline, up to 100' AGL/124' MSL.

Rwy 10, aircraft on taxiway beginning 9' from DER, 390' right of centerline, up to 26' AGL/49' MSL.

Bushes beginning 30' from DER, 156' right of centerline, up to 5' AGL/26' MSL.

Bushes beginning 96' from DER, 486' left of centerline, up to 12' AGL/33' MSL.

Trees beginning 2086' from DER, 19' left of centerline, up to 103' AGL/124' MSL.

Trees beginning 2103' from DER, 13' right of centerline, up to 113' AGL/134' MSL.

Rwy 20, aircraft on taxiway and buildings beginning 11' from DER, 144' right of centerline, up to 40' AGL/50' MSL.

Vehicles on roadway beginning 97' from DER, 14' left of centerline, up to 23' AGL/47' MSL.

Trains on railroad tracks and trees beginning 333' from DER, 571' left of centerline, up to 100' AGL/124' MSL.

Trains on railroad tracks and trees beginning 796' from DER, 90' right of centerline, up to 100' AGL/124' MSL.

Rwy 28, trees beginning 2267' from DER, 1071' left of centerline, up to 100' AGL/121' MSL.

Trees beginning 3793' from DER, 408' left of centerline, up to 113' AGL/134' MSL.

NORFOLK INTL (ORF)**TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 2 19MAR26 (26078) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 5, sign 82' from DER, 301' left of centerline, 11' AGL/19' MSL.

Vegetation 132' from DER, 280' right of centerline, 22' MSL.

Vegetation 150' from DER, 314' left of centerline, 24' MSL.

Tree 1398' from DER, 292' right of centerline, 50' MSL.

Tree 1457' from DER, 773' right of centerline, 70' MSL.

Tree 1521' from DER, 854' right of centerline, 92' MSL.

Trees beginning 1540' from DER, 626' right of centerline, up to 94' MSL.

Pole 2696' from DER, 1063' left of centerline, 87' AGL/91' MSL.

Pole, tower beginning 2904' from DER, 772' right of centerline, up to 89' AGL/97' MSL.

Tower 2938' from DER, 1255' left of centerline, 89' AGL/93' MSL.

Ship 3575' from DER, 841' left of centerline, 110' AGL/110' MSL.

Towers, ships beginning 3987' from DER, 668' left of centerline, up to 145' AGL/146' MSL.

Tower 4116' from DER, 1584' right of centerline, 127' AGL/131' MSL.

Vessels on water 5366' from DER, 1492' left of centerline, 160' AGL/161' MSL.

Rwy 23, light poles 9' from DER, 4' left of centerline, 1' AGL/19' MSL.

Vehicle on road 127' from DER, 508' left of centerline, 31' MSL.

Tree 570' from DER, 610' left of centerline, 48' MSL.

Tree 693' from DER, 573' left of centerline, 52' MSL.

Trees, pole beginning 772' from DER, 38' left of centerline, up to 88' MSL.

Pole 1009' from DER, 647' right of centerline, 60' AGL/70' MSL.

Tree 1979' from DER, 38' right of centerline, 75' MSL.

Tree, pole beginning 2002' from DER, 103' right of centerline, up to 78' MSL.

Tree 2199' from DER, 36' right of centerline, 82' MSL.

CON'T



26302





26302

NORFOLK, VA (CON'T)**NORFOLK INTL (ORF) (CON'T)**

Rwy 23 (CON'T), tree 3455' from DER, 447' left of centerline, 113' MSL.

Tree 3639' from DER, 995' left of centerline, 118' MSL.

NORFOLK NS (CHAMBERS FLD) (KNGU)**NORFOLK, VA****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 5 22JAN26 (26022) (USN)

TAKEOFF MINIMUMS:

Rwy 10, ATC restriction to de-conflict with ORF traffic, std w/min CG 400'/NM to 500' MSL, if unable advise ATC.

Rwy 28, 500-2¼, or std w/min climb of 260'/NM to 600.

TAKEOFF OBSTACLE NOTES:

Rwy 10, trees with a maximum height of 120' within 2500' of DER.

Rwy 28, cranes 1.3 NM from DER, 1600' left to 2000' right of centerline, 215' MSL.

Cranes 1.3 NM from DER, 2000' to 4000' right of centerline, 245' MSL.

Twr 2323' from DER, 745' left of centerline, 70' AGL/72' MSL.

NORFOLK NS HELIPORT (KNHU)**NORFOLK, VA****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 1 30NOV23 (23334) (USN)

TAKEOFF MINIMUMS:

H01, std w/min climb of 500'/NM to 500.

DEPARTURE PROCEDURE:

Diverse departures NA.

OAKLAND, MD**GARRETT COUNTY (2G4)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

ORIG 10APR08 (08101) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 9, multiple trees beginning 75' from DER, 94' left of centerline, up to 100' AGL/2939' MSL.

Multiple trees beginning 76' from DER, 47' right of centerline, up to 100' AGL/2939' MSL.

Rwy 27, multiple trees beginning 15' from DER, 334' left of centerline, up to 100' AGL/3019' MSL.

Multiple trees beginning 19' from DER, 107' right of centerline, up to 100' AGL/3019' MSL.

OCEAN CITY, MD**OCEAN CITY MUNI (OXB)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 4 30NOV23 (23334) (FAA)

TAKEOFF MINIMUMS:

Rwy 2, 300-1 or std w/min climb of 275'/NM to 300.

Rwy 32, 400-2 or std w/min climb of 275'/NM to 500.

TAKEOFF OBSTACLE NOTES:

Rwy 2, light poles 9' from DER, 16' right of centerline, 2' AGL/13' MSL.

Light poles 9' from DER, 16' left of centerline, 2' AGL/13' MSL.

Tree 1008' from DER, 554' right of centerline, 66' MSL.

Trees beginning 1029' from DER, 518' left of centerline, up to 104' MSL.

Trees, pole beginning 1096' from DER, 442' right of centerline, up to 77' MSL.

Trees, pole beginning 1163' from DER, 17' left of centerline, up to 107' MSL.

Trees beginning 1373' from DER, 173' right of centerline, up to 92' MSL.

Tree 1633' from DER, 389' right of centerline, 93' MSL.

Trees beginning 1649' from DER, 25' right of centerline, up to 99' MSL.

Trees beginning 2907' from DER, 39' right of centerline, up to 109' MSL.

Trees beginning 3238' from DER, 56' right of centerline, up to 114' MSL.

Tank 4707' from DER, 1599' right of centerline, 160' AGL/169' MSL.

Water tower, tower beginning 4707' from DER, 1598' right of centerline, up to 162' AGL/170' MSL.

Rwy 20, trees beginning at DER, 216' right of centerline, up to 52' MSL.

Tree 179' from DER, 476' left of centerline, 33' MSL.

Tree 187' from DER, 518' left of centerline, 43' MSL.

Trees beginning 332' from DER, 457' left of centerline, up to 48' MSL.

Trees beginning 596' from DER, 298' left of centerline, up to 56' MSL.

Trees beginning 604' from DER, 224' right of centerline, up to 56' MSL.

Trees beginning 1267' from DER, 620' right of centerline, up to 76' MSL.

CON'T



26302

26302

OCEAN CITY, MD (CON'T)**OCEAN CITY MUNI (OXB) (CON'T)**

Rwy 20 (CON'T), trees beginning 1420' from DER, 3' right of centerline, up to 80' MSL.

Tree 1722' from DER, 250' left of centerline, 63' MSL.

Rwy 32, tree 353' from DER, 550' left of centerline, 52' MSL.

Tree, pole beginning 557' from DER, 544' left of centerline, up to 58' MSL.

Poles beginning 725' from DER, 492' left of centerline, up to 50' AGL/61' MSL.

Tree 1214' from DER, 73' right of centerline, 72' MSL.

Trees beginning 1236' from DER, 139' left of centerline, up to 78' MSL.

Tree 1252' from DER, 257' right of centerline, 83' MSL.

Trees beginning 1339' from DER, 66' right of centerline, up to 100' MSL.

Trees beginning 1355' from DER, 551' left of centerline, up to 80' MSL.

Tree, pole beginning 1384' from DER, 65' left of centerline, up to 82' MSL.

Trees beginning 1432' from DER, 180' left of centerline, up to 86' MSL.

Trees beginning 1477' from DER, 53' right of centerline, up to 107' MSL.

Tree 1563' from DER, 374' left of centerline, 89' MSL.

Trees beginning 1564' from DER, 5' left of centerline, up to 92' MSL.

Trees beginning 1682' from DER, 63' left of centerline, up to 105' MSL.

Antenna, tower beginning 1.6 NM from DER, 928' right of centerline, up to 352' AGL/358' MSL.

OCEANA NAS (APOLLO SOUCEK FLD) (KNTU)**VIRGINIA BEACH, VA****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 4 27JAN22 (22083) (USN)

TAKEOFF OBSTACLE NOTES:

Rwy 5L, trees 3707' from DER, 98' right of centerline, 91' AGL/114' MSL.

Rwy 5R, trees 3706' from DER, 602' left of centerline, 91' AGL/114' MSL.

Trees 966' from DER, 598' right of centerline, 0' AGL/47' MSL.

Rwy 14R, trees 286' from DER, 527' right of centerline, 45' MSL.

Rwy 32L, terrain 0' from DER, 500' left of centerline, 20' MSL.

Trees 2792' from DER, 6' left of centerline, 89' AGL/104' MSL.

Rwy 32R, terrain 0' from DER, 484' right of centerline, 20' MSL.

Trees 2791' from DER, 709' left of centerline, 89' AGL/104' MSL.

ORANGE, VA**ORANGE COUNTY (OMH)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 1 29MAY14 (14149) (FAA)

DEPARTURE PROCEDURE:

Rwy 8, climb heading 075° to 1500 before turning left.

Rwy 26, climb heading 255° to 2000 before turning.

TAKEOFF OBSTACLE NOTES:

Rwy 8, terrain, trees and poles beginning 103' from DER, 361' right of centerline, up to 126' AGL/576' MSL.

Terrain, trees and poles beginning 404' from DER, 600' left of centerline, up to 101' AGL/581' MSL.

Rwy 26, terrain, trees, and poles beginning 14' from DER, 429' right of centerline, up to 101' AGL/559' MSL.

Vehicle on road 378' from DER, 406' right of centerline, 17' AGL/463' MSL.

Terrain, trees, poles, building and catenary beginning 101' from DER, 888' left of centerline, up to 102' AGL/522' MSL.

PATUXENT RIVER NAS (TRAPNELL FIELD) (KNHK)**PATUXENT RIVER, MD****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 1 07AUG25 (25219) (USN)

DEPARTURE PROCEDURE:

Rwy 24, std w/min climb of 214'/NM to 500 or 300-1½. Alternatively, with std takeoff mins and a std 200'/NM climb gradient takeoff must occur no later than 1400' prior to DER.

TAKEOFF OBSTACLE NOTES:

Rwy 14, trees 158' from DER, 234' left of centerline, 90' AGL/100' MSL.

Rwy 24, twr 3' from DER, 259' right of centerline, 2' AGL/47' MSL.

Terrain 1 NM from DER, 1839' left of centerline, 212' MSL.

29 OCT 2026 to 26 NOV 2026

29 OCT 2026 to 26 NOV 2026

26302

L31



26302

PETERSBURG, VA**TRI CITIES EXEC/DINWIDDIE COUNTY (PTB)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 1 25APR19 (22363) (FAA)****TAKEOFF OBSTACLE NOTES:**

Rwy 5, fence 160' from DER, 472' right of centerline, 13' AGL/196' MSL.
 Tree 910' from DER, 705' left of centerline, 244' MSL.
 Tree 1855' from DER, 551' left of centerline, 252' MSL.
 Tree 2342' from DER, 600' left of centerline, 254' MSL.
Rwy 23, fence 10' from DER, 475' left of centerline, 10' AGL/199' MSL.
 Tree 819' from DER, 658' left of centerline, 253' MSL.
 Tree 1040' from DER, 643' left of centerline, 265' MSL.
 Tree 1452' from DER, 802' left of centerline, 276' MSL.
 Trees beginning 2614' from DER, 534' right of centerline, up to 276' MSL.
 Trees beginning 3145' from DER, 69' right of centerline, up to 289' MSL.
 Tree 3151' from DER, 527' left of centerline, 281' MSL.

PHILLIPS AAF (ABERDEEN PROVING GROUND) (KAPG)**ABERDEEN, MD****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 1 15JUN23 (26162) (USA)****TAKEOFF OBSTACLE NOTES:**

Rwy 4, vehicle on road 1059' from DER, on centerline, 10' AGL/86' MSL.
Rwy 22, vehicle on road 234' from DER, 27' right of centerline, 10' AGL/49' MSL.

QUANTICO MCAF (TURNER FLD) (KNYG)**QUANTICO, VA****DIVERSE VECTOR AREA (RADAR VECTORS)****AMDT 2 27NOV25 (25331) (USN)****Rwy 2**, hdgs as assigned by ATC between 026° CW 206° within 9 NM; requires min climb of 302'/NM to 600.**Rwy 20**, hdgs as assigned by ATC between 206° CCW to 026° within 9 NM; requires min climb of 234'/NM to 600.**TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 3 27NOV25 (25331) (USN)****DEPARTURE PROCEDURE:****Rwy 2**, diverse departures authorized only from 026° CW to 206°, w/min climb of 302'/NM to 600.**Rwy 20**, diverse departures authorized only from 206° CW to 026°, w/min climb of 234'/NM to 600.**TAKEOFF OBSTACLE NOTES:**

Rwy 2, terrain 0' from DER, 500' left of cntrln, 16' MSL.
 Bldgs 57' from DER, 411' left of cntrln, 26' MSL.
 Bldgs 64' from DER, 260' left of cntrln, 22' MSL.
 Camera pole 115' from DER, 192' left of cntrln, 23' MSL.
 Light poles 158' from DER, 265' left of cntrln, 31' MSL.
 Trees 821' from DER, 302' left of cntrln, 52' MSL.
 Brush 909' from DER, 91' right of cntrln, 43' MSL.
 Brush 1025' from DER, 96' left of cntrln, 42' MSL.
 Pylon 2457' from DER, 799' left of cntrln, 100' MSL.
 Light pole 3078' from DER, 1139' left of cntrln, 116' MSL.
 Twr 3081' from DER, 1139' left of cntrln, 121' MSL.
 Terrain 4142' from DER, 802' left of cntrln, 154' MSL.
Rwy 20, terrain 0' from DER, 500' left of cntrln, 25' MSL.
 Terrain 0' from DER, 500' right of cntrln, 33' MSL.
 Electric box 7' from DER, 283' right of cntrln, 13' MSL.
 Camera pole 9' from DER, 457' right of cntrln, 29' MSL.
 Brush 287' from DER, 439' right of cntrln, 33' MSL.
 Jetty 393' from DER, 273' right of cntrln, 27' MSL.

QUINTON, VA**NEW KENT COUNTY (W96)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 2 19SEP13 (13262) (FAA)****TAKEOFF OBSTACLE NOTES:**

Rwy 11, trees beginning abeam DER, 189' right of centerline, up to 100' AGL/199' MSL.
 Trees beginning abeam DER, 113' left of centerline, up to 100' AGL/209' MSL.
 Trees beginning 257' from DER, left and right of centerline, up to 100' AGL/199' MSL.

CON'T

26302

L32

29 OCT 2026 to 26 NOV 2026

29 OCT 2026 to 26 NOV 2026



26302

QUINTON, VA (CON'T)**NEW KENT COUNTY (W96) (CON'T)****Rwy 29**, trees beginning abeam DER, 183' right of centerline, up to 100' AGL/189' MSL.

Trees beginning abeam DER, 209' left of centerline, up to 100' AGL/219' MSL.

Fence 246' from DER, 8' AGL/127' MSL.

Trees beginning 247' from DER, 153' right of centerline up to 100' AGL/199' MSL.

Vehicles on roadway 269' from DER, left and right of centerline, 15' AGL/134' MSL.

Trees beginning 396' from DER, 5' right of centerline, up to 100' AGL/239' MSL.

RICHLANDS, VA**TAZEWELL COUNTY (JFZ)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 1 15DEC11 (11349) (FAA)****TAKEOFF MINIMUMS:****Rwy 7**, std w/min climb of 630' per NM to 3200 or 300-1½ w/min climb of 235' per NM to 5000 or 2000-2½ for climb in visual conditions.**Rwy 25**, std w/min climb of 713' per NM to 2900 or 300-1 w/min climb of 220' per NM to 5000 or 2000-2 ½ for climb in visual conditions.**DEPARTURE PROCEDURE:****Rwy 7**, climb heading 072° to 5000 before proceeding on course, or for climb in visual conditions: cross Tazewell County airport at or above 4500 before proceeding on course. When executing VCOA, notify ATC prior to departure.**Rwy 25**, climb heading 252° to 5000 before proceeding on course or for climb in visual conditions: cross Tazewell County airport at or above 4500 before proceeding on course. When executing VCOA, notify ATC prior to departure.**TAKEOFF OBSTACLE NOTES:****Rwy 7**, rising terrain beginning at DER, left and right of centerline, up to 2773' MSL.

Vehicles on road beginning at DER, 425' right of centerline, up to 15' AGL/2682' MSL.

Trees beginning at DER, left and right of centerline, up to 100' AGL/2939' MSL.

Rwy 25, trees beginning 116' from DER, left and right of centerline, up to 100' AGL/2828' MSL.

DME facility 176' from DER, 256' left of centerline, 28' AGL/2668' MSL.

Fence beginning 566' from DER, 363' left of centerline, up to 10' AGL/2734' MSL.

Rising terrain beginning 620' from DER, 361' left of centerline, up to 2669' MSL.

RICHLANDS, VA**RICHLAND EXEC/CHESTERFIELD COUNTY (FCI)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 4 02MAY13 (21336) (FAA)****DEPARTURE PROCEDURE:****Rwy 33**, climb heading 316° to 2000 before turning right.**TAKEOFF OBSTACLE NOTES:****Rwy 15**, vehicles on roadway and trees beginning abeam DER, 260' right of centerline, up to 59' AGL/260' MSL.

Trees beginning 99' from DER, 266' left of centerline, up to 57' AGL/258' MSL.

Rwy 33, rising terrain, trees and pole beginning 62' from DER, 29' right of centerline, up to 37' AGL/278' MSL.

Trees beginning 1844' from DER, 660' left of centerline, up to 95' AGL/306' MSL.

RICHLAND INTL (RIC)**TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 3 05DEC19 (19339) (FAA)****TAKEOFF MINIMUMS:****Rwy 2**, 300-1¼ or std w/min climb of 230' per NM to 400, or alternatively, with std takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 1700' prior to DER.**TAKEOFF OBSTACLE NOTES:****Rwy 2**, lighting 40' from DER, 115' left of centerline, 4' AGL/168' MSL.

Lighting 40' from DER, 115' right of centerline, 3' AGL/168' MSL.

Sign, lighting beginning 47' from DER, 204' right of centerline, up to 4' AGL/169' MSL.

Tree 2340' from DER, 335' left of centerline, 224' MSL.

Tree 2360' from DER, 327' left of centerline, 229' MSL.

Trees beginning 2377' from DER, 316' left of centerline, up to 235' MSL.

Tree 2460' from DER, 813' right of centerline, 232' MSL.

Trees beginning 2483' from DER, 201' left of centerline, up to 236' MSL.

Trees beginning 2540' from DER, 993' right of centerline, up to 241' MSL.

Tree 2557' from DER, 959' right of centerline, 245' MSL.

Trees beginning 2623' from DER, 42' right of centerline, up to 253' MSL.

Trees beginning 2643' from DER, 1' left of centerline, up to 249' MSL.

Trees beginning 2916' from DER, 17' right of centerline, up to 259' MSL.

Trees beginning 3051' from DER, 37' left of centerline, up to 251' MSL.

Trees beginning 3135' from DER, 357' right of centerline, up to 263' MSL.

Trees beginning 3382' from DER, 462' right of centerline, up to 270' MSL.

CON'T

26302



26302

RICHMOND, VA (CON'T)

RICHMOND INTL (RIC) (CON'T)

Rwy 2 (CON'T), trees beginning 3385' from DER, 119' right of centerline, up to 275' MSL.
 Tree 3428' from DER, 368' left of centerline, 252' MSL.
 Tower 5423' from DER, 1710' left of centerline, 157' AGL/321' MSL.
Rwy 16, lighting 2' from DER, 80' right of centerline, 2' AGL/161' MSL.
 Lighting 2' from DER, 80' left of centerline, 2' AGL/161' MSL.
 Trees beginning 1671' from DER, 776' right of centerline, up to 214' MSL.
 Tree 2873' from DER, 1218' left of centerline, 241' MSL.
Rwy 20, lighting 3' from DER, 5' right of centerline, 1' AGL/160' MSL.
 Lighting 4' from DER, 4' left of centerline, 1' AGL/160' MSL.
 Building 724' from DER, 680' right of centerline, 35' AGL/195' MSL.
 Building 816' from DER, 654' right of centerline, up to 53' AGL/212' MSL.
 Tree 2304' from DER, 1111' right of centerline, 219' MSL.
 Trees beginning 2367' from DER, 986' left of centerline, up to 241' MSL.
 Trees beginning 2567' from DER, 724' right of centerline, up to 253' MSL.
 Tree 2616' from DER, 1189' right of centerline, 257' MSL.
 Tree, pole beginning 2637' from DER, 281' right of centerline, up to 264' MSL.
 Trees beginning 3013' from DER, 1046' left of centerline, up to 251' MSL.
Rwy 34, lighting beginning 1' from DER, 4' left of centerline, up to 1' AGL/168' MSL.
 Terrain 3' from DER, 6' right of centerline, 167' MSL.
 Sign 40' from DER, 413' right of centerline, 3' AGL/168' MSL.
 Pole 1262' from DER, 732' left of centerline, 41' AGL/200' MSL.
 Tree 2256' from DER, 1090' right of centerline, 231' MSL.
 Trees beginning 2458' from DER, 952' left of centerline, up to 240' MSL.
 Tree 2602' from DER, 998' left of centerline, 250' MSL.
 Tree 2604' from DER, 1172' left of centerline, 251' MSL.
 Trees beginning 2674' from DER, 952' left of centerline, up to 252' MSL.

RICHMOND/ASHLAND, VA

HANOVER COUNTY MUNI (OFP)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 1 30JAN20 (20030) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 34, tree 410' from DER, 567' left of centerline, 278' MSL.
 Tree 1125' from DER, 750' left of centerline, 279' MSL.
 Trees beginning 1402' from DER, 445' right of centerline, up to 290' MSL.
 Tree 1502' from DER, 774' left of centerline, 292' MSL.
 Trees beginning 1836' from DER, 739' left of centerline, up to 293' MSL.
 Trees beginning 2731' from DER, 487' right of centerline, up to 304' MSL.

RIDGELY, MD

GOODEN AIRPARK (RJD)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 02AUG07 (21168) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 12, multiple trees beginning 592' from DER, 6' left of centerline, up to 100' AGL/160' MSL.
 Multiple trees beginning 239' from DER, 338' right of centerline, up to 100' AGL/160' MSL.

ROANOKE, VA

ROANOKE/BLACKSBURG RGNL (WOODRUM FLD) (ROA)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 11A 15AUG19 (22027) (FAA)

TAKEOFF MINIMUMS:

Rwy 6, std w/min climb of 585' per NM to 3000 or 2600-3 for climb in visual conditions.
Rwy 16, std w/min climb of 340' per NM to 3300 or 2600-3 for climb in visual conditions.
Rwy 24, std w/min climb of 365' per NM to 5100, or 2600-3 for climb in visual conditions.
Rwy 34, NA-Obstacles.

DEPARTURE PROCEDURE:

Rwy 6, climb on heading 058° to 3200 before proceeding on course.
Rwy 16, climb on heading 156° to 3000 before proceeding on course.
Rwy 24, climb on heading 238° to 3000 before proceeding on course.

VCOA:

Obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Roanoke/Blacksburg Rgnl (Woodrum Fld) at or above 3600 before proceeding on course.

CON'T



26302

L34

29 OCT 2026 to 26 NOV 2026



26302

ROANOKE, VA (CON'T)**ROANOKE/BLACKSBURG RGNL (WOODRUM FLD) (ROA) (CON'T)****TAKEOFF OBSTACLE NOTES:**

- Rwy 6**, trees and bushes beginning 88' from DER, 340' right of centerline, up to 59' AGL/1159' MSL.
 Trees 238' from DER, 540' right of centerline, up to 71' AGL/1171' MSL.
 Trees beginning 1536' from DER, 298' right of centerline, up to 100' AGL/1219' MSL.
 Trees beginning 2.7 NM from DER, 2645' left of centerline, up to 84' AGL/1864' MSL.
 Trees beginning 2.8 NM from DER, 2912' left of centerline, up to 51' AGL/2271' MSL.
 Towers beginning 2.9 NM from DER, 3455' left of centerline, up to 216' AGL/2407' MSL.
Rwy 16, sign 40' from DER, 252' left of centerline, 18' AGL/1144' MSL.
 Trees on hilltop 1.1 NM from DER, 2211' left of centerline, up to 56' AGL/1336' MSL.
Rwy 24, sign 42' from DER, 249' left of centerline, 13' AGL/1154' MSL.
 Tree 2872' from DER, 1246' left of centerline, 92' AGL/1232' MSL.

SALISBURY, MD**SALISBURY-OCEAN CITY WICOMICO RGNL (SBY)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 2 29OCT26 (26302) (FAA)

TAKEOFF OBSTACLE NOTES:

- Rwy 5 Low, Close-in Obstacles:** trees ¼ NM from DER extending to ½ NM from DER, left of centerline, up to 143' MSL, 94' above DER. Crossing DER 42' above DER elev clears low, close-in obstacles.
Rwy 23 Low, Close-in Obstacles: tree ½ NM from DER, right of centerline, up to 141' MSL, 97' above DER. Crossing DER 43' above DER elev clears low, close-in obstacles.
Rwy 32 Low, Close-in Obstacles: obstacles 35' and below. Crossing DER 8' above DER elev clears low, close-in obstacles.

SALUDA, VA**HUMMEL FLD (W75)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 3 26DEC24 (24361) (FAA)

TAKEOFF OBSTACLE NOTES:

- Rwy 1**, trees 141' from DER, 311' left of centerline, 100' AGL/120' MSL.
 Trees beginning 142' from DER, 69' left of centerline, up to 100' AGL/123' MSL.
 Trees beginning 143' from DER, 168' right of centerline, up to 100' AGL/120' MSL.
 Trees beginning 752' from DER, 158' right of centerline, up to 100' AGL/123' MSL.
Rwy 19, trees 41' from DER, 429' left of centerline, 100' AGL/127' MSL.
 Trees, building, transmission line beginning 43' from DER, 64' left of centerline, up to 100' AGL/130' MSL.
 Trees beginning 44' from DER, 49' right of centerline, up to 100' AGL/130' MSL.
 Trees, transmission line beginning 957' from DER, 6' right of centerline, up to 100' AGL/133' MSL.
 Trees, transmission line beginning 1256' from DER, 193' left of centerline, up to 100' AGL/133' MSL.
 Trees beginning 3072' from DER, 205' left of centerline, up to 100' AGL/137' MSL.

SOUTH BOSTON, VA**WILLIAM M TUCK (W78)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 3B 14JUL22 (22195) (FAA)

TAKEOFF MINIMUMS:**Rwy 1**, 300-1.**Rwys 6, 24**, NA.**TAKEOFF OBSTACLE NOTES:**

- Rwy 1**, tree, terrain beginning 17' from DER, 352' right of centerline, up to 470' MSL.
 Tree, terrain, antenna, building beginning 52' from DER, 359' right of centerline, up to 484' MSL.
 Vegetation beginning 111' from DER, 188' left of centerline, up to 432' MSL.
 Vegetation beginning 138' from DER, 225' left of centerline, up to 434' MSL.
 Trees beginning 197' from DER, 481' right of centerline, up to 487' MSL.
 Trees, terrain, buildings beginning 240' from DER, 115' right of centerline, up to 496' MSL.
 Vegetation 300' from DER, 329' left of centerline, 435' MSL.
 Tower, trees, building, vegetation beginning 334' from DER, 230' left of centerline, up to 72' AGL/501' MSL.
 Tree 536' from DER, 537' right of centerline, 504' MSL.
 Trees, terrain, poles, vehicles on roads, building beginning 550' from DER, 6' right of centerline, up to 510' MSL.
 Trees, vegetation, pole beginning 846' from DER, 26' left of centerline, up to 505' MSL.
 Tree, pole, vegetation, vehicles on roads beginning 921' from DER, 7' left of centerline, up to 518' MSL.
 Trees, poles beginning 1352' from DER, 42' left of centerline, up to 522' MSL.
 Trees beginning 2423' from DER, 749' right of centerline, up to 513' MSL.
 Trees beginning 2554' from DER, 802' right of centerline, up to 518' MSL.
 Tree 2679' from DER, 832' right of centerline, 519' MSL.
 Trees beginning 2733' from DER, 708' right of centerline, up to 525' MSL.)

CON'T

26302





26302

SOUTH BOSTON, VA (CON'T)

WILLIAM M TUCK (W78) (CON'T)

Rwy 1 (CON'T), tree 2741' from DER, 1163' left of centerline, 528' MSL.

Trees beginning 2801' from DER, 67' left of centerline, up to 536' MSL.

Trees beginning 2857' from DER, 663' right of centerline, up to 527' MSL.

Trees beginning 2996' from DER, 335' right of centerline, up to 532' MSL.

Trees beginning 3111' from DER, 1168' left of centerline, up to 538' MSL.

Trees beginning 3147' from DER, 544' left of centerline, up to 553' MSL.

Trees beginning 3255' from DER, 948' left of centerline, up to 555' MSL.

Trees beginning 3275' from DER, 535' left of centerline, up to 561' MSL.

Rwy 19, tree 39' from DER, 307' right of centerline, 405' MSL.

Trees beginning 42' from DER, 278' right of centerline, up to 411' MSL.

Trees beginning 415' from DER, 337' right of centerline, up to 430' MSL.

Trees beginning 457' from DER, 337' right of centerline, up to 433' MSL.

Trees beginning 509' from DER, 451' left of centerline, up to 398' MSL.

Tree 694' from DER, 454' left of centerline, 403' MSL.

SOUTH HILL, VA

MECKLENBURG-BRUNSWICK RGNL (AVC)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 2 29JUL10 (10210) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 1, train on tracks 118' from DER, 514' left of centerline, 23' AGL/452' MSL.

Trees beginning 181' from DER, 408' left of centerline, up to 80' AGL/500' MSL.

Trees beginning 1858' from DER, 600' right of centerline, up to 71' AGL/500' MSL.

Rwy 19, trees beginning 191' from DER, 13' left of centerline, up to 77' AGL/457' MSL.

Trees beginning 1176' from DER, 57' right of centerline, up to 76' AGL/500' MSL.

STAFFORD, VA

WASHINGTON EXEC/STAFFORD RGNL (RMN)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 2 16MAY24 (26134) (FAA)

TAKEOFF MINIMUMS:

Rwy 33, 300-1% or std w/min climb of 404'/NM to 500.

TAKEOFF OBSTACLE NOTES:

Rwy 15, light poles 9' from DER, 10' right of centerline, 2' AGL/174' MSL.

Tree 136' from DER, 495' left of centerline, 184' MSL.

Tree 225' from DER, 467' left of centerline, 192' MSL.

Tree 450' from DER, 496' left of centerline, 206' MSL.

Tree 596' from DER, 535' right of centerline, 202' MSL.

Trees beginning 718' from DER, 498' right of centerline, up to 203' MSL.

Tree 1999' from DER, 907' left of centerline, 238' MSL.

Rwy 33, NAVAID 3' from DER, on and left of centerline, 6' AGL/224' MSL.

Tree 11' from DER, 192' right of centerline, 230' MSL.

Trees beginning 35' from DER, 234' right of centerline, up to 248' MSL.

Trees beginning 110' from DER, 295' right of centerline, up to 253' MSL.

NAVAID 119' from DER, 237' left of centerline, 16' AGL/229' MSL.

Tree, terrain beginning 261' from DER, 26' right of centerline, up to 255' MSL.

Tree 359' from DER, 496' left of centerline, 259' MSL.

Tree 364' from DER, 472' left of centerline, 264' MSL.

Tree, terrain beginning 443' from DER, 61' left of centerline, up to 268' MSL.

Trees, terrain beginning 582' from DER, 59' left of centerline, up to 269' MSL.

Terrain, tree beginning 759' from DER, 142' right of centerline, up to 257' MSL.

Trees, terrain beginning 781' from DER, 105' left of centerline, up to 283' MSL.

Terrain beginning 841' from DER, 243' right of centerline, up to 259' MSL.

Tree, terrain beginning 870' from DER, 26' right of centerline, up to 264' MSL.

Terrain beginning 962' from DER, 133' right of centerline, up to 265' MSL.

Terrain beginning 1042' from DER, 278' right of centerline, up to 268' MSL.

Terrain, tree beginning 1083' from DER, 34' right of centerline, up to 9' AGL/278' MSL.

Trees, terrain, pole beginning 1163' from DER, 42' right of centerline, up to 293' MSL.

Trees beginning 1431' from DER, 196' left of centerline, up to 298' MSL.

Tree 1592' from DER, 458' left of centerline, 306' MSL.

Trees beginning 1602' from DER, 134' left of centerline, up to 309' MSL.

Trees beginning 2349' from DER, 10' left of centerline, up to 310' MSL.

Trees beginning 2408' from DER, 88' left of centerline, up to 325' MSL.

Trees beginning 2431' from DER, 67' right of centerline, up to 315' MSL.

Trees beginning 2533' from DER, 1045' left of centerline, up to 327' MSL.

CON'T



26302





26302

STAFFORD, VA (CON'T)**WASHINGTON EXEC/STAFFORD RGNL (RMN) (CON'T)**

Rwy 33 (CON'T), trees beginning 2597' from DER, 135' left of centerline, up to 336' MSL.
 Trees beginning 2740' from DER, 223' right of centerline, up to 353' MSL.
 Trees beginning 2771' from DER, 25' left of centerline, up to 342' MSL.
 Trees beginning 2860' from DER, 101' right of centerline, up to 360' MSL.
 Trees beginning 2962' from DER, 866' left of centerline, up to 347' MSL.
 Trees beginning 2975' from DER, 49' left of centerline, up to 354' MSL.
 Trees beginning 3089' from DER, 538' right of centerline, up to 366' MSL.
 Trees beginning 3162' from DER, 1151' right of centerline, up to 374' MSL.
 Trees beginning 3211' from DER, 43' right of centerline, up to 381' MSL.
 Trees beginning 3887' from DER, 550' left of centerline, up to 360' MSL.
 Trees beginning 4112' from DER, 169' left of centerline, up to 363' MSL.
 Trees beginning 4235' from DER, 6' left of centerline, up to 373' MSL.
 Tree 5392' from DER, 946' left of centerline, 377' MSL.
 Trees beginning 5426' from DER, 230' left of centerline, up to 387' MSL.
 Tree 5880' from DER, 1881' right of centerline, 382' MSL.
 Tree 5935' from DER, 1528' right of centerline, 384' MSL.
 Trees beginning 5968' from DER, 1432' right of centerline, up to 389' MSL.
 Trees beginning 1 NM from DER, 11' right of centerline, up to 406' MSL.
 Trees beginning 1 NM from DER, 55' left of centerline, up to 402' MSL.
 Trees beginning 1.1 NM from DER, 376' left of centerline, up to 415' MSL.
 Tower 1.3 NM from DER, 356' left of centerline, 151' AGL/467' MSL.
 Antenna 1.3 NM from DER, 350' left of centerline, 152' AGL/468' MSL.

STAUNTON/WAYNESBORO/HARRISONBURG, VA**SHENANDOAH VALLEY RGNL (SHD)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 6A 11AUG22 (24137) (FAA)

TAKEOFF MINIMUMS:**Rwy 5**, std w/min climb of 285' per NM to 3800 or 2200-3 for VCOA.**Rwy 23**, std or 2200-3 for VCOA.**DEPARTURE PROCEDURE:****Rwy 5**, climb heading 047° to 3400 before turning right.**Rwy 23**, climb heading 227° to 4400 before proceeding on course.**VCOA:****Rwys 5, 23**, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Shenandoah Valley Rgnl airport at or above 3300 before proceeding on course.**TAKEOFF OBSTACLE NOTES:****Rwy 5**, tree 1812' from DER, 971' right of centerline, 1247' MSL.

Tree 1887' from DER, 893' right of centerline, 1253' MSL.

Tree 2052' from DER, 1025' right of centerline, 1257' MSL.

Tree 2159' from DER, 928' right of centerline, 1259' MSL.

Tree 2271' from DER, 928' right of centerline, 1265' MSL.

Rwy 23, general utility 11' from DER, 98' right of centerline, 3' AGL/1176' MSL.

Tree 595' from DER, 647' left of centerline, 1195' MSL.

Tree 693' from DER, 620' left of centerline, 1216' MSL.

Tree 807' from DER, 647' left of centerline, 1222' MSL.

Trees beginning 920' from DER, 597' left of centerline, up to 60' AGL/1231' MSL.

Tree 1115' from DER, 670' left of centerline, 57' AGL/1237' MSL.

Trees beginning 1198' from DER, 497' left of centerline, up to 57' AGL/1240' MSL.

Tree 3379' from DER, 1394' left of centerline, 1266' MSL.

Tree 5409' from DER, 1586' left of centerline, 1310' MSL.

Tree 5523' from DER, 1521' left of centerline, 1317' MSL.

STEVENSVILLE, MD**BAY BRIDGE (W29)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 1 10NOV16 (16315) (FAA)

TAKEOFF MINIMUMS:**Rwy 29**, 400-2% or std w/min climb of 220' per NM to 500.**TAKEOFF OBSTACLE NOTES:****Rwy 11**, tree 109' from DER, 513' right of centerline, 71' MSL.

Tree, parking lot, vehicles on road, building, and sign beginning 150' from DER, 23' right of centerline, up to 79' MSL.

Tree 193' from DER, 488' left of centerline, 25' MSL.

Tree 221' from DER, 489' left of centerline, 27' MSL.

Pole and tree beginning 318' from DER, 157' left of centerline, up to 37' MSL.

CON'T

26302

L37

29 OCT 2026 to 26 NOV 2026



26302

STEVENSVILLE, MD (CON'T)

BAY BRIDGE (W29) (CON'T)

Rwy 11 (CON'T), tree and vehicles on road beginning 350' from DER, 54' left of centerline, up to 44' MSL.
 Pole, vehicles on road, and tree beginning 611' from DER, 120' left of centerline, up to 51' MSL.
 Pole and tree beginning 751' from DER, 334' left of centerline, up to 54' MSL.
 Pole and tree beginning 876' from DER, 445' left of centerline, up to 83' MSL.
 Pole, tree, and building beginning 1195' from DER, 22' left of centerline, up to 87' MSL.
 Tree 2141' from DER, 53' left of centerline, 90' MSL.
Rwy 29, windsock 14' from DER, 161' left of centerline, 18' MSL.
 Trees beginning 17' from DER, 329' left of centerline, up to 46' MSL.
 Tree 93' from DER, 502' left of centerline, 52' MSL.
 Bridge 2.2 NM from DER, 3052' right of centerline, 377' AGL/377' MSL.

SUFFOLK, VA

SUFFOLK EXEC (SFQ)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 5 02MAY13 (22083) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 4, trees beginning 4' from DER, 462' right and 428' left of centerline, up to 100' AGL/173' MSL.
 Trees beginning 1052' from DER, 783' right and 554' left of centerline, up to 100' AGL/173' MSL.
 Transmission poles and T-L towers beginning 1291' from DER, 600' right of centerline, up to 65' AGL/130' MSL.
Rwy 7, trees beginning 10' from DER, 541' right and 400' left of centerline, up to 100' AGL/161' MSL.
 Trees beginning 1004' from DER 689' right of and 1280' left of centerline, up to 100' AGL/160' MSL.
 Transmission poles and T-L towers beginning 1152' from DER, right and left of centerline, up to 65' AGL/130' MSL.
Rwy 22, trees beginning 44' from DER, 342' right and 494' left of centerline, up to 100' AGL/174' MSL.
 Trees beginning 1005' from DER, 1078' right and 481' left of centerline, up to 100' AGL/174' MSL.
 Vehicles on road beginning 483' from DER, right and left of centerline, up to 15' AGL/80' MSL.
Rwy 25, vehicles on road beginning 199' from DER, right and left of centerline, up to 17' AGL/84' MSL.
 Trees beginning 231' from DER, right and left of centerline, up to 100' AGL/186' MSL.

TANGIER, VA

TANGIER ISLAND (TGI)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 15JAN09 (09015) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 2, vehicle on road 343' from DER, on centerline, 15' AGL/19' MSL.
 Boat masts 638' from DER, 632' right to 755' left of centerline, up to 63' MSL.
 Boat 20, buildings beginning 7' from DER, 206' left of centerline, 45' AGL/50' MSL.
 Rock wall at DER, 57' right of centerline, 4' AGL/8' MSL.

TAPPAHANNOCK, VA

TAPPAHANNOCK/ESSEX COUNTY (XSA)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 25OCT07 (22027) (FAA)

TAKEOFF MINIMUMS:

Rwy 10, 300-1½ or std w/min climb of 303' per NM to 500.
Rwy 28, 300-1 or std w/min climb of 366' per NM to 500.

TAKEOFF OBSTACLE NOTES:

Rwy 10, terrain 6' from DER, 20' left of centerline, up to 135' MSL.
 Terrain 29' from DER, 281' left of centerline, up to 139' MSL.
Rwy 28, terrain beginning 12' from DER, 5' right of centerline, up to 151' MSL.

WALLOPS ISLAND, VA

WALLOPS FLIGHT FACILITY (WAL)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 07MAY09 (09127) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 4, trees beginning 1254' from DER, 741' left of centerline, up to 100' AGL/109' MSL.
 Trees beginning 1814' from DER, 79' right of centerline, up to 100' AGL/134' MSL.
Rwy 10, trees beginning 1252' from DER, 818' left of centerline, up to 100' AGL/124' MSL.
Rwy 17, trees beginning 169' from DER, 218' left of centerline, up to 100' AGL/119' MSL.
Rwy 22, trees beginning 793' from DER, 315' left of centerline, up to 100' AGL/129' MSL.
Rwy 28, trees beginning 945' from DER, 495' right of centerline, up to 100' AGL/139' MSL.
Rwy 35, trees beginning 3' from DER, 394' left of centerline, up to 100' AGL/124' MSL.
 Trees beginning 21' from DER, 219' right of centerline, up to 100' AGL/124' MSL.



26302



NE-3



26302

WAKEFIELD, VA**WAKEFIELD MUNI (AKQ)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 2 27NOV25 (25331) (FAA)

TAKEOFF OBSTACLE NOTES:**Rwy 3**, trees, vehicle on road beginning 54' from DER, 39' left of centerline, up to 183' MSL.

Tree 277' from DER, 83' right of centerline, 119' MSL.

Trees beginning 411' from DER, 41' right of centerline, up to 188' MSL.

Tree 802' from DER, 492' left of centerline, 187' MSL.

Trees beginning 1011' from DER, 117' left of centerline, up to 197' MSL.

Tree 3117' from DER, 209' right of centerline, 191' MSL.

Tree 3203' from DER, 521' right of centerline, 192' MSL.

Rwy 21, pole 16' from DER, 408' left of centerline, 140' MSL.

Trees, building beginning 67' from DER, 18' right of centerline, up to 170' MSL.

Trees, poles beginning 103' from DER, 72' left of centerline, up to 179' MSL.

Trees beginning 460' from DER, 26' right of centerline, up to 179' MSL.

Tree 1265' from DER, 567' right of centerline, 193' MSL.

Trees beginning 1280' from DER, 498' left of centerline, up to 191' MSL.

Tree 1299' from DER, 464' right of centerline, 198' MSL.

Trees, transmission line, pole beginning 1344' from DER, 13' right of centerline, up to 206' MSL.

Trees, transmission line beginning 1398' from DER, 39' left of centerline, up to 196' MSL.

Trees beginning 3250' from DER, 555' left of centerline, up to 200' MSL.

Tree 3919' from DER, 518' left of centerline, 207' MSL.

Tree 4357' from DER, 1597' left of centerline, 217' MSL.

WARRENTON, VA**WARRENTON/FAUQUIER (HWY)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

ORIG 09APR09 (22027) (FAA)

TAKEOFF OBSTACLE NOTES:**Rwy 15**, trees 436' from DER, 518' right of centerline, 100' AGL/439' MSL.

Vehicle on road 647' from DER, 649' right of centerline, 15' AGL/354' MSL.

Trees 1034' from DER, 763' left of centerline, 100' AGL/449' MSL.

Trees 1924' from DER, 781' right of centerline, 100' AGL/459' MSL.

Trees beginning 2239' from DER, 41' left of centerline, up to 100' AGL/459' MSL.

Rwy 33, trees beginning 1272' from DER, 59' right of centerline, up to 41' AGL/370' MSL.

Trees beginning 2610' from DER, 116' left of centerline, up to 74' AGL/413' MSL.

WASHINGTON, DC**RONALD REAGAN WASHINGTON NTL (DCA)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 8B 30JAN20 (21112) (FAA)

TAKEOFF MINIMUMS:**Rwy 1**, 600-2 w/min climb of 275' per NM to 1500 or std w/min climb of 460' per NM to 800.**Rwy 4**, 300-2 or std w/min climb of 210' per NM to 400, or alternatively, with std takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 1400' prior to DER.**Rwy 15**, 300-1¾ or std w/min climb of 215' per NM to 400, or alternatively, with std takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 1500' prior to DER.**Rwy 19**, 300-1½ or std w/min climb of 205' per NM to 300, or alternatively, with std takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 1200' prior to DER.**Rwy 22**, 500-2¾ or std w/min climb of 305' per NM to 600.**Rwy 33**, std w/min climb of 285' per NM to 700.**DEPARTURE PROCEDURE:****Rwy 1**, climbing left turn as soon as practical to intercept DCA VOR/DME R-328. Maintain 5000 or as assigned.**Rwy 4**, climbing right turn as soon as practical to intercept DCA VOR/DME R-070. Maintain 2000 or as assigned.**Rwy 15**, climb on heading 154° to 5000 or as assigned.**Rwy 19**, climb on heading 187° to 500 before turning right. Maintain 5000 or as assigned.**Rwy 22**, climb on heading 217° to 3000 or as assigned.**Rwy 33**, climb on DCA VOR/DME R-328. Maintain 5000 or as assigned.**TAKEOFF OBSTACLE NOTES:****Rwy 1**, building beginning 118' from DER, 331' right of centerline, up to 22' AGL/23' MSL.

Fence 261' from DER, 514' left of centerline, 10' AGL/20' MSL.

Tree and pole beginning 995' from DER, 476' left of centerline, up to 47' AGL/49' MSL.

Trees beginning 1007' from DER, 152' left of centerline, up to 71' AGL/72' MSL.

Tree 1364' from DER, 333' right of centerline, 50' AGL/51' MSL.

Monument 1.6 NM from DER, 1785' right of centerline, 556' AGL/595' MSL.

CON'T

26302

L39

29 OCT 2026 to 26 NOV 2026



26302

WASHINGTON, DC (CON'T)**RONALD REAGAN WASHINGTON NTL (DCA) (CON'T)**

Rwy 4, microwave sensor and terrain beginning 3' from DER, 334' right of centerline, up to 4' AGL/16' MSL.

Microwave sensor 206' from DER, 260' right of centerline, 7' AGL/18' MSL.

Sign 857' from DER, 681' left of centerline, 83' MSL.

Tower 860' from DER, 677' left of centerline, 72' AGL/84' MSL.

Spire 1.6 NM from DER, 206' right of centerline, 265' MSL.

Rwy 15, lighting beginning 178' from DER, 288' right of centerline, up to 11' AGL/20' MSL.

Tree 1.4 NM from DER, 12' right of centerline, up to 94' AGL/245' MSL.

Tree 1.5 NM from DER, 519' right of centerline, up to 80' AGL/239' MSL.

Rwy 19, pole 395' from DER, 549' right of centerline, 18' AGL/22' MSL.

Tree 3434' from DER, 1134' right of centerline, 105' MSL.

Building 1.1 NM from DER, 1911' right of centerline, 153' AGL/183' MSL.

Building 1.1 NM from DER, 1889' right of centerline, 172' AGL/190' MSL.

Stacks beginning 1.2 NM from DER, 1673' right of centerline, up to 162' AGL/197' MSL.

Building 1.2 NM from DER, 1691' right of centerline, 198' MSL.

Building 1.7 NM from DER, 2444' right of centerline, 272' MSL.

Rwy 22, pole 217' from DER, 478' left of centerline, 15' AGL/23' MSL.

Trees beginning 550' from DER, 498' right of centerline, up to 45' AGL/51' MSL.

Tree 661' from DER, 566' right of centerline, 56' AGL/57' MSL.

Tree 1325' from DER, 586' right of centerline, 59' AGL/61' MSL.

Tree 1351' from DER, 704' right of centerline, 67' AGL/93' MSL.

Tree, building, pole beginning 1411' from DER, 19' right of centerline, up to 82' AGL/110' MSL.

Tree 2899' from DER, 605' left of centerline, 102' MSL.

Building 3336' from DER, 513' right of centerline, 114' AGL/148' MSL.

Building and pole beginning 3440' from DER, 114' right of centerline, up to 118' AGL/153' MSL.

Crane 1.5 NM from DER, 1913' right of centerline, 240' AGL/276' MSL.

Building 2.3 NM from DER, 1067' right of centerline, 336' AGL/440' MSL.

Building 2.3 NM from DER, 1008' right of centerline, 324' AGL/443' MSL.

Rwy 33, sign 18' from DER, 191' left of centerline, 3' AGL/15' MSL.

Fence 27' from DER, 332' right of centerline, 8' AGL/18' MSL.

Pole 93' from DER, 423' right of centerline, 19' AGL/29' MSL.

Tree, vehicles on road beginning 365' from DER, 344' left of centerline, up to 70' MSL.

Pole 580' from DER, 481' right of centerline, 31' AGL/41' MSL.

Trees beginning 699' from DER, 78' right of centerline, up to 56' AGL/60' MSL.

Trees beginning 882' from DER, 349' left of centerline, up to 84' AGL/93' MSL.

Crane, tree, pole beginning 1389' from DER, 289' left of centerline, up to 82' AGL/95' MSL.

Tree 1665' from DER, 236' right of centerline, 62' AGL/62' MSL.

Tree 1691' from DER, 215' right of centerline, 59' AGL/68' MSL.

Tree 1715' from DER, 882' right of centerline, 79' MSL.

Building, pole, antenna beginning 1776' from DER, 247' left of centerline, up to 128' AGL/145' MSL.

Trees beginning 1784' from DER, 934' right of centerline, up to 79' AGL/83' MSL.

Pole 2917' from DER, 524' right of centerline, 102' MSL.

Pole 2925' from DER, 510' right of centerline, 79' AGL/106' MSL.

Antenna beginning 4608' from DER, 277' left of centerline, up to 115' AGL/151' MSL.

Tree 1.5 NM from DER, 3046' left of centerline, 81' AGL/254' MSL.

Pole 1.7 NM from DER, 2115' left of centerline, 101' AGL/308' MSL.

Trees beginning 1.8 NM from DER, 1912' left of centerline, up to 311' MSL.

Building and tower beginning 2.2 NM from DER, 1374' right of centerline, up to 353' AGL/420' MSL.

Building, crane, spire beginning 2.4 NM from DER, 1089' right of centerline, up to 387' AGL/470' MSL.

Building 2.4 NM from DER, 3481' left of centerline, 178' AGL/387' MSL.

Building 2.4 NM from DER, 3585' left of centerline, 185' AGL/392' MSL.

Buildings beginning 2.4 NM from DER, 154' left of centerline, up to 182' AGL/416' MSL.

Building, antenna beginning 2.4 NM from DER, 2457' left of centerline, up to 196' AGL/427' MSL.

NOTE: Prohibited area P-56 1.5 NM north of airport.

WASHINGTON DULLES INTL (IAD)**TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 2 26JUL12 (12208) (FAA)

DEPARTURE PROCEDURE:

Rwy 12, climb heading 121° to 700 before turning left.

TAKEOFF OBSTACLE NOTES:

Rwy 1C, trees 2815' from DER, 1031' left of centerline, up to 80' AGL/345' MSL.

Sign 64' from DER, 303' right of centerline, 13' AGL/272' MSL.

Rwy 1L, tower 1917' from DER, 680' left of centerline, 51' AGL/330' MSL.

Rwy 19C, sign 100' from DER, 472' left of centerline, 4' AGL/289' MSL.

Vehicles on road 24' from DER, 274' right of centerline, up to 15' AGL/293' MSL.

Rwy 30, trees 2264' from DER, 1033' right of centerline, up to 72' AGL/383' MSL.



26302

L40



NE-3

29 OCT 2026 to 26 NOV 2026



26302

WASHINGTON, DC (CON'T)**WASHINGTON MANASSAS/HARRY P DAVIS FLD (HEF)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMDT 4A 25JUN15 (26190) (FAA)****TAKEOFF OBSTACLE NOTES:****Rwy 16L**, trees beginning 1247' from DER, 178' left of centerline, up to 99' AGL/268' MSL.

Trees beginning 1810' from DER, 88' right of centerline, up to 73' AGL/272' MSL.

Trees beginning 2618' from DER, 4' left of centerline, up to 84' AGL/293' MSL.

Trees beginning 3414' from DER, 14' right of centerline, up to 75' AGL/284' MSL.

Trees beginning 3703' from DER, 145' left of centerline, up to 100' AGL/299' MSL.

Trees beginning 4193' from DER, 1343' left of centerline, up to 82' AGL/311' MSL.

Trees beginning 4677' from DER, 313' right of centerline, up to 89' AGL/303' MSL.

Rwy 16R, trees beginning 119' from DER, 473' right of centerline, up to 32' AGL/221' MSL.

Trees beginning 749' from DER, on centerline, up to 29' AGL/197' MSL.

Trees beginning 745' from DER, 85' right of centerline, up to 33' AGL/212' MSL.

Trees beginning 588' from DER, 536' right of centerline, up to 37' AGL/236' MSL.

Rwy 34L, terrain and sign beginning 1' from DER, 392' right of centerline, up to 5' AGL/192' MSL.

Trees and poles beginning 877' from DER, 616' left of centerline, up to 54' AGL/247' MSL.

Building and trees beginning 1573' from DER, 249' left of centerline, up to 39' AGL/252' MSL.

Trees beginning 1752' from DER, 187' right of centerline, up to 39' AGL/238' MSL.

Tower and trees beginning 2563' from DER, 182' left of centerline, up to 64' AGL/283' MSL.

Trees beginning 2563' from DER, 250' right of centerline, up to 56' AGL/279' MSL.

Rwy 34R, terrain, airfield light, and sign beginning 25' from DER, 92' right of centerline, up to 7' AGL/196' MSL.

Airfield light and vegetation beginning 26' from DER, 78' left of centerline, up to 9' AGL/197' MSL.

Vehicles on road and poles beginning 518' from DER, 595' right of centerline, up to 24' AGL/215' MSL.

Trees beginning 1759' from DER, 448' left of centerline, up to 39' AGL/238' MSL.

Trees 1859' from DER, 828' right of centerline, up to 39' AGL/248' MSL.

Trees beginning 2548' from DER, 828' left of centerline, up to 54' AGL/283' MSL.

Trees beginning 2653' from DER, 1082' right of centerline, up to 57' AGL/280' MSL.

WAYNESBORO, VA**EAGLE'S NEST (W13)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****ORIG 30JUN11 (11181) (FAA)****TAKEOFF MINIMUMS:****Rwy 6**, std w/min climb of 400' per NM to 3300, or 2100-3 for climb in visual conditions.**Rwy 24**, 300-2 w/min climb of 400' per NM to 3800 or 2100-3 for climb in visual conditions.**DEPARTURE PROCEDURE:****Rwy 6**, climb heading 061° to 3300 before proceeding on course, or for climb in visual conditions: cross Eagle's Nest airport at or above 3400 MSL before proceeding on course.**Rwy 24**, climb heading 241° to 3800 before proceeding on course. Or for climb in visual conditions: cross Eagle's Nest airport at or above 3400 MSL before proceeding on course.**TAKEOFF OBSTACLE NOTES:****Rwy 6**, hangar at DER, 220' left of centerline, 30' AGL/1469' MSL.

Trees beginning 35' from DER, 158' right of centerline, up to 100' AGL/1539' MSL.

Vehicles on road beginning 131' from DER, 201' left of centerline, up to 15' AGL/1454' MSL.

Trees beginning 263' from DER, 189' left of centerline, up to 100' AGL/1539' MSL.

Towers beginning 1.41NM from DER, 2539' right of centerline, 300' AGL/1670' MSL.

Rwy 24, trees beginning at DER left and right of centerline up to 100' AGL/1579' MSL.

Trees beginning 1259' from DER, 143' right of centerline, up to 100' AGL/1730' MSL.



26302



NE-3



26302

WEIDE AHP (ABERDEEN PROVING GROUNDS) (KEDG) EDGEWOOD, MD

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 1 10AUG23 (23222) (USA)

TAKEOFF MINIMUMS:

Rwys 1, 19, std. Cross XUHSO at or above 800 for obstacle clearance. Rwy 19 N/A.

DEPARTURE PROCEDURE:

Use JIRET DEPARTURE. Departure visually to the IDF.

TAKEOFF OBSTACLE NOTES:

Rwy 1, bldg 1715' from DER, 954' right of cntrln, 80' AGL/99' MSL.

Pylon 3118' from DER, 934' right of cntrln, 49' AGL/93' MSL.

Pylon 3149' from DER, 799' right of cntrln, 49' AGL/103' MSL.

Pylon 3191' from DER, 652' right of cntrln, 49' AGL/101' MSL.

Pylon 3215' from DER, 556' right of cntrln, 49' AGL/99' MSL.

Pylon 3355' from DER, 568' right of cntrln, 49' AGL/104' MSL.

Pylon 3497' from DER, 566' right of cntrln, 49' AGL/102' MSL.

Terrain 3950' from DER, 1000' right of cntrln, 122' MSL.

Terrain 3990' from DER, 1000' left of cntrln, 129' MSL.

WEST POINT, VA

MIDDLE PENINSULA RGNL (FYJ)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 05JUN08 (08157) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 10, multiple trees beginning 86' from DER, left and right of centerline, up to 100' AGL/129' MSL.**Rwy 28**, multiple trees beginning 33' from DER, left and right of centerline, up to 100' AGL/119' MSL.

Ship mast 3427' from DER, left and right of centerline, 135' AGL/135' MSL.

WESTMINSTER, MD

CARROLL COUNTY RGNL/JACK B POAGE FLD (DMW)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 6 05MAR15 (21140) (FAA)

TAKEOFF MINIMUMS:

Rwy 16, 400-2¼ or std w/min climb of 255' per NM to 1400.

TAKEOFF OBSTACLE NOTES:

Rwy 16, trees 1995' from DER, 657' left of centerline, up to 59' AGL/838' MSL.

Tower 2.3 NM from DER, 2042' left of centerline, 195' AGL/1144' MSL.

Rwy 34, trees beginning 105' from DER, 423' left of centerline, up to 87' AGL/886' MSL.

Trees beginning 967' from DER, 395' right of centerline, up to 85' AGL/864' MSL.

Terrain and trees beginning 1851' from DER, 123' left of centerline, up to 63' AGL/902' MSL.

Trees beginning 2603' from DER, 470' right of centerline, up to 69' AGL/868' MSL.

CLEARVIEW AIRPARK (2W2)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 27AUG09 (09239) (FAA)

TAKEOFF MINIMUMS:

Rwy 32, 300-2¼ or std w/min climb of 290' per NM to 1200.

TAKEOFF OBSTACLE NOTES:

Rwy 14, vehicles and aircraft on road/taxiway 14' from DER, 47' right to left of centerline, 15' AGL/834' MSL.

Trees beginning 35' from DER, 200' left of centerline, up to 100' AGL/939' MSL.

Trees beginning 21' from DER, 90' right of centerline, up to 100' AGL/919' MSL.

Rwy 32, vehicle on road 191' from DER, 516' left of centerline, 15' AGL/774' MSL.

Trees beginning 8' from DER, 24' left of centerline, up to 100' AGL/959' MSL.

Trees beginning 60' from DER, 50' right of centerline, up to 100' AGL/859' MSL.

WILLIAMSBURG, VA

WALTRIP WILLIAMSBURG EXEC AIRPORT (JGG)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 2 15DEC11 (24361) (FAA)

DEPARTURE PROCEDURE:

Rwy 31, climb heading 311° to 700 before turning right.

TAKEOFF OBSTACLE NOTES:

Rwy 13, boat on creek 468' from DER, 608' left of centerline, up to 35' AGL/35' MSL.

Homes beginning 1399' from DER, 278' left of centerline, up to 25' AGL/94' MSL.

Trees beginning 712' from DER, left and right of centerline, up to 100' AGL/169' MSL.

CON'T



26302



NE-3



26302

WILLIAMSBURG, VA (CON'T)**WALTRIP WILLIAMSBURG EXEC AIRPORT (JGG) (CON'T)****Rwy 31**, aircraft on tarmac 2' from DER, 209' right of centerline, up to 20' AGL/79' MSL.

Hanger 418' from DER, 268' right of centerline, up to 25' AGL/84' MSL.

Multiple buildings and homes beginning 320' from DER, left and right of centerline, up to 30' AGL/109' MSL.

Multiple trees beginning 1' from DER, left and right of centerline, up to 100' AGL/199' MSL.

WILMINGTON, DE**NEW CASTLE (ILG)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****ORIG 15MAR07 (07074) (FAA)****TAKEOFF MINIMUMS:****Rwy 19**, 300-1 or std w/min climb of 266' per NM to 300.**TAKEOFF OBSTACLE NOTES:****Rwy 1**, multiple trees beginning 751' from DER, 32' left of centerline, up to 59' AGL/120' MSL.

Tree 1219' from DER, 482' right of centerline, 57' AGL/118' MSL.

Bush 118' from DER, 385' left of centerline, 4' AGL/65' MSL.

Rwy 9, multiple trees beginning 1229' from DER, 30' right of centerline up to 62' AGL/133' MSL.

Tree 975' from DER, 66' left of centerline, 53' AGL/124' MSL.

Light pole 948' from DER, 596' right of centerline, 44' AGL/115' MSL.

Tree 1740' from DER, 458' left of centerline, 83' AGL/134' MSL.

Light pole 945' from DER, 316' right of centerline, 38' AGL/109' MSL.

Rod on building 916' from DER, 457' left of centerline, 29' AGL/100' MSL.

Rwy 14, obstacle light 553' from DER, 440' left of centerline, 29' AGL/103' MSL.

Rod on obstacle light 606' from DER, 615' left of centerline, 19' AGL/93' MSL.

Rwy 19, antenna on obstruction light tower 4469' from DER, 1684' right of centerline, 153' AGL/228' MSL.

Tree 1575' from DER, 850' right of centerline, 45' AGL/120' MSL.

Obstruction light on sign 971' from DER, 448' left of centerline, 28' AGL/103' MSL.

Rwy 27, tree 697' from DER, 533' left of centerline, 68' AGL/147' MSL.

Tree 1110' from DER, 584' right of centerline, 38' AGL/117' MSL.

Pole 793' from DER, 615' right of centerline, 28' AGL/107' MSL.

Bush 408' from DER, 415' left of centerline, 12' AGL/91' MSL.

Rwy 32, tree 711' from DER, 207' right of centerline, 29' AGL/104' MSL.

Tree 1162' from DER, 83' right of centerline, 32' AGL/107' MSL.

WINCHESTER, VA**WINCHESTER RGNL (OKV)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES****AMD'T 1A 11AUG22 (22223) (FAA)****TAKEOFF MINIMUMS:****Rwy 32**, std w/min climb of 240' per NM to 1900, or 1300-3 for VCOA.**DEPARTURE PROCEDURE:****Rwy 32**, climb on heading 339° to 2500 before turning left.**VCOA:****Rwy 32**, obtain ATC approval for climb in visual conditions when requesting IFR clearance. Climb in visual conditions to cross Winchester Rgnl airport at or above 1900 before proceeding on course.**TAKEOFF OBSTACLE NOTES:****Rwy 14**, tree 496' from DER, 587' right of centerline, 720' MSL.

Tree 591' from DER, 561' left of centerline, 729' MSL.

Tree 594' from DER, 566' left of centerline, 730' MSL.

Tree 1490' from DER, 652' right of centerline, 739' MSL.

Tree 1491' from DER, 666' right of centerline, 743' MSL.

Tree 1971' from DER, 778' right of centerline, 753' MSL.

Tree 2048' from DER, 882' right of centerline, 761' MSL.

Trees beginning 2059' from DER, 876' right of centerline, up to 765' MSL.

Rwy 32, terrain beginning 2' from DER, 428' left of centerline, up to 729' MSL.

Tree 86' from DER, 508' left of centerline, 762' MSL.

Tree 94' from DER, 474' left of centerline, 763' MSL.

Tree 102' from DER, 478' left of centerline, 764' MSL.

Trees beginning 118' from DER, 209' left of centerline, up to 772' MSL.

Tree 374' from DER, 596' right of centerline, 774' MSL.

Trees beginning 452' from DER, 482' right of centerline, up to 776' MSL.

Tree 1589' from DER, 243' left of centerline, 774' MSL.

Trees beginning 1610' from DER, 248' left of centerline, up to 777' MSL.

Trees beginning 1718' from DER, 269' left of centerline, up to 782' MSL.

Tree 1754' from DER, 291' left of centerline, 786' MSL.

Tree 1760' from DER, 754' left of centerline, 791' MSL.

CON'T

26302



NE-3



26302

WINCHESTER, VA (CON'T)**WINCHESTER RGNL (OKV) (CON'T)**

Rwy 32 (CON'T), trees beginning 1774' from DER, 27' left of centerline, up to 794' MSL.

Trees beginning 1974' from DER, 9' right of centerline, up to 787' MSL.

Trees beginning 2169' from DER, 625' right of centerline, up to 799' MSL.

Trees beginning 2255' from DER, 742' right of centerline, up to 805' MSL.

WISE, VA**LONESOME PINE (LNP)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 4 02OCT25 (25275) (FAA)

TAKEOFF MINIMUMS:

Rwy 6, std w/min climb of 285'/NM to 5100.

Rwy 24, std w/min climb of 385'/NM to 5200.

TAKEOFF OBSTACLE NOTES:

Rwy 6, vegetation 8' from DER, 432' right of centerline, 2689' MSL.

Trees, lighting, transmission lines, vegetation, vehicles on road, terrain, electrical systems, pole beginning 14' from DER, 123' left of centerline, up to 74' AGL/2751' MSL.

Vegetation, lighting, terrain beginning 26' from DER, 126' right of centerline, up to 2702' MSL.

Vegetation, terrain beginning 77' from DER, 319' right of centerline, up to 2714' MSL.

Vegetation, terrain beginning 143' from DER, 320' right of centerline, up to 2721' MSL.

Vegetation, terrain beginning 198' from DER, 320' right of centerline, up to 2722' MSL.

Vegetation, terrain beginning 222' from DER, 305' right of centerline, up to 2728' MSL.

Vegetation, terrain beginning 306' from DER, 310' right of centerline, up to 2731' MSL.

Tree, vegetation, terrain beginning 583' from DER, 330' right of centerline, up to 2754' MSL.

Trees, vegetation, terrain beginning 627' from DER, 316' right of centerline, up to 2760' MSL.

Trees beginning 756' from DER, 513' right of centerline, up to 58' AGL/2761' MSL.

Trees, vegetation beginning 774' from DER, 33' right of centerline, up to 2776' MSL.

Trees, terrain, vehicles on road beginning 895' from DER, 468' left of centerline, up to 2761' MSL.

Trees, terrain, vegetation beginning 932' from DER, 417' left of centerline, up to 2770' MSL.

Tree 1037' from DER, 746' left of centerline, 2788' MSL.

Trees, pole beginning 1040' from DER, 77' left of centerline, up to 2796' MSL.

Trees beginning 1083' from DER, 169' left of centerline, up to 2797' MSL.

Trees beginning 1117' from DER, 656' left of centerline, up to 2803' MSL.

Trees beginning 1148' from DER, 447' left of centerline, up to 2807' MSL.

Trees, buildings beginning 1187' from DER, 52' left of centerline, up to 72' AGL/2821' MSL.

Rwy 24, vegetation 5' from DER, 491' right of centerline, 2672' MSL.

Trees, NAVAID, terrain, vegetation beginning 11' from DER, 325' right of centerline, up to 2681' MSL.

Terrain beginning 72' from DER, 338' left of centerline, up to 2672' MSL.

Terrain 124' from DER, 393' left of centerline, 2673' MSL.

Tree, terrain, vegetation beginning 124' from DER, 356' left of centerline, up to 73' AGL/2736' MSL.

Trees beginning 207' from DER, 537' right of centerline, up to 2709' MSL.

Trees beginning 329' from DER, 270' right of centerline, up to 66' AGL/2722' MSL.

Trees, NAVAID beginning 415' from DER, 189' right of centerline, up to 77' AGL/2726' MSL.

Trees beginning 463' from DER, 90' left of centerline, up to 85' AGL/2761' MSL.

29 OCT 2026 to 26 NOV 2026

29 OCT 2026 to 26 NOV 2026



26302