

TAMPA INTL (TPA)(KTPA) 6 W UTC-5(-4DT) N27°58.53' W82°32.00'

MIAMI
H-8H, L-21D, 24F
IAP, AD

26 B AOE LRA Class I, ARFF Index D NOTAM FILE TPA
RWY 01L-19R: H11002X150 (CONC-GRVD) S-60, D-210, 2S-175, 2D-358, 2D/2D2-850 PCN 85 R/B/W/T HIRL CL
RWY 01L: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 71'. RVR-TMR
RWY 19R: MALS. PAPI(P4L)—GA 3.0° TCH 71'. RVR-TMR
RWY 01R-19L: H8300X150 (ASPH-CONC-GRVD) S-60, D-210, 2S-175, 2D-358, 2D/2D2-850 PCN 76 R/B/W/T HIRL CL
RWY 01R: REIL. PAPI(P4L)—GA 3.0° TCH 71'. RVR-TMR
RWY 19L: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 61'. RVR-TMR
RWY 10-28: H6999X150 (ASPH-CONC-GRVD) S-75, D-200, 2S-175, 2D-280, 2D/2D2-380 PCN 61 F/A/W/T HIRL
RWY 10: PAPI(P4L)—GA 3.0° TCH 42'. Thld displcd 498'. Trees.
RWY 28: PAPI(P4L)—GA 3.0° TCH 50'.

LAND AND HOLD—SHORT OPERATIONS

LDG RWY	HOLD—SHORT POINT	AVBL LDG DIST
RWY 19L	10-28	5650
RWY 28	01R-19L	4350

RUNWAY DECLARED DISTANCE INFORMATION

RWY 01L: TORA-11002 TODA-11002 ASDA-10800 LDA-10800
RWY 01R: TORA-8300 TODA-8300 ASDA-8300 LDA-8300
RWY 10: TORA-6999 TODA-6999 ASDA-6999 LDA-6501
RWY 19L: TORA-8300 TODA-8300 ASDA-8300 LDA-8300
RWY 19R: TORA-11002 TODA-11002 ASDA-11002 LDA-11002
RWY 28: TORA-6999 TODA-6999 ASDA-6501 LDA-6501

SERVICE: S4 FUEL 100LL, JET A OX 1, 2, 3, 4 LGT Rwy 10 PAPI unusable 8° left and right of RCL.

AIRPORT REMARKS: Attended continuously. Bird activity on and in/ovf arpt. Rwy 10-28 not nmly avbl to ops over 75,000 lbs GWT. Rwy 10 first 2600' conc; Rwy 28 first 4400' asph. Only acft with prior permission may use terminal apron, all others use General Aviation apron. Rwy 19L is noise sensitive to turbojet departures. Rwy 01R is noise sensitive to turbojet arr. Published NS ABTMT procedures in effect. Twy restrictions: airplane design Group V or larger, Twy N west of Twy L unavbl. Twy E north of Twy J also unavbl for wingspan greater than 171' unless PPR from arpt ops. Twy restrictions: Taxilane F and Taxilane R are non-movement areas. Both lctns are unavbl for Group IV acft with a wingspan greater than 117' without PPR from arpt ops. Taxilane T PPR from arpt ops rqrd for acft with a wingspan greater than 90'. Flight Notification Service (ADCUS) avbl.

AIRPORT MANAGER: 813-870-8700

WEATHER DATA SOURCES: ASOS 126.45 (813) 873-7228. LLWAS. TDWR.

COMMUNICATIONS: D-ATIS ARR 126.45 D-ATIS DEP 128.475 UNICOM 122.95

Ⓡ **APP/DEP CON** 118.15 (001°-150°) 118.8 (220°-360°) 119.65 (151°-219°) 118.5

TOWER 119.5 **GND CON** 121.7 **CLNC DEL** 133.6

CPDLC (LOGON KUSA)

AIRSPACE: CLASS B See VFR Terminal Area Chart.

RADIO AIDS TO NAVIGATION: NOTAM FILE PIE.

ST PETERSBURG (H) VORTACW 116.4 PIE Chan 111 N27°54.47' W82°41.06' 068° 9.0 NM to fld. 5/5W.

VOR unusable:

025°-054° byd 21 NM blo 5,000'

233°-250° byd 20 NM

TACAN AZIMUTH unusable:

133°-146°

COSME NDB (LOMW) 368 TP N28°05.13' W82°31.51' 189° 6.6 NM to fld. 41/5W. NOTAM FILE TPA.

ILS/DME 108.9 I-AMP Chan 26 Rwy 01L. Class IIIE.

LOC/DME 111.95 I-TWJ Chan 56(Y) Rwy 01R. LOC unusable byd 15° left of course. DME unusable byd 20° right of course.

ILS 110.3 I-TPA Rwy 19L. Class IIIE. LOM COSME NDB. LOC unusable byd 25° left of course.

ILS/DME 108.5 I-JRT Chan 22 Rwy 19R. Class ID.

