

ALBANY INTL (ALB)(KALB) P (ARNG) 6 NW UTC-5(-4DT) N42°44.95' W73°48.12'
 285 B AOE LRA Class I, ARFF Index C NOTAM FILE ALB
RWY 01-19: H8500X150 (ASPH-GRVD) S-140, D-200, 2D-400
 PCN 70 F/C/X/T HIRL CL

NEW YORK
 H-101, 11C, 12K, L-32G, 33B, 34I
 IAP, AD

RWY 01: MALS.R. TDZL. PAPI(P4R)—GA 3.0° TCH 53'. RVR-TR
RWY 19: MALS.R. TDZL. PAPI(P4L)—GA 3.0° TCH 53'. RVR-TR Tree.
RWY 10-28: H7200X150 (ASPH-GRVD) S-140, D-200, 2D-400
 PCN 67 F/C/X/T MIRL CL
RWY 10: REIL. Ground.
RWY 28: REIL. PAPI(P4L)—GA 3.35° TCH 51'. Thld dsplcd 1192'.
 Tree.


LAND AND HOLD-SHORT OPERATIONS

LDG RWY	HOLD-SHORT POINT	AVBL LDG DIST
RWY 01	10-28	4150
RWY 28	01-19	3757

RUNWAY DECLARED DISTANCE INFORMATION

RWY 01: TORA-8500 TODA-8500 ASDA-8500 LDA-8500
RWY 10: TORA-7200 TODA-7200 ASDA-6780 LDA-6780
RWY 19: TORA-8500 TODA-8500 ASDA-8500 LDA-8500
RWY 28: TORA-7200 TODA-7200 ASDA-7200 LDA-6007

SERVICE: S4 FUEL 100LL, JET A OX3 FUEL (NC-100LL, A) FLUID HPOXRB



AIRPORT REMARKS: Attended continuously. Birds, deer and other wildlife on and in/ovf arpt. Mowing within safety areas of all runways and twys May through Nov. Wx balloon launches approximately 3 miles south of arpt at 1100Z and 2300Z. Twy C west of Twy A non movement area. Twy D east of Rwy 01-19 rstd to acct 12,500 lbs and less. No acct parking between fire station and Twy L. Customs/Immigration's Flt Information Service located north end General Aviation apron. Acft clearing Customs utilize painted markings and proceed to minimize blast impact. Ldg fee. Flight Notification Service (ADCUS) avbl.

AIRPORT MANAGER: 518-242-2352

WEATHER DATA SOURCES: ASOS 120.45 (518) 464-6423. LLWAS. WSP

COMMUNICATIONS: D-ATIS 120.45 UNICOM 122.95

RCO 122.2 (BURLINGTON RADIO)

Ⓡ APP/DEP CON 118.05 (194°-011°) 132.825 (011°-194°)

TOWER 119.5 GND CON 121.7 CLNC DEL 127.5 NG OPNS 30.1 (FM)

PDC

AIRSPACE: CLASS C svc ctc APP CON.

VOR TEST FACILITY (VOT) 108.2

RADIO AIDS TO NAVIGATION: NOTAM FILE ALB.

(L) VORTACW 115.3 ALB Chan 100 N42°44.84' W73°48.19' at fld. 273/13W.

VOR unusable:

020°-059° byd 13 NM blo 6,000'
 060°-080°

100°-135° byd 8 NM blo 10,000'

120°-135° byd 37 NM blo 14,500'

136°-175° byd 8 NM

144°-152° byd 20 NM blo 10,000'

144°-152° wi 20 NM blo 8,000'

153°-175° byd 8 NM blo 6,000'

176°-193° byd 17 NM blo 8,000'

176°-193° byd 25 NM blo 12,000'

194°-221° blo 6,000'

194°-221° byd 28 NM blo 8,000'

222°-250° byd 18 NM blo 15,000'

310°-320° byd 30 NM blo 5,000'

330°-019° blo 3,000'

330°-019° byd 10 NM blo 6,000'

330°-019° byd 19 NM blo 9,000'

330°-019° byd 28 NM blo 10,000'

TACAN AZIMUTH unusable:

030°-055° byd 10 NM

155°-195° byd 28 NM blo 5,500'

255°-340° byd 28 NM

DME unusable:

030°-055° byd 10 NM

155°-195° byd 28 NM blo 5,500'

255°-340° byd 28 NM

ILS/DME 109.5 I-DEJ Chan 32 Rwy 01. Class IIE.

ILS/DME 109.5 I-ALB Chan 32 Rwy 19. Class IB.

COMM/NAV/WEATHER REMARKS: Class C information avbl on ATIS frequency 20 NM.