

CHICAGO O'HARE INTL (ORD)(KORD) 14 NW UTC-6(-5DT) N41°58.60' W87°54.44'

680 B LRA Class I, ARFF Index E NOTAM FILE ORD

CHICAGO

COPTER

H-5E, L-28H, A

IAP, AD

RWY 10L-28R: H13000X150 (ASPH-CONC-GRVD) S-100, D-185, 2S-175, 2D-350 PCN 120R/B/W/T HIRL CL

RWY 10L: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 74'. RVR-TMR 0.3% down.

RWY 28R: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 70'. RVR-TMR Trees.

RWY 09C-27C: H11245X200 (CONC-GRVD) S-120, D-250, 2D-550, 2D/2D2-1120 PCN 131R/C/W/T HIRL CL

RWY 09C: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 72'. RVR-TMR Antenna. 0.3% down.

RWY 27C: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 75'. RVR-TMR Trees.

RWY 10C-28C: H10800X200 (CONC-GRVD) S-75, D-135, 2D-375, 2D/2D2-902 PCN 96 R/C/W/T HIRL CL

RWY 10C: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 75'. RVR-TMR Trees.

RWY 28C: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 80'. RVR-TMR Trees.

RWY 04R-22L: H8075X150 (ASPH-GRVD) S-100, D-200, 2S-175, 2D-350 PCN 108R/C/W/U HIRL CL

RWY 04R: MALSR. TDZL. PAPI(P4R)—GA 3.0° TCH 67'. RVR-TMR 0.3% down.

RWY 22L: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 73'. RVR-TMR Trees.

RWY 09R-27L: H7967X150 (ASPH-CONC-GRVD) S-100, D-210, 2S-175, 2D-350 PCN 108R/C/W/U HIRL CL

RWY 09R: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 74'. RVR-TMR Road.

RWY 27L: ALSF2. TDZL. PAPI(P4R)—GA 3.0° TCH 67'. RVR-TMR

RWY 04L-22R: H7500X150 (ASPH-GRVD) S-100, D-185, 2D-350 PCN 108R/C/W/U HIRL CL

RWY 22R: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 69'. RVR-TR Trees.

RWY 09L-27R: H7500X150 (CONC-GRVD) S-75, D-210, 2D-500, 2D/2D2-913 PCN 91 R/B/W/T HIRL CL


RWY 09L: ALSF2. TDZL. RVR-TMR Tower.

RWY 27R: ALSF2. TDZL. RVR-TMR Bldg.

RWY 10R-28L: H7500X150 (CONC-GRVD) S-120, D-250, 2D-550, 2D/2D2-1120 PCN 104R/B/W/U HIRL CL 0.3% up W

RWY 10R: ALSF2. TDZL. RVR-TMR Tree.

RWY 28L: ALSF2. TDZL. RVR-TMR



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

LAND AND HOLD—SHORT OPERATIONS

| LDG RWY | HOLD—SHORT POINT | AVBL LDG DIST |
|---------|------------------|---------------|
| RWY 09C | TWY TT | 8830 |
| RWY 10C | TWY GG | 9610 |
| RWY 10L | TWY Y | 12156 |
| RWY 27C | TWY KK | 9725 |
| RWY 28C | TWY Z | 9610 |

RUNWAY DECLARED DISTANCE INFORMATION

| | | | |
|--------------------|------------|------------|-----------|
| RWY 04L:TORA-7500 | TODA-7500 | ASDA-7500 | |
| RWY 04R:TORA-8075 | TODA-8075 | ASDA-8075 | LDA-8075 |
| RWY 09C:TORA-11245 | TODA-11245 | ASDA-11245 | LDA-11245 |
| RWY 09L:TORA-7500 | TODA-7500 | ASDA-7500 | LDA-7500 |
| RWY 09R:TORA-7967 | TODA-7967 | ASDA-7709 | LDA-7709 |
| RWY 10C:TORA-10801 | TODA-10801 | ASDA-10540 | LDA-10540 |
| RWY 10L:TORA-13000 | TODA-13000 | ASDA-13000 | LDA-12246 |
| RWY 10R:TORA-7500 | TODA-7500 | ASDA-7500 | LDA-7500 |
| RWY 22L:TORA-8075 | TODA-8075 | ASDA-8075 | LDA-8075 |
| RWY 22R: | | | LDA-7375 |
| RWY 27C:TORA-11245 | TODA-11245 | ASDA-11245 | LDA-11245 |
| RWY 27L:TORA-7967 | TODA-7967 | ASDA-7782 | LDA-7782 |
| RWY 27R:TORA-7500 | TODA-7500 | ASDA-7500 | LDA-7500 |
| RWY 28C:TORA-10801 | TODA-10801 | ASDA-10801 | LDA-10801 |
| RWY 28L:TORA-7500 | TODA-7500 | ASDA-7500 | LDA-7500 |
| RWY 28R:TORA-13000 | TODA-13000 | ASDA-13000 | LDA-13000 |

ARRESTING GEAR/SYSTEM

RWY 04R: EMAS

RWY 22L: EMAS

SERVICE: S4 FUEL 100LL, JET A OX 1, 2, 3 LGT Rwy 09R PAPI unusbl byd 5 degs right of cntrln.

AIRPORT REMARKS: Special Air Traffic Rules—Part 93. Attended continuously. Birds on and in/ovf arpt. Pyrotechnics and bird cannons in use. Rwy 4L CLOSED to arr; Rwy 22R CLOSED to dep. PAEW near various twys. ASDE-X in use. Rwy status lgts are in opn. Opr transponders with altitude reporting mode and ADS-B (if equipped) enabled on all airport surfaces. Mag deviation psbl imt W of Twy Y and Rwy 22L apch on Twy N. Line Up and Wait Authorization in effect btn SS and SR at the flwg ints: Rwy 28R at Twy GG, Twy EE and Twy N5; Rwy 10L at Twy DD and Twy CC and Twy BB. Rwy 27C at Twy TT; Rwy 9C at Twy FF. These rwys will be used for deps only when exercising the provisions of this authorization. Twr is authorized to conduct simultaneous dep from Rwy 04L/04R, Rwy 22R/22L, Rwy 09R with Rwy 09L or Rwy 10L, Rwy 27L with Rwy 28R or Rwy 27R, Rwy 10C with Rwy 09R and Rwy 28C with Rwy 27L with course divergence beginning no later than 4 miles from rwy end. BE ALERT: The northeast/southwest portion of Twy YY is not visible from center twr. BE ALERT: Twy S-1 outbnd or eastbound only, Twy S-2 inbound or westbound only, Twys P1, P2, P3, P5, and P6 northbound only, Twy A1 southbound only from Rwy 09R-27L, Twy E1, E2, and E4 southbound only, Twy E3 westbound only from 9C-27C. BE ALERT: Dupe alpha-numeric twy designators and trml gate designations involving the ltrs B, C, G, H, K, L and M. B747-8, B747-400, B777-200LR(F), B777-300ER, A350-900, A350-1000, A340-500, A340-600 and A330-900 cannot pass on Twy A and Twy B due to insufficient wingtip clnc. Acft are not permitted to stop on either Twy A or B bridges. Rwy 09R-27L triple dual tandem 690,000 lbs; dual tandem w/dual wheel (2D/D1) 633,000 lbs. All Part 91 and unscheduled Part 125, 133 and 135 charter oprs ctc FBO at 773-686-7000 regarding new security regulations prior to dep. A380-800 opr constraints exist on rwys, twys and ramps—Ctc arpt ops for info 773-686-2255. B747-8 ops not authorized on Rwys 09R-27L, 09L-27R and 10R-28L. Diversion air carriers without a presence at ORD should ctc arpt ops 773-686-2255 prior to diverting to the extent practical and provide company flt ops ctc info, acft type, persons on board, intl or domestic, any gnd handler agreements in place. Noise abatement proc in effect from 0400Z‡ to 1300Z‡, ctc amgr 773-686-2255. Prim run up location ground run up enclosure; secondary run up locations avbl upon req, ctc city ops 773-686-2255. Twy YY btwn UAL Main Svc Cntr Hngr south ramp and Twy C2 clsd to wingspan more than 211 ft. Txl BB2 clsd to wingspan more than 118 ft. Acft with wingspan greater than 214 ft; rqr 48 hrs PPR call 773-686-2255. Periodic fire department trng at north sector of arpt. Fee req. Deicing fluid not avbl to tran acft. East and West gates are manned 24 hrs a day. Rwy 09R PAPI unusable byd 5 deg right of cntrln. Ldg fee. Flight Notification Service (ADCUS) avbl.

AIRPORT MANAGER: 773-686-8060

WEATHER DATA SOURCES: ASOS (773) 462-0118 LLWAS. TDWR.

CONTINUED ON NEXT PAGE

