

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE ORL.

(H) VORTACW 112.2 ORL Chan 59 N28°32.56' W81°20.10' 169° 6.9 NM to fld. 102/OE.

TACAN AZIMUTH unusable:

066°-084°

246°-289° byd 17 NM blo 2,000'

246°-289° byd 28 NM blo 2,500'

ILS/DME 110.95 I-ARK Chan 46(Y) Rwy 17L. Class IIIE.

ILS/DME 111.75 I-DIZ Chan 54(Y) Rwy 17R. Class IIE.

ILS/DME 111.9 I-TFE Chan 56 Rwy 18R. Class IA.

ILS/DME 110.5 I-DDO Chan 42 Rwy 35L. Class IIIE.

ILS/DME 111.15 I-CER Chan 48(Y) Rwy 35R. Class IIIE.

ILS/DME 110.7 I-OJP Chan 44 Rwy 36R. Class IIIE.

ORLANDO SANFORD INTL (SFB)(KSFB) 16 NE UTC-5(-4DT) N28°46.63' W81°14.09'

JACKSONVILLE

55 B AOE ARFF Index—See Remarks NOTAM FILE SFB

H-8H, L-21D, 24F

RWY 09L-27R: H11002X150 (ASPH-GRVD) S-100, D-279, 2D-840

IAP AD

PCN 67 F/B/X/T HIRL

RWY 09L: MALSR. PAPI(P4L)—GA 3.0° TCH 71'. Thld dspcd 1000'.

RWY 27R: MALSR. PAPI(P4R)—GA 3.0° TCH 72'. Rgt tfc. 0.4% up.

RWY 18-36: H6002X150 (ASPH-CONC-GRVD) S-111, D-183,

2D-599 PCN 23 F/C/X/T MIRL

RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 48'.

RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Trees. Rgt tfc.

RWY 09R-27L: H5839X75 (ASPH) S-67, D-80 PCN 10 F/C/X/T

HIRL 0.4% up W

RWY 09R: MALSR. PAPI(P4L)—GA 3.0° TCH 44'. Thld dspcd 839'.

Rgt tfc.

RWY 27L: REIL. PAPI(P4L)—GA 3.0° TCH 47'.

RWY 09C-27C: H3578X75 (ASPH) S-12 PCN 69 F/A/X/T MIRL

RWY 09C: REIL. PAPI(P2L)—GA 4.0° TCH 35'. Pole. Rgt tfc.

RWY 27C: PAPI(P2L)—GA 3.0° TCH 27'. Trees.

LAND AND HOLD—SHORT OPERATIONS


LDG RWY	HOLD—SHORT POINT	AVBL LDG DIST
RWY 09C	18-36	3150
RWY 09L	18-36	5500
RWY 18	09R-27L	4600
RWY 27R	18-36	3952
RWY 36	09L-27R	5170

RUNWAY DECLARED DISTANCE INFORMATION

RWY 09C: TORA-3578 TODA-3578 ASDA-3578 LDA-3578
RWY 09L: TORA-11002 TODA-11002 ASDA-11002 LDA-10002
RWY 09R: TORA-5839 TODA-5839 ASDA-5839 LDA-5000
RWY 18: TORA-6002 TODA-6002 ASDA-5956 LDA-5956
RWY 27C: TORA-3578 TODA-3578 ASDA-3578 LDA-3578
RWY 27L: TORA-5839 TODA-5839 ASDA-6264 LDA-5839
RWY 27R: TORA-11002 TODA-11002 ASDA-11002 LDA-11002
RWY 36: TORA-6002 TODA-6002 ASDA-6002 LDA-6002

SERVICE: S4 FUEL 100LL, JET A QX3 LGT When ATCT cisd ACTVT MALSR Rwy 09R and Rwy 27R; PAPI Rwy 09L, 27R, 09C, 27C, 09R, 27L, 18, and 36; HIRL Rwy 09L-27R and Rwy 09R-27L; MIRL Rwy 18-36 and Rwy 09C-27C—CTAF.

NOISE: For tkof bjts use FAA NADP-2 comparable acr ops specs profile or NBAA profile. On visual apchs pilots are requested to dla ldg grar extrn tl oprly nec.



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

AIRPORT REMARKS: Attended continuously. Large birds invof arpt. Flt trng act in tfc pat and lcl area. Clsd to repetitive acr trng ops excp 24 hr PPR—amgr 407-585-4000 ext 4006 or 407-585-4119. Class I, ARFF Index D. ARFF Index E avbl with 24 hr PPR (charter carriers on published sked exempt). Twy K1 clsd to acft with wingspan gtr than 80'. Twy K clsd to acft with wingspan gtr than 118'. Twy P clsd to acft with wingspan greater than 40'. Rwy 18-36 cntr 75' good cond; outer edge fair cond. All acft arr with less than 30 seats to clear customs ctc 129.075 prior to Indg. Rwy 09C-27C not avbl for sked acr opns with more than 9 psgr seats or unsked acr at least 31 psgr seats. Rwy 18-36 prim acr ops rwy. Rwy 09L-27R prim acr opr rwy. Rwy 09R-27L pri flt T rwy. Rwy 09R-27L not avbl for sked acr opns with more than 9 pax seats or unsked acr at least 31 pax seats. PAEW on terminal ramp within 75' of Twy C cntrin when acft using gates 3 or 4. Due to facility constraints that limit ability to accommodate diverted flights acft operators to ctc the arpt at 407-585-4101 for prior coordination, except in case of a declared in-flight emergency. NOTE: See Special Notices—Terminal Area Graphic Notice.

AIRPORT MANAGER: 407-585-4015

WEATHER DATA SOURCES: ASOS 125.975 (407) 321-9384. LAWRS.

COMMUNICATIONS: CTAF 120.3 ATIS 125.975

Ⓡ **ORLANDO APP/DEP CON** 119.775 (South) 135.3 (North)

CLNC DEL 123.975 **CLNC DEL** 121.35 (When twr clsd)

TOWER 120.3 135.25 (1130-0400Z±) **GND CON** 121.35

AIRSPACE: CLASS C svc ctc **APP CON** svc 1130-0400Z±; other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE ORL.

(H) **VORTACW** 112.2 ORL Chan 59 N28°32.56' W81°20.10' 021° 15.0 NM to fld. 102/OE.

TACAN AZIMUTH unusable:

066°-084°

246°-289° byd 17 NM blo 2,000'

246°-289° byd 28 NM blo 2,500'

ILS/DME 108.9 I-SND Chan 26 Rwy 09L. Class ID. Unmonitored when ATCT clsd.

ILS/DME 111.55 I-OOS Chan 52(Y) Rwy 09R. Class ID. Unmonitored when ATCT clsd.

ILS/DME 110.15 I-FNU Chan 38(Y) Rwy 27R. Class IE. Unmonitored when ATCT clsd.

ORLANDO APOPKA (See APOPKA on page 82)
