

**NORTH LAS VEGAS** (VGT)(KVG)T 3 NW UTC-8(-7DT) N36°12.64' W115°11.67'

**LAS VEGAS**

2205 B TPA-3005(800) NOTAM FILE VGT

H-4I, L-7E

**RWY 07-25:** H5005X75 (ASPH) S-30 PCN 58 F/C/X/T MIRL

IAP, AD

0.6% up W

**RWY 07:** REIL. PAPI(P4L)—GA 3.0° TCH 37'. Pole.

**RWY 25:** REIL. PAPI(P4L)—GA 3.0° TCH 36'.

**RWY 12R-30L:** H5000X75 (ASPH) S-30 PCN 48 F/C/X/T MIRL  
0.8% up NW

**RWY 12R:** REIL. PAPI(P4L)—GA 3.0° TCH 25'. Bldg.

**RWY 30L:** REIL. PAPI(P4L)—GA 3.0° TCH 40'.

**RWY 12L-30R:** H4199X75 (ASPH) S-30 PCN 15 F/C/X/T MIRL  
1.0% up NW

**RWY 12L:** REIL. PAPI(P4L)—GA 3.2° TCH 48'. Bldg.

**RWY 30R:** REIL. PAPI(P4L)—GA 3.0° TCH 40'. Thld dsplcd 199'.

**RUNWAY DECLARED DISTANCE INFORMATION**

**RWY 07:** TORA-5005 TODA-5005 ASDA-5005 LDA-5005

**RWY 12L:** TORA-4199 TODA-4199 ASDA-4199 LDA-4199

**RWY 12R:** TORA-5000 TODA-5000 ASDA-5000 LDA-5000

**RWY 25:** TORA-5005 TODA-5005 ASDA-5005 LDA-5005

**RWY 30L:** TORA-5000 TODA-5000 ASDA-5000 LDA-5000

**RWY 30R:** TORA-4199 TODA-4199 ASDA-4199 LDA-4000

**SERVICE:** S4 FUEL 100LL, JET A OX1 LGT When ATCT clsd ACTVT

REIL Rwy 07 and Rwy 25, Rwy 12L and Rwy 30R, Rwy 12R and Rwy 30L; PAPI Rwy 07 and Rwy 25, Rwy 12L and Rwy 30R, Rwy 12R and Rwy 30L; MIRL Rwy 07-25, Rwy 12R-30L and Rwy 12L-30R; twy lgts—CTAF.

**AIRPORT REMARKS:** Attended 1300-0630Z†. Aiming point mkd at 1000 ft on all rwys. Rwy guard lgts at all intxns. When spl event prkg PPR program NOTAM is actv, tsnt acct opers not perm based need to obtain a PPR nr fm an FBO for ea ldg. PPR appvl and confirmation nrs can be obtained frm the sel FBO at 702-261-7775. PPR confirmation nrs should be entered in the rmks section of each flt plan. NOTE: See Special Notices—Arrival Alert.

**AIRPORT MANAGER:** 702-261-3804

**WEATHER DATA SOURCES:** ASOS 118.05 (702) 648-6633. LAWRS.

**COMMUNICATIONS:** CTAF 125.7 UNICOM 122.95 ATIS 118.05 (702-631-7125)


NELLIS APP CON 118.125 (Rwy 12)

Ⓡ LAS VEGAS APP/DEP CON 119.4

TOWER 125.7 119.15 (Oct-Mar 1400-0400Z†, Apr-Sep 1400-0500Z†) GND CON 121.7 CLNC DEL 124.0

**CLEARANCE DELIVERY PHONE:** For CD when ATCT is clsd ctc LAS Apch on 124.0 or ph 725-200-4432.

**AIRSPACE:** CLASS D svc 1400-0400Z† Oct-Mar, 1400-0500Z† Apr-Sep; other times CLASS G.



**CONTINUED ON NEXT PAGE**

## CONTINUED FROM PRECEDING PAGE

VOR TEST FACILITY (VOT) 108.2

RADIO AIDS TO NAVIGATION: NOTAM FILE LAS.

LAS VEGAS (VH) (H) VORTACW 116.9 LAS Chan 116 N36°04.78' W115°09.59' 333° 8.0 NM to fld. 2136/15E.

No NOTAM MP: 1600-1800Z† Sat

VOR unusable:

025°-160° byd 20 NM blo 6,000'  
 029°-033° byd 40 NM  
 034°-047° byd 40 NM blo 15,000'  
 034°-047° byd 80 NM  
 060°-071° byd 40 NM blo 10,000'  
 060°-071° byd 51 NM  
 078°-203° byd 40 NM  
 160°-200° byd 20 NM blo 9,000'  
 200°-025° byd 25 NM blo 11,000'  
 200°-220° byd 15 NM blo 9,000'  
 204°-214° byd 40 NM blo 14,000'  
 204°-214° byd 46 NM  
 215°-245° byd 40 NM  
 220°-245° byd 35 NM blo 15,000'  
 245°-260° byd 35 NM blo 14,000'  
 246°-256° byd 40 NM blo 14,000'  
 246°-256° byd 47 NM  
 257°-008° byd 40 NM  
 260°-275° byd 35 NM blo 14,000'  
 275°-310° byd 35 NM blo 16,500'

TACAN AZIMUTH unusable:

025°-160° byd 20 NM blo 6,000'  
 160°-200° byd 20 NM blo 9,000'  
 200°-025° byd 25 NM blo 11,000'  
 200°-220° byd 15 NM blo 9,000'  
 220°-245° byd 35 NM blo 15,000'  
 245°-260° byd 35 NM blo 14,000'  
 260°-275° byd 35 NM blo 14,000'  
 275°-310° byd 35 NM blo 16,500'

DME unusable:

025°-160° byd 20 NM blo 6,000'  
 160°-200° byd 20 NM blo 9,000'  
 200°-025° byd 25 NM blo 11,000'  
 200°-220° byd 15 NM blo 9,000'  
 220°-245° byd 35 NM blo 15,000'  
 245°-260° byd 35 NM blo 14,000'  
 260°-275° byd 35 NM blo 14,000'  
 275°-310° byd 35 NM blo 16,500'

ILS/DME 110.7 I-HWG Chan 44 Rwy 12L. Class IT. Unmonitored when ATCT clsd.

COMM/NAV/WEATHER REMARKS: VGT twr frequency 119.15 may be used for RWT 12L/30R ops. All IFR visual apch go-arounds expect clsd tfc at VGT.