

NORTH LAS VEGAS (VGT)(KVG)T 3 NW UTC-8(-7DT) N36°12.64' W115°11.67'

LAS VEGAS

2205 B TPA-3005(800) NOTAM FILE VGT

H-41, L-7E

RWY 07-25: H5005X75 (ASPH) S-30 PCN 58 F/C/X/T MIRL

IAP, AD

0.6% up W

RWY 07: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Pole.

RWY 25: REIL. PAPI(P4L)—GA 3.0° TCH 36'.

RWY 12R-30L: H5000X75 (ASPH) S-30 PCN 48 F/C/X/T MIRL
0.8% up NW

RWY 12R: REIL. PAPI(P4L)—GA 3.0° TCH 25'. Bldg.

RWY 30L: REIL. PAPI(P4L)—GA 3.0° TCH 40'.

RWY 12L-30R: H4199X75 (ASPH) S-30 PCN 15 F/C/X/T MIRL
1.0% up NW

RWY 12L: REIL. PAPI(P4L)—GA 3.2° TCH 48'. Bldg.

RWY 30R: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Thld dspcd 199'.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 07: TORA-5005 TODA-5005 ASDA-5005 LDA-5005

RWY 12L: TORA-4199 TODA-4199 ASDA-4199 LDA-4199

RWY 12R: TORA-5000 TODA-5000 ASDA-5000 LDA-5000

RWY 25: TORA-5005 TODA-5005 ASDA-5005 LDA-5005

RWY 30L: TORA-5000 TODA-5000 ASDA-5000 LDA-5000

RWY 30R: TORA-4199 TODA-4199 ASDA-4199 LDA-4000

SERVICE: S4 FUEL 100LL, JET A OX1 LGT When ATCT clsd ACTVT

REIL Rwy 07 and Rwy 25, Rwy 12L and Rwy 30R, Rwy 12R and Rwy 30L; PAPI Rwy 07 and Rwy 25, Rwy 12L and Rwy 30R, Rwy 12R and Rwy 30L; MIRL Rwy 07-25, Rwy 12R-30L and Rwy 12L-30R; twy lgts—CTAF.

AIRPORT REMARKS: Attended 1300-0630Z†. Aiming point mkd at 1000 ft - all rwns. Rwy guard lgts at all intxns. When spl event prkg PPR program NOTAM is actv, tsnt acct opers not perm based need to obtain a PPR nr fm an FBO for ea ldg. PPR appvl and confirmation nrs can be obtained fm the sel FBO at 702-261-7775. PPR confirmation nrs should be entered in the rmks section of each flt plan. Rwy 12R calm wind rwy. NOTE: See Special Notices—Arrival Alert.

AIRPORT MANAGER: 702-261-3804

WEATHER DATA SOURCES: ASOS 118.05 (702) 648-6633. LAWRS.

COMMUNICATIONS: CTAF 125.7 UNICOM 122.95 ATIS 118.05 (702-631-7125)


NELLIS APP CON 118.125 (Rwy 12)

Ⓡ LAS VEGAS APP/DEP CON 119.4

TOWER 125.7 119.15 (Oct-Mar 1400-0400Z†, Apr-Sep 1400-0500Z†) GND CON 121.7 CLNC DEL 124.0

CLEARANCE DELIVERY PHONE: For CD when ATCT is clsd ctc LAS Apch on 124.0 or ph 725-200-4432.

AIRSPACE: CLASS D svc 1400-0400Z† Oct-Mar, 1400-0500Z† Apr-Sep; other times CLASS G.



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

VOR TEST FACILITY (VOT) 108.2

RADIO AIDS TO NAVIGATION: NOTAM FILE LAS.

LAS VEGAS (VH) (H) VORTACW 116.9 LAS Chan 116 N36°04.78' W115°09.59' 333° 8.0 NM to fld. 2136/15E.

No NOTAM MP: 1600-1800Z† Sat

VOR unusable:

025°-160° byd 20 NM blo 6,000'
 029°-033° byd 40 NM
 034°-047° byd 40 NM blo 15,000'
 034°-047° byd 80 NM
 060°-071° byd 40 NM blo 10,000'
 060°-071° byd 51 NM
 078°-203° byd 40 NM
 160°-200° byd 20 NM blo 9,000'
 200°-025° byd 25 NM blo 11,000'
 200°-220° byd 15 NM blo 9,000'
 204°-214° byd 40 NM blo 14,000'
 204°-214° byd 46 NM
 215°-245° byd 40 NM
 220°-245° byd 35 NM blo 15,000'
 245°-260° byd 35 NM blo 14,000'
 246°-256° byd 40 NM blo 14,000'
 246°-256° byd 47 NM
 257°-008° byd 40 NM
 260°-275° byd 35 NM blo 14,000'
 275°-310° byd 35 NM blo 16,500'

TACAN AZIMUTH unusable:

025°-160° byd 20 NM blo 6,000'
 160°-200° byd 20 NM blo 9,000'
 200°-025° byd 25 NM blo 11,000'
 200°-220° byd 15 NM blo 9,000'
 220°-245° byd 35 NM blo 15,000'
 245°-260° byd 35 NM blo 14,000'
 260°-275° byd 35 NM blo 14,000'
 275°-310° byd 35 NM blo 16,500'

DME unusable:

025°-160° byd 20 NM blo 6,000'
 160°-200° byd 20 NM blo 9,000'
 200°-025° byd 25 NM blo 11,000'
 200°-220° byd 15 NM blo 9,000'
 220°-245° byd 35 NM blo 15,000'
 245°-260° byd 35 NM blo 14,000'
 260°-275° byd 35 NM blo 14,000'
 275°-310° byd 35 NM blo 16,500'

ILS/DME 110.7 I-HWG Chan 44 Rwy 12L. Class 1T. Unmonitored when ATCT clsd.

COMM/NAV/WEATHER REMARKS: VGT twr frequency 119.15 may be used for RWT 12L/30R ops. All IFR visual apch go-arounds expect clsd tfc at VGT.